

CHAPTER VI

BIBLIOGRAPHY

- Abbott RD, Rodriguez BL, Burchfiel CM, Curb JD, 1994. Physical activity in older middle-aged men and reduced risk of stroke: the Honolulu Heart Program. *Am J Epidemiol.* 1994;139:881-893.
- American Heart, 2004. Stroke Statistic. <http://www.americanheart.org/>
- Anonymous 2000, *Informatorium Obat Nasional Indonesia*, 14-16, 25-26, 183-185, Departemen Kesehatan Republik Indonesia- Jakarta.
- Anonymous 2010, *Clinical Guideline For Stroke Management 2010*, National Stroke Foundation.
- Anonymous 2013, Guideline For The Early Management Of Patients With Acute Ischemic Stroke, American Heart Association/ American Stroke Association.
- Broderick J.P., Brott T., and Kothari R., 1998. The greater Cincinnati / Northern Kentucky stroke study: preliminary first-ever total incidence rates of stroke among blacks. *Stroke*; 29: 415-21
- Broderick J.P., 2004. William M. Feinberg Lecture: Stroke Therapy in the year 2025. Burden, Breakthroughs, and Barriers to Progress. *Stroke*; 35: 205-211.
- Brown RD, Whisnant JP, Sicks RD, O'Fallon WM, Wiebers DO, 1996. Stroke incidence, prevalence, and survival: secular trends in Rochester, Minnesota, through 1989. *Stroke*; 27:373-380.
- Burchfiel CM, Curb JD, Rodriguez BL, Abbott RD, Chiu D, Yano K, 1994. Glucose intolerance and 22-year stroke incidence: the Honolulu Heart Program. *Stroke*; 25:951-957.
- Byington RP, Jukema JW, Salonen JT, Pitt B, Bruschke AV, Hoen H, Furberg CD, Mancini GB, 1995. Reduction in cardiovascular events during pravastatin therapy: pooled analysis of clinical events of the Pravastatin Atherosclerosis Intervention Program. *Circulation*; 92:2419-2425.
- Chobanian AV, Bakris GL, Black HR, Cushman WC, Green LA, Izzo Jr JL et al (2003). The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure: The JNC 7 report. *U.S. Department of Health and Human Services. NIH Publication.*

- Davalos A., Alvarez-Sabin J., Castillo J. et al. (2012) *Citicoline in the treatment of acute ischaemic stroke: an international, randomised, multicentre, placebo-controlled study (ictustrial)*. *Lancet* 380, 349– 357
- Deb P, Sharma S, Hassan KM 2010. "Pathophysiologic mechanisms of acute ischemic stroke: An overview with emphasis on therapeutic significance beyond thrombolysis". *Pathophysiology : the official journal of the International Society for Pathophysiology / ISP* 17 (3): 197–218
- Dipiro J. and Wells B., 2009, *Pharmacotherapy Handbook*, 7th Edition, McGraw-Hill Medical Publishing Division; Print ISBN: 0071485015
- Dirnagl U, Iadecola C, Moskowitz MA 1999. Pathobiology of ischaemic stroke: an integrated view. *Trends Neurosci* 22:391–397.
- Eikelboom JW, Lonn E, Genest J Jr., Hankey G, and Yusuf S, 1999. Homocyst(e)ine and cardiovascular disease: a critical review of the epidemiologic evidence. *Ann Intern Med* 1999;131(5):363-375.
- European Stroke Initiative Executive (EUSI). 2003. European Stroke Initiative Recommendations for stroke management – Update 2003. *Cerebrovascular Diseases* 2003; 16:311-337.
- Gregory Y H & Andrew D, 2003, *ABC of Antithrombotic Therapy*, BMJ Publishing Group.
- Hacke W., Kaste M., Bogousslavsky J., Brainin M., Chamorro A., Lees K., Leys D., and Toni D., 2003. Ischemic Stroke Prophylaxis and Treatment – *European Stroke Initiative Recommendations 2003*.
- Harsono 2000, *Kapita Selekt Neurologi*, cetakan II, 81-101, Gadjah Mada University Press, Yogyakarta.
- Heiss G, Sharrett AR, Barnes R, Chambless LE, Szklo M, Alzola C, 1991. Carotid atherosclerosis measured by B-mode ultrasound in populations: associations with cardiovascular risk factors in the ARIC study. *Am J Epidemiol*.1991;134:250-256.
- INRUD, 1999, Session Guide: Problems of Irrational Drug Use, <http://dcc2.bumc.bu.edu/prdu/sessionguides/problemsofirrationaldruguse.htm>.
- Iso H, Jacobs DR Jr, Wentworth D, Neaton JD, Cohen JD, 1989. Serum cholesterol levels and six-year mortality from stroke in 350,977 men screened for the multiple risk factor intervention trial. *N Engl J Med*. 1989;320:904-910.

- JAMA 1991, SHEP Cooperative Research Group. Prevention of stroke by antihypertensive drug treatment in older persons with isolated systolic hypertension: final results of the Systolic Hypertension in the Elderly Program (SHEP). *JAMA*.1991;265:3255-3264.
- JAMA 1993, Summary of the National Cholesterol Education Program (NCEP) Adult Treatment Panel II report. *JAMA*.. 1993;269:3015-3023.
- Jorgensen H.S., Nakayama H., Raaschou H.O., Olsen T.S., 1995. Intracerebral hemorrhage versus infarction: stroke severity, risk factors and prognosis. *Ann Neurol*; 38: 45-50.
- Kawachi I, Colditz GA, Stampfer MJ, Willett WC, Manson JE, Rosner B, Speizer FE, Hennekens CH, 1993. Smoking cessation and decreased risk of stroke in women. *JAMA*. 1993;269:232-236.
- Kiely DK, Wolf PA, Cupples LA, Beiser AS, Myers RH, 1993. Familial aggregation of stroke: the Framingham Study. *Stroke*. 1993;24:1366-1371.
- Koren-Morag N, Tanne D, Graff E, and Goldbourt U, 2002. Low- and high-density lipoprotein cholesterol and ischemic cerebrovascular disease: the bezafibrate infarctionprevention registry. *Arch Intern Med* 2002;162(9):993-9.
- Lamsudin, R.,Wibowo,S,. Nuradyo, D, dan Sutarni S., 1998, Manajemen Stroke Mutakhir, 1-13, 45-67, *Suplemen BKM XIV* (1), Program Pendidikan Kedokteran Komunitas Fakultas Kedokteran UGM, Yogyakarta.
- Lamsudin R., 1998. Stroke profile in Yogyakarta morbidity, mortality, and risk factor of stroke. In: Lamsudin R., Wibowo S., Nuradyo D., Sutarni S. (Eds), Recent Management of Stroke. *BKM*; Supl XIV: 53-69.
- Liao D, Myers R, Hunt S, Shahar E, Paton C, Burke G, Province M, and Heiss G, 1997. Familial history of stroke and stroke risk: the Family Heart Study. *Stroke* 1997;28:1908-1912.
- Lo E.H., Dalkara T., and Moskowitz M.A., 2003. Mechanisms, challenges and opportunities in stroke. *Nat Rev Neurosci.*; 4: 399-415.
- MacMahon S, Rodgers A, 1994. The epidemiological association between blood pressure and stroke: implications for primary and secondary prevention. *Hypertens Res*. 1994;17(suppl 1):S23-S32.
- Mant, A & Begg, E.J., 2002, Reviewing Prescribing For Elderly Using Quality Use of Medicine Approach, *Asia Pacific Family Medicine* 2002, 1: 42-48 <http://www.blackwell-science.com/af>,.

- Misbach J., 2001. Stroke morbidity in Bogor area: a prospective observational analysis. *The Journal of the Indonesian Med Assoc.*; II (VI); 1-6.
- Mohr J.P.: Lacunes. H.J.M. Barnett B.H. Stein F.M. Yatsu, 1986. Stroke: Pathophysiology, diagnosis and management. 1986 *Churchill Livingstone New York* 475-496
- National Center for Health Statistics, 1986. Blood Pressure Levels in Persons 18-74 Years of Age in 1976-1980, and Trends in Blood Pressure From 1960 to 1980 in the United States. *Vital and Health Statistics*, series 11. Washington, DC: US Government Printing Office; 1986. DHHS publication 86-1684.
- Pancioli AM, Broderick J, Kothari R, Brott T, Tuchfarber A, Miller R, Khoury J, and Jauch E, 1998. Public perception of stroke warning signs and knowledge of potential risk factors. *JAMA* 1998;279:1288-1292.
- PERDOSSI, 2011. *Guideline Stroke* 2011. Jakarta, 2011.
- Reynolds K, Lewis LB, Nolen JDL, Kinney GL, Sathya B, and He J, 2003. Alcohol consumption and risk of stroke. *JAMA* 2003;289(5):579.
- Sacco RL, Boden-Albala B, Lin IF, Kargman DE, Hauser WA, Shea S, and Paik MC, 1998. Leisure-time physical activity and ischemic stroke risk: the Northern Manhattan Stroke Study. *Stroke* 1998;29(2):380-7.
- Santoso. B., 1996, *Principle of Rational Prescribing*, Medical Progress Oktober, 6-9.
- Shinton R, Beevers G, 1989. Meta-analysis of relation between cigarette smoking and stroke. *BMJ*. 1989;298:789-794.
- Sudigdo, S., Bambang, M., Sunoto, P., Alan, R., 1995, *Perkiraan Besar Sampel, Dasar-dasar Methodologi Penelitian Klinis*, Binarupa Akasara, Jakarta.
- Suri MF, Hussein HM, Abdelmoula MM, Divani AA, Qureshi AI, 2008. Safety and tolerability of 600 mg clopidogrel bolus in patients with acute ischemic stroke: preliminary experience. *Med Sci Monit*. 2008;14:PI39-PI44.
- The Scandinavian Simvastatin Survival Study (4S), 1994. Randomised trial of cholesterol lowering in 4444 patients with coronary heart disease: the Scandinavian Simvastatin Survival Study (4S). *Lancet*. 1994;344:1383-1389.

- Toni D, Fiorelli M, Gentile M, et al, 1995: Progressing neurological deficit secondary to acute ischemic stroke: Study on predictability, pathogenesis and prognosis. *Arch Neurol*. 52:670-675 1995
- Wasitarani D.GS, 2007, *Analisis Ketepatan Pengobatan Stroke Rawat Inap di RSUP Dr, Sardjito Yogyakarta tahun 2006*, Skripsi, Pharmacy Faculty Gadjah Mada University Yogyakarta.
- Welin L, Svardsudd K, Wilhelmsen L, Larsson B, Tibblin G, 1913. Analysis of risk factors for stroke in a cohort of men born in 1913. *N Engl J Med*.1987;317:521-526.
- Whisnant JP, 1996. Effectiveness versus efficacy of treatment of hypertension for stroke prevention. *Neurology*. 1996;46:301-307.
- WHO MONICA. 1986. *Manual Version 1:1*.
- WHO, 2006. Stepwise approach to stroke surveillance. <http://www.who.int/>.
- WHO, 2009. Cardiovascular disease: prevention and control. <http://www.who.int/dietphysicalactivity/publication/facts/cvd/en/index.html> 1.1st March 2009.
- Wibowo, S dan Gofir, A., 2001, *Farmakoterapi dalam Neurologi*, hal 9, Penerbit Salemba Medika, Jakarta.
- Wolf PA, D'Agostino RB, Kannel WB, Bonita R, Belanger AJ, 1988. Cigarette smoking as a risk factor for stroke: the Framingham Study. *JAMA*.1988;259:1025-1029.
- Wolf PA, D'Agostino RB, O'Neal MA, Sytkowski P, Kase CS, Belanger AJ, Kannel WB, 1992. Secular trends in stroke incidence and mortality: the Framingham Study. *Stroke*. 1992;23:1551-1555.
- Wolf P.A., Clagett G.P., Easton J.D., Goldstein L.B., Gorelick P.G., Kelly-Hayes M., Sacco R.L., and Whisnant J.P., 1999. Preventing ischemic stroke in patient with prior stroke and transient ischemic attack. A statement for healthcare professionals from the Stroke Council of the American Heart Association. *Stroke* 30:1991-94.
- Zia E.G, Svensson PJ, Norrving B, Pessah- Rasmussen H., 2009, Three Year Survival and Stroke Recurrence Rates in Patients with primary intracerebral haemorrhage, *Stroke, SMJ*; 40(11) : 3567-73.

