

DAFTAR PUSTAKA

- Abdel-Maksoud, MF & Hokanson, JE 2002, The complex role of triglycerides in cardiovascular disease, *Seminars in Vascular Medicine*, 2(33): 325-333.
- Abeeleh, MA, Ismail, ZB, Alzaben, KR, Abu-Halaweh, SA, Al-Essa, MK, Abuabeeleh, J *et al.* 2009, Induction of Diabetes Mellitus in Rats Using Intraperitoneal Streptozotocin: A Comparison between 2 Strains of Rats, *European Journal of Scientific Research*, 32(3): 398-402.
- Akbarzadeh, A, Norouziyan, D, Mehrabi, MR, Jamshidi, SH, Farhangi, A, Verdi, AA *et al.* 2007, Diabetes induction by streptozotocin in rats, *Indian Journal of Diabetes*, 22(2): 60-64.
- American Diabetes Association 2010, Diagnosis and Classification of Diabetes mellitus, *Diabetes Care*, 33: 562-569.
- Ashrafi, K 2007, Obesity and the regulation of fat metabolism, *Wormbook*, pp. 1-20.
- Aziz, OH 2009, Effect of soybean seeds alone or in combination with insulin or glibenclamide on serum lipid profiles in alloxan-induced diabetic rats, *Iraqi Journal of Veterinary Sciences*, 23(1): 17-23.
- Balai Penelitian dan Pengembangan Kesehatan 2008, *Riset Kesehatan Dasar 2007*, Departemen Kesehatan Republik Indonesia, Jakarta.
- Ceriello, A & Motz, E 2004, Is oxidative stress the pathogenic mechanism underlying insulin resistance, diabetes and cardiovascular disease?, *Arteriosclerosis, Thrombosis, and Vascular Biology*, 24: 816-823.
- Debasis, D, Kausik, C, Kazi, AM, Bera, KT, & Debidas, G 2011, Antidiabetic potential of aqueous-methanolic extract of seed of *Swietenia mahogany* (L.) Jacq. in streptozotocin-induced diabetic male albino rat: a correlative and evidence-

- based approach with antioxidative and antihyperlipidemic activities, *Evidence-Based Complementary and Alternative Medicine*, 2011: 1-11.
- Dolnikoff, M, Martin-Hidalgo, A, Machado, UF, Lima, FB, & Herrera, E 2001, Decrease lipolysis and enhanced glycerol and glucose utilization by adipose tissue prior to development of obesity in monosodium glutamate (MSG) treated-rats, *International Journal of Obesity*, 25: 426-433.
- Dorland, WAN 2011, *Dorland's Illustrated Medical Dictionary*, 32 edn, Saunders, USA.
- Duvillard, L, Pont, F, Florjentin, E, Galland-Jos, C, Gambert, P, & Verges, B 2000, Metabolic abnormalities of apolipoprotein B-containing lipoproteins in non-insulin-dependent diabetes: a stable isotope kinetic study, *European Journal of Clinical Investigation*, 30: 685-694.
- Etuk, EU & Muhammed, BJ 2010, Evidence based analysis of chemical method of induction of diabetes mellitus in experimental rats, *International Journal of Research in Pharmaceutical Sciences*, 1: 139-142.
- Evans, JL, Goldfine, ID, Maddux, BA, & Grodsky, GM 2003, Are oxidative stress activated signaling pathways mediators of insulin resistance and cell dysfunction?, *Diabetes*, 52: 1-8.
- Falah, S, Safithri, M, Katayama, T, & Suzuki, T 2010, Hypoglycemic effect of mahagoni (*Swietenia macrophylla* King) bark extracts in alloxan-induced diabetic rats, *Wood Research Journal*, 1(2): 89-94.
- Fowler, MJ 2008, Microvascular and macrovascular omplications of diabetes, *Clinical Diabetes*, 26(2): 77-82.
- Galic, S, Hauser, C, Kahn, BB, Haj, FG, Neel, BG, Tonks, NK, et al. 2005, Coordinated regulation of insulin signaling by the protein tyrosine phosphatase PTP1B and TCPTP, *Molecular and Cell Biology*, 25(2): 819-829.

- German, MS & Masherani, U 2007, Pancreatic Hormones & Diabetes mellitus, in DG Gardner & D Shoback (eds.), *Greenspan's Basic & Clinical Endocrinology*, 8 edn, McGraw Hill, USA.
- Giacco, F & Brownlee, M 2010, Oxidative stress and diabetic complication, *Circulation Research*, 107: 1058-1070.
- Giugliano, D, Acampora, R, & D'Onofrio, F 1994, Medical hypothesis: cardiovascular complications of diabetes mellitus-from glucose to insulin and back, *Diabetes & Metabolism*, 20: 445-453.
- Giugliano, D, Ceriello, A, & Paolisso, G 1996, Diabetes mellitus, hypertension and cardiovascular diseases: which role for oxidative stress?, *Metabolism*, 44: 363-368.
- Gurr, MI, Harwood, JL, & Frayn, KN 2002, *Lipid Biochemistry*, edn. 5, Blackwell Science, Great Britain.
- Hajli, Z 2011, *Isolasi Senyawa Golongan Flavonoid Biji Mahoni (Swietenia mahagoni Jacq) yang Berpotensi sebagai Antioksidan*, Institut Pertanian Bogor, Bogor.
- Hariana, A 2007, *Tumbuhan obat dan khasiatnya*, Penebar Swadaya, Jakarta.
- Heller, B, Burkle, A, Radons, J, Fengler E, Jallowy, A, Muller, M, et al. 1994, Analysis of oxygen radical toxicity in pancreatic islets at the single cell level, *Biological Chemistry Hoppe-Seyler*, 375: 597-602.
- Kalaivanan, K & Pugalendi KV 2010, Antihyperglycemic effect of the alcoholic seed extract of *Swietenia macrophylla* on streptozotocin-induced diabetic rats, *Pharmacognosy Research*, 3: 67-71.
- Kaneto, H, Kajimoto, Y, Miyagawa, J, Matsuoka, T, Fujitani, Y, Umayahara, Y, et al. 1999, Beneficial effects of antioxidants in diabetes

possible protection of pancreatic β -cells against glucose toxicity, *Diabetes*, 48: 2398-2406.

Kalpana, K & Pugalendi, KV 2011, Antioxidative and hypolipidemic efficacy of alcoholic seed extract of *Swietenia macrophylla* in streptozotocin diabetic rats, *Journal of Basic Clinical Physiology & Pharmacology*, 22: 11-21.

Karen, GB & Iris, R 2010, *Imunologi Dasar*, Fakultas Kedokteran Universitas Indonesia, Jakarta.

Krauss, RM 1998, Atherogenicity of triglyceride-rich lipoproteins, *American Journal of Cardiology*, 81: 13B-17B.

Krisnawati, H, Kanninen, M, & Kallio, M 2011, *Swietenia macrophylla* King Ecology, silviculture, and productivity, CIFOR, Bogor.

Liang, YZ, Xie, P, & Chan, K 2004, Quality control of herbal medicines, *Journal of Chromatography B Analytical Technologies in the Biomedical And Life Sciences*, 812: 53-70.

Masiello, P, Broca, C, Roye, M, Gross, R, Ribes, G, Novelli, M, et al. 1998, Development of a new model in adult rats administered streptozotocin and nicotinamide, *Diabetes*, 47: 224-229.

Maddux, BA, See, W, Lawrence, JC, Goldfine, AL, Goldfine, ID, & Evans, JL 2001, Protection against oxidative stress-induced insulin resistance in rat L6 muscle cells by micromolar concentrations of L-lipoic acid, *Diabetes*, 50: 404-410.

Maiti, A, Dewanjee, S, Jana, G, & Mandal, SC 2008, Hypoglycemic effect of *Swietenia macrophylla* seeds against type II diabetes, *International Journal of Green Pharmacology*, pp. 224-227.

Masiello, P, Broca, C, Gross, R, Roye, M, Manteghetti, M, Novelli, M, et al. 1998, Development of a new model in adult rats administered streptozotocin and nicotinamide, *Diabetes*, 47: 224-229.

- Mooradian, AG 2008, Dyslipidemia in type 2 diabetes mellitus, *Nature Clinical Practice Endocrinology & Metabolism*, 5(3): 150-159.
- Moreau, R 2007, triglyceride-lowering properties of lipoic acid, *Research Newsletter Linus Pauling Institute*, pp. 14-15.
- Mori, Y, Itoh, Y, Obata, T, & Tajima, N 2006, Effects of pioglitazone vs glibenclamide on postprandial increases in glucose and triglyceride levels and on oxidative stress in Japanese patients with type 2 diabetes, *Endocrine*, 29: 143-148.
- Murray, RK, Granner, DK, & Rodwell, VW 2006, *Harper's Illustrated Biochemistry*, edn. 27, McGraw Hill, USA.
- Mursiti, S 2004, Identifikasi senyawa alkaloid dalam biji mahoni bebas minyak (*Swietenia macrophylla* King) dan efek biji mahoni terhadap penurunan kadar glukosa darah tikus (*Rattus norvegicus*), [Tesis], Universitas Gadjah Mada, Yogyakarta.
- Nukatsuka, M, Yoshimura, Y, Nishida, M, & Kawada, J 1990, Importance of the concentration of ATP in rat pancreatic beta cells in the mechanism of streptozotocin-induced cytotoxicity, *Journal of Endocrinology*, 127: 161-165.
- Panda, SP, Haldar, PK, Bera, S, Adhikary, S, & Kandar, CC 2010, Antidiabetic antioxidant activity of *Swietenia mahogani* in streptozotocin-induced diabetic rats, *Pharmaceutical Biology*, 49(9): 974-979.
- Panda, A, Jena, S, Sahu, PK, Nayak, S, & Padhi P 2013, Effect of polyherbal mixtures on the treatment of diabetes, *ISRN Endocrinology*, 2013: 1-5.
- Parvez, A, Ihsanullah, Rafiq, A, Ahmad, N, & Khan, EH 2010, Relationship of glycaemia and triglycerides with BMI in diabetic patients, *Journal of Ayub Medical College Abbottabad*, 22(2): 164-166.
- Pepato, MT, Migliorini, RH, Goldberg, AL, & Kettelhut, IC 1996, Role of different proteolytic pathways

in degradation of muscle protein from streptozotocin-induced diabetic rats, *American Journal of Physiology-Endocrinology & Metabolism*, 271: E340-E370.

Pethe, M & Gupta, RK 2011, Effect of *Hibiscus rosa sinensis* (Jaswand) flowers on lipid profile in experimentally induced diabetes mellitus in rats, *The Journal of Mahatma Gandhi Institute of Medical Science*, 16: 24-29.

Polonsky, KS, Burant, CF, & Buse, JB 2008, Type 2 Diabetes Mellitus, in HM Kronrnberg, S Melmed, KS Polonsky, & PR Larsen (eds), *Williams Tetbook of Endocrinology*, 11 edn., Saunders Elsevier, Philadelphia.

Punitha, IS, Shirwaikar, A, & Shirwaikar, A 2006, Antidiabetic activity of benzyl tetraisoquinoline alkaloid berberine in streptozotocine-nicotinamide induced type 2 diabetic rats, *Diabetologia Croatica*, 34: 117-128.

Ryden, M, Anderson, DP, Bernard, S, Spalding, K, & Arner, P 2013, Adipocyte triglyceride turnover and lipolysis in lean and overweight subjects, *Journal of Lipid Research*, pp. 1-17.

Sajithlal, GB, Chitra, P, & Chandrakasan, G 1998, Effect of curcumin on the advanced glycation and cross linking of collagen in dabetic rats, *Biochemical Pharmacology*, 56: 1607-1614.

Sherwood, L 2007, *Human Physiology: From Cells To System*, Department of Physiologyand Pharmacology School of Medicine, West Virginia University.

Singh, SK dan Kapoor, D 2009, Lipids Metabolism, in Y Sachdev (ed), *Clinical Endocrinology & Diabetes Mellitus (A Comprehensive Text)*, Jaypee Brothers, New Delhi.

Sivakumar, S & Subramanian, SP 2009, Pancreatic tissue protective nature of D-pinitol studied in streptozotocin-mediated oxidative in experimental diabetic rats', *European Journal of Pharmacology*, 22: 56-70.

Smeltzer, SC & Bare, BG 2002, *Buku Ajar Medikal Bedah*, 8 edn., EGC, Jakarta.

Sokolovska, J, Isajevs, S, Sugoka, O, Sharipova, J, Paramonova, N, Isajeva, J, et al. 2012, Comparison of the effects of glibenclamide on metabolic parameters, GLUT1 expression, liver injury in rats with severe and mild streptozotocin-induced diabetes mellitus', *Medicina (Kaunas)*, 48(10): 532-543.

Soerianegara, I & Lemmens, RHMJ 1993, *Plant resources of South-east Asia 5(1): timber trees: major commercial timbers*, Pudoc Scientific Publishers, Wageningen, Belanda.

Suryani, N, Endang, T, & Aulanni'am 2013, Pengaruh ekstrak metanol biji mahoni terhadap peningkatan kadar insulin, penurunan ekspresi TNF- α dan perbaikan jaringan pankreas tikus diabetes', *Jurnal Kedokteran Brawijaya*, 27(3): 137-145.

Szkudelski, T 2001, The mechanism of alloxan and streptozotocin action in β cell of the rat pancreas, *Physiological Research*, 50: 536-546.

Tian, Y, Johnson, G, & Ashcroft, SJH 1998, Sulfonylureas enhance exocytosis from pancreatic β -cells by a mechanism that does not involve direct activation of protein kinase C, *Diabetes*, 47: 1722-1726.

Tiong, SH, Looi, CY, Hazni, H, Arya, A, Paydar, M, Wong, WF, et al. 2013, Antidiabetic and antioxidant properties of alkaloids from *Catharantus roseus* (L.) G. Don, *Molecules*, 18: 9770-9784.

Tjitrosoepomo, G 2000, *Taksonomi tumbuhan spermatophyte*, UGM Press, Yogyakarta.

Trivedi, NA, Mazumdar, B, Bhatt, JD, & Hemavathi, KG 2004, Effect of Shilajit on blood glucose and lipid profile in alloxan-induced diabetic rats, *Indian Journal of Pharmacology*, 36: 373-376.

Wallace, DC 1992, Disease of the mitochondrial DNA, *Annual Review Biochemistry*, 61: 1175-1212.

Weir, GC, Laybutt, DR, Kaneto, H, Bonner-Weir, S, & Sharma, A 2001, β -cell adaptation and decompensation during the progression of diabetes, *Diabetes*, 50: S154-S159.

World Health Organization 2006, *Definition and Diagnosis of Diabetes Mellitus and Intermediate Hyperglycaemia*, World Health Organization.

Zimmet, P, Alberti, KG, & Shaw, J 2001, Global and societal implications of the diabetes epidemic, *Nature*, 414: 782-787.