

## CHAPTER 6

### REFERENCES

- Abel, T, Graf, N, Niemann, S 2001, 'Gender bias in the assessment of physical activity in population studies', *Soz Praventivmed*, vol. 46, pp.268-272.
- Alexander, NB 1996, Gait Disorders in older adults. *J Am Geriatr Soc*, vol. 44, pp. 434-451.
- Alexander, NB, Goldberg, A 2005, 'Gait disorders: Search for multiple causes', *Cleveland Clinic Journal of Medicine*, vol. 72, no, 7, pp. 586-600.
- Badan Penelitian dan Pengembangan Kesehatan, Depkes RI (2008). Riset Kesehatan Dasar (RISKESDAS) 2007, Laporan Nasional 2007.
- Bose, D, 'Difference Between Sea Salt and Table Salt', viewed 26 June 2013, <http://www.buzzle.com/articles/table-salt-vs-sea-salt-difference-between-sea-salt-and-table-salt.html>
- Cantarini, L, Leo, G, Giannitti, C, Cevenini, G, Barberini, P, Fioravanti, A 2007, 'Therapeutic effects of spa therapy and short wave therapy in knee osteoarthritis: a randomized, single blind, controlled trial', *Rheumatol Int*, vol. 27, pp. 523-529.
- Compan, V, Baroja-Mazo, A, Lopez-Castejon, G, Gomes, AI, Martinez, CM, Angosto, D, et al 2012, 'Cell Volume Regulation Modulates NLRP3 Inflammasome Activation', *Immunity Article*, vol. 37, pp. 487-500.
- Compan, V & Pelegrin, P 2012, *A Solution to Reducing Inflammation*, The University of Manchester, viewed 07 October 2013, <http://www.manchester.ac.uk/aboutus/news/display/?id=8723>

Creasy, E, THE NUTRITIONAL OF SALT PER 100 GRAMS,  
viewed 26 June 2013,  
<http://www.livestrong.com/article/397735-the-nutritional-content-of-salt-per-100-grams/>

Dananjoyo, K 2014 'NYERI ASPEK NEUROPSIKOGENIK' [power point slide], Department of Neurology, Faculty of Medicine-Universitas Gadjah Mada [attended 2014 Nov].

DiPietro, L 2001, 'Physical activity in aging: changes in patterns and their relationship to health and function', *J Gerontol A Biol Sci Med Sci*, vol. 56, no. 2, pp. 13-22.

Dobson, F, Hinman, RS, et al. 2013, 'OARSI recommended performance-based tests to assess physical function in people diagnosed with hip or knee osteoarthritis', *Osteoarthritis Cartilage*, vol. 21 no.8, pp.1042-1052, available from: [www.oarsi.org/sites/default/files/docs/2013/manual.pdf](http://www.oarsi.org/sites/default/files/docs/2013/manual.pdf)

Felson, DT, Mclaughlin, S, Goggins, J et al. 2003, *Bone Marrow Edema and Its Relation to Progression of Knee Osteoarthritis*, *Ann Intern Med*, vol.139, pp.330-336.

Fraioli, A, Serio, A, Mennuni, G, Ceccarelli, F, Petraccia, L, Fontana, M et al 2011, 'A study on the efficacy of treatment with mud packs and baths with Sillene mineral water (Chianciano Spa Italy) in patients suffering from knee osteoarthritis', *Rheumatol Int*, vol. 31, pp. 1333-1340.

Fuh, JL, Lin, KN, Wang, SJ, et al. 1994, 'Neurologic diseases presenting with gait impairment in the elderly', *J Geriatry Psychiatry Neurology*, vol. 7, pp. 89-92.

Gogia, PP, Bratz, JH, Rose, SJ, Norton, BJ 1987, 'Reliability and validity of goniometric measurements at the knee', *Physical Therapy*, vol. 67, pp. 192-195.

Gupta, S, Hawker, GA, Laporte, A, Croxford, R, & Coyte, PC 2005, 'The economic burden of disabling hip and knee osteoarthritis (OA) from the perspective

of individuals living with this condition', *Oxford Journals*, vol. 44, issue 12, pp. 1531-1537, viewed 29 september 2013, <  
<http://rheumatology.oxfordjournals.org/content/44/12/1531.full>>

Guralnik, JM, Branch, LG, Cummings, SR, Curb, JD 1989, 'Physical performance measures in aging research', *J Gerontol*, vol. 44, pp.141-146.

Hassanali, SH 2011, 'Osteoarthritis: A Look At Pathophysiology And Approach To New Treatments: A Review', *East African Orthopedic Journal*, vol. 5, pp. 51-57.

Hinman, RS, Bennell, KL, Metcalf, BR, Crossley, KM, 'Balance impairments in individuals with symptomatic knee osteoarthritis: a comparison with matched controls using clinical tests, *Rheumatology Oxford*, vol.41, pp. 1388-1394.

Holla, JFM et al. 2011, 'Determinants of range of joint motion in patients with early symptomatic osteoarthritis of the hip and/or knee: an exploratory study in the CHECK cohort', *Osteoarthritis and Cartilage*, vol. 19, pp. 411-419.

Hurley, MV, Scott, DL, Rees, J, Newham, DJ 1997, 'Sensorimotor changes and functional performance in patients with knee osteoarthritis', *Ann Rheum Dis*, vol. 56, pp. 641-648.

Kalunian, KC 2013, *Patient information: Osteoarthritis symptoms and diagnosis (Beyond the Basics)*, UpToDate, viewed 09 September 2013, available from:  
<<http://www.uptodate.com/contents/osteoarthritis-symptoms-and-diagnosis-beyond-the-basics#H18>>

Karagulle, M, Karagulle, MZ, Karagulle, O, Donmez, A, Turan, M 2007, 'A 10-day SPA therapy is beneficial for people with severe knee osteoarthritis', *Clin Rheumatol*, vol. 26, pp. 2063-2071.

Kasper, DL et al. 2005, *Harrison's Principles of Internal Medicine*, 16 edn, McGraw-Hill, New York.

Kaufman, KR, Hughes, C, Morrey, BF, Morrey, M, An, K 2001, 'Gait characteristics of patients with knee osteoarthritis', *J Biomech*, vol.34, pp. 907-915.

Kenny, T 2014, 'Osteoarthritis', viewed 25 September 2014,  
<http://www.patient.co.uk/health/osteoarthritis-leaflet#>

Kraemer, WJ, et al. 2004, 'Effect of a cetylated fatty acid topical cream on functional mobility and quality of life of patients with osteoarthritis', *The Journal of Rheumatology*, vol. 31, no. 4, pp. 767-774.

Kumar, R, Abbas, A, DeLancey, A, Malone E 2010, *Robbins & Cotran Pathologic Basis of Disease*, 8 edn, Saunders Elsevier, Philadelphia.

Lelo, A, Hidayat, DS and Juli, S 2004, *Penggunaan Anti-Inflamasi Non-Steroid Yang Rasional Pada Penanggulangan Nyeri Rematik*, Universitas Sumatera Utara: e-USU Repository.

Longo, DL, Fauci, AS, Kasper, DL, Hauser, Sl, Jameson, JL, and Loscalzo, J 2013, *Harrison's Manual of Medicine: Osteoarthritis*. 18 edn, McGraw-Hill, New York.

Mathias, S, Nayak, USL, Isaacs, B 1986, 'Balance in elderly patient: The "Get-up and Go" test', *Arch Phys Med Rehabil*, vol.67, pp.387-389.

Odding, E, Valkenburg, HA, Algra, D, Vandenouweland, FA, Grobbee, DE, Hofman, A 1996, 'The association of abnormalities on physical examination of the hip and knee with locomotor disability in the Rotterdam study', *British Journal of Rheumatology*, vol. 35, pp. 884-890.

Pearle, AD, Warren, RF, Rodeo, SA 2005, 'Basic Science of Articular Cartilage and Osteoarthritis', *Clinics in Sports Medicine*, vol.24, pp.1-12.

Podsiadlo, D, Richardson, S 1991, *The timed "up and go": a test of basic functional mobility for frail elderly persons*, *JAGS*, vol. 39, pp. 142-148.

Polit, DF, Hungler, BP 1999, *Nursing Research:*

*Principles and Methods*, 6 ed, Lippincot Williams & Wilkins, Philadelphia.

Roddy, E and Doherty, M 2003, 'Guidelines for management of osteoarthritis published by the American College of Rheumatology and the European League Against Rheumatism: why are they so different?', *Rheum Dis Clin North Am*, vol. 29, pp. 717-73.

Saltwater and sulphur for prevention, improvement, and healing, viewed 26 July 2013, <http://www.eurothermen.at/en-bad-ischl-therapy-sole-wirkung.html>

Sarno, JE 1998 *The Mindbody Prescription HEALING THE BODY, HEALING THE PAIN*, 1st edn, Warner Books Inc., New York.

Scott, GT, Pagura, SMC, Kennedy, D 2003, 'Physical activity and its relationship to physical performance in patients with end stage knee osteoarthritis', *J Orthop Sports Physical Therapy*, vol.33, no. 12, pp. 745-754.

Simon, H 2003, 'Osteoarthritis', [http://healthendage.com/html/well\\_connected/pdf/doc35.pdf](http://healthendage.com/html/well_connected/pdf/doc35.pdf).

Soeroso, J, Isbagio, H, Kalim, H, Broto, R, Pramudiyo, R 2006, *Buku ajar ilmu penyakit dalam*, 4th ed, Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam Fakultas Kedokteran Indonesia, pp. 1195-1201.

Steffen, TM, Hacker, TA, Mollinger, L 2002, 'Age- and gender-related test performance in community-dwelling elderly people: Six-minute walk test, Berg Balance scale, Timed Up & Go test, and gait speeds', *Physical Therapy*, vol.82, pp.128-137.

Steultjens, MPM, Dekker, J, van Baar, ME, Oostendorp, RAB, Bijlsma, JWJ 2000, 'Range of joint motion and disability in patients with osteoarthritis of the knee or hip', *Rheumatology*, vol. 39, pp. 955-961.

Stoppler, MC 2011, 'Joint Stiffness' [Internet], MedicineNet [cited 29 December 2014]. Available from:

[http://www.medicinenet.com/joint\\_stiffness/symptoms.html](http://www.medicinenet.com/joint_stiffness/symptoms.html)

Stratford, PW, Kennedy, DM, Woodhouse, LJ 2006, 'Performance measures provide assessments of pain and function in people with advanced osteoarthritis of the hip or knee', *Physical Therapy*, vol. 86, pp. 1489-1496.

Sudoyo, AW, Setiyohadi, B, Alwi, I, Simadibrata, M, & Setiadi, S 2006, *Buku Ajar Ilmu Penyakit Dalam*, Volume II, 4th edition, Fakultas Kedokteran Universitas Indonesia, Jakarta.

Tanna, S 2004, *Osteoarthritis: Opportunities to Address Pharmaceutical Gaps*, <http://archives.who.int/prioritymeds/report/background/osteoarthritis.doc>

The burden of musculoskeletal conditions at the start of the new millenium: report of a WHO scientific group, technical report series no 919. WHO Technical Report Series.

Topp, R, Woolley, S, Khuder, S, Hornyak, J, Bruss, A 2000, 'Predictors of four functional tasks in patients with osteoarthritis of the knee', *Orthop Nurs*, vol. 19, pp. 49-58.

Tortora, GJ and Derrickson, B 2009, *Principles of Anatomy and Physiology*, 12 edn, John Wiley & Sons, United States.

Townes, AS 1999, *Osteoarthritis*, in LR Barker, JR Burton, PD Zieve (eds), *Principles of Ambulatory Medicine*, 5th edn, Williams & Wilkins, Baltimore, pp. 960-73.

Vaht, M, Birkenfeldt, R, & Ubner, M 2008, 'An evaluation of the effect of differing lengths of spa therapy upon patients with osteoarthritis (OA)', *Complementary Therapies in Clinical Practice*, vol. 14, pp.60-64.

White, DK, et al. 2010, 'The independent effect of pain in one versus two knees on the presence of low physical function in a multicenter knee osteoarthritis study', *Arthritis Care Res*, vol. 62, pp. 938-943.

Wolf, AD & Pflieger, B 2003, 'Burden of Major Musculoskeletal Conditions: Policy and Practice',



UNIVERSITAS  
GADJAH MADA

**TIMED UP AND GO (TUG) TEST SCORE AND RANGE OF MOTION (ROM) ON GRADE I AND II KNEE  
OSTEOARTHRITIS  
WITH IODIZED SALT WATER THERAPY AT OUTPATIENT CLINIC OF RHEUMATOLOGY  
DEPARTMENT RSUP DR.SARDJITO**

**YOGYAKARTA**

ATALYA VETTA WIDARTO, dr. Ayu Paramaisawari, Sp.PD-KR ; dr. Deddy Nur W.A., M.Kes, Sp.PD-KR

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Special Theme-Bone and Joint Decade 2000-2010,  
*Bulletin of the World Health Organization*, 81  
(9): 646-656.

Yurtkuran, M, Alp, A, Nasircilar, A, Bingol, U, Altan,  
L et al 2006, 'Balneotherapy and tap water  
therapy in the treatment of knee osteoarthritis',  
*Rheumatoid Int*, vol. 27, pp. 19-27.