

DAFTAR PUSTAKA

- Althabe F., Belizan J.M., Bergel E., 2002. Episiotomy rates in primiparous women in Latin America: hospital based descriptive study. *BMJ*, 324, pp.945-946.
- American Psychiatric Association, 2000. DSM-IV-TR Diagnostic Criteria for Sexual Dysfunctions. , (1), p.2000.
- Arellano, S., Arrizon, V., Soberanis, L., Turanzas, C., Cruz, E., Andersson, 2008. Woman's dyspareunia after childbirth: a case study in a hospital in Acapulco, Mexico. *Pan American Journal of Public Health*, 23(1), pp.44-51.
- Association of Reproductive Health professionals, 2013. A Quick Reference Guide for Clinicians Postpartum Counseling. *Postpartum Counseling A Quick Reference Guide for Clinicians*, pp.2-21.
- Barrett, G. et al., 2000. Women's sexual health after childbirth. *BJOG*: an international journal of obstetrics and gynaecology, 107(2), pp.186-195.
- Basson, R. et al., 2005. Assessment and management of women's sexual dysfunctions: Problematic desire and arousal. *Journal of Sexual Medicine*, 2, pp.291-300.
- Bertozzi, S. et al., 2011. Impact of episiotomy on pelvic floor disorders and their influence on women's wellness after the sixth month postpartum: a retrospective study. *BMC women's health*, 11(1), p.12. Available at: <http://www.biomedcentral.com/1472-6874/11/12>.
- Brubaker, L. et al., 2008. Sexual Function 6 Months After First Delivery. *Victoria*, 111(5), pp.1040-1044.
- Carroli, G. & Mignini, L., 2012. Europe PMC Funders Group Episiotomy for vaginal birth. , (11), pp.1-53.

- Clinical Effectiveness Unit, 2009. Faculty of Sexual & Reproductive Healthcare Clinical Guidance Barrier Methods for Contraception and STI Prevention. *Faculty of Sexual and Reproductive Healthcare*, (September), pp.1-17.
- Coombs C.A., Robertson P.A., Laros R.K. Jr., 1990. Risk factors for third-degree and fourth-degree perineal laceration in forceps and vacuum deliveries. *Am J Obstet Gynecol*, 163, pp.100-4.
- Crawford, L.A., Quint, E.H., Pearl, M.L., DeLancey, J.O, 1993 Incontinence following rupture of the anal sphincter during delivery. *Obstet Gynecol*, 82:527-31.
- Cunningham F.G., Gant N.F., Leveno K.J., Gilstrap L.C., Hauth J.C., Wenstron K.D., 2001. Williams Obstetrics. 21st edition. *McGraw-Hill*, pp.325-9.
- De Choudhury, M., Counts, S. & Horvitz, E., 2013. Predicting postpartum changes in emotion and behavior via social media. *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems CHI'13*, p.3267. Available at: <http://dl.acm.org/citation.cfm?doid=2470654.2466447>.
- Ejegard, H., Ryding, E.L., Sjogren, B., 2008. Sexuality after delivery with episiotomy: a long-term follow-up. *Gynecologic and Obstetric Investigation*, 66(1), pp.1-7.
- Ferrero, S., Ragni, N. & Remorgida, V., 2008. Deep dyspareunia: causes, treatments, and results. *Current opinion in obstetrics & gynecology*, 20, pp.394-399.
- Goldberg J., Holtz D., Hyslop T., Tolosa J.E., 2002. Has the use of routine episiotomy decreased? Examination of episiotomy rates from 1983 to 2000. *Obstet Gynecol*, 99, pp.395-400.
- Graziottin, A., 2008. Sexual Pain Disorders: Dyspareunia and Vaginismus. *Standard Practice in Sexual Medicine*, pp.342-350.

- Gun, K. et al., 2013. Sexual dysfunction in premenopausal women with fibromyalgia. , 29, pp.429-435.
- Haran, C. et al., 2014. Clinical guidelines for postpartum women and infants in primary care - a systematic review. *BMC Pregnancy and Childbirth*, 14(1), pp.1-9. Available at: BMC Pregnancy and Childbirth.
- Harding S.G., 2003. Perineal Suturing Workshop. P2KS. 6th-7th August, Jakarta.
- Inyang -Etoh, E.C. & Umoiyoho, A., 2012. The practice of episiotomy in a university teaching hospital in Nigeria: How satisfactory? *International Journal of Medicine and Biomedical Research*, 1(1), pp.68-72.
- Kettle, C., Ismail, K.M. & O'Mahony, F., 2005. Dyspareunia following childbirth. *The Obstetrician & Gynaecologist*, 7, pp.245-249. Available at: <http://doi.wiley.com/10.1576/toag.7.4.245.27119>.
- Leeman, L., Spearman, M. & Rogers, R., 2003. Repair of Obstetric Perineal Lacerations. *American Family Physician*, 68, pp.1585-1590.
- Lestari, D., 2012. Hubungan Pengetahuan dan Sikap Ibu Nifas Tentang Hubungan Seks Pasca Persalinan. *Fakultas Ilmu Kesehatan Universitas Muhammadiyah Ponorogo*, pp.1-9.
- Levy, B.S. et al., 2007. Diagnosis And Management Chronic Pelvic Pain and Endometriosis. *Family Practice*, pp.1-21.
- Nababan, I.M.L., 2011. Hubungan Luka Episiotomi Terhadap Aktivitas Seksual Pasca Bersalin. , pp.4-16.
- Parker L.P., Bruner J., 2003. Gynecologic surgery for obstetric patients dalam Rock JA, Jones HW. *TeLinde's Operative Gynecologic*. 9th edition. Lippincot Williams&Wilkins, Philadelphia, pp.839-45.

- Rahaju, F.A., 2005. Perbandingan Episiotomi Medial dan Mediolateral, *Tesis/Karya Ilmiah Akhir Program Pendidikan Dokter Spesialis I Bidang Studi Obstetri dan Ginekologi*, FK UGM RS Dr Sardjito Yogyakarta.
- Rogers, R.G. et al., 2009. NIH Public Access. *Midwifery*, 54(2), pp.98-103.
- Romano, M. et al., 2010. Postpartum period: three distinct but continuous phases. *Journal of prenatal medicine*, 4(2), pp.22-5. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3279173&tool=pmcentrez&rendertype=abstract>
- Safarinejad, M.R., Kolahi, A.A. & Hosseini, L., 2009. The effect of the mode of delivery on the quality of life, sexual function, and sexual satisfaction in primiparous women and their husbands. *Journal of Sexual Medicine*, 6, pp.1645-1667.
- Sartore, A., Seta, F.D., Maso, G., Pregazzi, R., Grimaldi, E., Guashcino, S., 2004. The effect of mediolateral episiotomy on pelvic floor function after vaginal delivery. *American College of Obstetricians and Gynecologists*, 103(4), pp.669-673.
- Sooklim, R. et al., 2007. The outcomes of midline versus medio-lateral episiotomy. *Reproductive health*, 4, p.10.
- Thacker S.B., Banta H.D., 1983. Benefit and risks of episiotomy: an interpretative review of the English language literature 1860-1980. *Obstet Gynecol Surv*, 38, pp.322-38.
- Verrals S., 1993. Anatomi dan fisiologi terapan dalam kebidanan. Penerbit Buku Kedokteran EGC, pp.61-87.
- Weber A.M., Meyn L., 2002. Episiotomy Use in the United States, 1979-1997. *Obstet Gynecol*, 100, pp.1177-82.
- Williams, A., Herron, M.S., Knibb, R., 2007. The prevalence of enduring postnatal perineal

morbidity and its relationship to type of birth and birth risk factors. *Journal of Clinical Nursing*, 16(3), pp.549-61.

Wolley R.J., 1995. Benefits and risks of episiotomy: A review of the English-language literature since 1980. *Obstet Gynecol Survey*, 50, pp.806-35.

Woranitat, W. & Taneepanichskul, S., 2007. Sexual function during the postpartum period. *Journal of the Medical Association of Thailand = Chotmaihet thangphaet*, 90(9), pp.1744-1748.

World Health Organization, 1998. Postpartum care of the mother and newborn: a practical guide, pp.1-81.