

DAFTAR PUSTAKA

- Beasley, NJP, Leek, R, Alam, M, Turley, H, Cox, GJ, Gatter, K, et al. 2002, 'Hypoxia-inducible factors HIF-1 α and HIF-2 α in head and neck cancer relationship to tumor biology and treatment outcome in surgically resected patients', *Cancer Research*, vol. 62, no. 9, pp. 2493-2497.
- College of American Pathologists 2011, *Head and neck cancer squamous cell carcinoma of the larynx n.d.*, viewed 16 June 2014
<www.cap.org/apps/docs/reference/myBiopsy/head_and_neck_larynx.pdf>
- Hariwiyanto, B, Herdini, C & Bobot, I 2012, 'Pewarnaan toluidin blue sebagai petanda ketepatan biopsi pasca terapi karsinoma sel skuamosa kepala-leher', *Oto Rhino Laryngologica Indonesiana*, vol. 42, no. 1, pp. 64-68, viewed 4 Juli 2014.
<<http://orli.or.id/index.php/orli/article/view/41>>
- Hoogsteen, IJ, Marres, HAM, Van der Kogel, AJ, Kaanders, JHAM 2007, The Hypoxic Tumour Microenvironment: Patient Selection and Hypoxiamodifying Treatments, *Clinical Oncology*, vol. 19, pp. 385-396.
- Kreimer, AR, Clifford, GM, Boyle, P & Franceschi, S 2005, 'Human Papillomavirus types in head and neck squamous cell carcinomas worldwide: a systematic review', *Cancer Epidemiol Biomarkers & Preview*, vol. 14, no. 2, pp. 467-475.
- Kumar, V, Abbas, AK, Fausto, N & Aster, JC 2010, *Robbins & Cotran pathologic basis of disease*, 8edn, Saunders Elsevier, Philadelphia.
- Lecker, SH, Goldberg, AL, Mitch, WE 2006, 'Protein degradation by the Ubiquitin-Proteasome Pathway in normal and disease states', *Journal American Society of Nephrology*, vol 17, no. 7, pp. 1807-1819.
- Lee, J-W, Bae, S-H, Jeong, J-W, Kim, S-H & Kim, K-W 2004, 'Hypoxia-inducible factor (HIF-1) α : its protein stability and biological functions', *Experimental and Molecular Medicine*, vol. 36, no. 1, pp. 1-12.
- Li, D, Zhou, L, Jin, B, Xie, J, Dong, P 2012, 'Expression and significance of hypoxia-inducible factor-1 α and survivin in laryngeal carcinoma tissue and cells',

- Otolaryngology -- Head and Neck Surgery*, vol. 148, no.1, pp. 75-81.
- Li, P, Zhang, Q, Zhao, L 2008, 'Expression and clinical significance of hypoxia-inducible factor-1alpha and angiopoietin-2 in laryngeal squamous cell carcinoma', *Journal of Clinical Otorhinolaryngology, Head, and Neck Surgery*, vol. 22, no. 11, pp. 489-492.
- Li, Y & Ye, D 2010, 'Cancer therapy by targeting hypoxia-inducible factor-1', *Current Cancer Drug Targets*, vol. 10, no. 7, pp. 782-796.
- Marioni, G, Marchese-Ragona, R, Cartei, G, Marchese, F & Staffieri, A 2006, 'Current opinion in diagnosis and treatment of laryngeal carcinoma', *Cancer Treatment Reviews*, vol. 32, no. 7, pp. 504-15.
- Mendenhall, WM, Million, RR, Stringer, SP, Cassisi, NJ 1999, 'Squamous Cell Carcinoma of the Glottis Larynx: A Review Emphasizing University of Florida Philosophy', *Southern Medical Journal*, vol. 92, no. 4, pp. 385-393.
- Mendenhall, WM, Hinerman, RW, Amdur, RJ, Vaysberg, M & Werning, JW 2009, 'Laryngeal cancer: epidemiology and treatment outcomes, in: MD, PMH, Connor, NP & MD, CG (eds), *Functional preservation and quality of life in head and neck radiotherapy, medical radiology*, Springer, Berlin Heidelberg, pp. 43-56.
- National Cancer Institute 2014, *Laryngeal Cancer Treatment (PDQ®)* [WWW Document] n.d., viewed 20 June 2014, <http://www.cancer.gov/cancertopics/pdq/treatment/laryngeal/HealthProfessional/page1>
- Patel, SG, Evans, PHR, Montgomery, PQ 2006, Tumours of The Larynx, dalam *Principles and Practice of Head and Neck Oncology* (Evans, PHR, Montgomery, PQ, Gullane, PJ, eds), Martin Dunitz, an imprint of the Taylor & Francis Group, pp. 483-533.
- Prasetyo, WWGT & Soemarno, T 2009, 'Ekspresi protein p53 mutan dan EGFR pada papilloma dan karsinoma sel skuamus laring', *Majalah Patologi*, vol. 18, no. 1, pp. 19-23.
- Raitiola, H, Pukander, J, & Laippala, P 1999, 'Glottic and Supraglottic Laryngeal Carcinoma: Differences in Epidemiology, Clinical Characteristics and Prognosis', *Acta Otolaryngol*, vol. 199, pp. 847-851.
- S, Y 2007, The expression and significance of HIF-1alpha and COX-2 in laryngeal squamous cell carcinoma, *Lin Journal*

- of Clinical Otorhinolaryngology, Head, and Neck Surgery, vol. 21, no. 18, pp. 820-824.
- Schrijvers, ML, van der Laan, BFAM, de Bock, GH, Pattje, WJ, Mastik, MF, Menkema, L, Langendijk, JA, Kluin, PM, Schuurin, E & van der Wal, JE 2008, 'Overexpression of intrinsic hypoxia markers HIF1 α and CA-IX predict for local recurrence in stage T1-T2 glottic laryngeal carcinoma treated with radiotherapy', *International Journal of Radiation Oncology, Biology, Physics*, vol. 72, no. 1, pp. 161-169.
- Semenza, GL 2002, 'HIF-1 and tumor progression: pathophysiology and therapeutics', *Trends in Molecular Medicine*, vol. 8, no. 4, pp. S62-S67.
- Semenza, GL 2011, 'Hypoxia-inducible factor 1: Regulator of mitochondrial metabolism and mediator of ischemic preconditioning', *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research, Mitochondria and Cardioprotection*, vol. 1813, no. 7, pp. 1263-1268.
- Throat (laryngeal and pharyngeal) cancer [WWW Document] n.d., National Cancer Institute, viewed 20 June 2014, <<http://www.cancer.gov/cancertopics/types/throat>>
- UK, Cancer Research 2014, *The stages of cancer of the larynx* [WWW Document], viewed 20 June 2014, <http://www.cancerresearchuk.org/cancer-help/type/larynx-cancer/treatment/the-stages-of-cancer-of-the-larynx>
- Weidemann, A & Johnson, RS 2008, Biology of HIF-1 α , *Cell Death and Differentiation*. Vol. 15, pp. 621-627.
- Wilson, WR & Hay, MP 2011, 'Targeting hypoxia in cancer therapy', *Nature Reviews Cancer*, vol. 11, no.6, pp. 393-410.
- Winter, SC, Shah, KA, Han, C, Campo, L, Turley, H, Leek, R, Corbridge, RJ, Cox, GJ & Harris, AL 2006, The relation between hypoxia-inducible factor (HIF)-1 α and HIF-2 α expression with anemia and outcome in surgically treated head and neck cancer, *Cancer*, vol. 107, no. 4, pp. 757-766.
- Wu, XH, Lu, YF, Hu, XD, Mao, JY, Ji, XX, Yao, HT, et al. 2010, 'Expression of hypoxia inducible factor-1 α and its significance in laryngeal carcinoma', *The Journal of International Medical Research*, vol. 38, pp. 2040-2046.
- Zhou, S-H 2012, 'Expression and significance of hypoxia-inducible factor-1 α and glucose transporter-1 in



UNIVERSITAS
GADJAH MADA

**FREKUENSI EKSPRESI PROTEIN HYPOXIA-INDUCIBLE FACTOR-1 alfa PADA KARSINOMA SEL
SKUAMOUSA LARING DI
RSUP DR. SARDJITO**

AULIA LATIFAH, dr. Agus Surono, Ph.D., MSc., Sp.THT-KL; dr. Ahmad Ghozali, Sp.PA. (K)

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

laryngeal carcinoma', *Oncology Letters*, vol. 5, no. 1,
pp. 261-266.



UNIVERSITAS
GADJAH MADA

**FREKUENSI EKSPRESI PROTEIN HYPOXIA-INDUCIBLE FACTOR-1 alfa PADA KARSINOMA SEL
SKUAMOUSA LARING DI**

RSUP DR. SARDJITO

AULIA LATIFAH, dr. Agus Surono, Ph.D., MSc., Sp.THT-KL; dr. Ahmad Ghozali, Sp.PA. (K)

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>