

DAFTAR PUSTAKA

- _____. 2000, 'Akne vulgaris', dalam A Mansjoer, Suprohaita, WI Wardhani, & W Setiowulan (eds), *Kapita selekta kedokteran jilid 2*, 3 edn, Media Aesculapius, Jakarta, pp. 126.
- Adityan, B, Kumari, R, & Thappa, DM 2009, 'Scoring systems in acne vulgaris', *Indian J Dermatol Venereol Leprol.*, 75(3):323-326. doi:10.4103/0378-6323.51258.
- Chren, MM, Lasek, RJ, Quinn, LM, Mostow, EN, & Zyzanski, SJ 1996, 'Skindex, a quality of life measure for patients with skin disease: reliability, validity, and responsiveness', *J Invest Dermatol.*, 107, pp. 707-713
- Collier, CN, Harper, JC, Cantrell, WC, Wang, W, Foster, KW, & Elewski, BE 2008, 'The prevalence of acne in adults 20 years and older', *J Am Acad Dermatol.*, 58(1):56-59, doi:10.1016/j.jaad.2007.06.045.
- Dahlan, MS 2011, *Statistik untuk kedokteran dan kesehatan*, Penerbit Salemba Medika, Jakarta, pp. 75-80, 135
- Degitz, K, Placzek, M, Borelli, C, & Plewig, G 2007, 'Pathophysiology of acne', *J Dtsch Dermatol Ges*, 5(4):316-323, doi:10.1111/j.16100387.2007.06274.x.

Dunn, LK, O'Neill, JL, & Feldman SR, 'Acne in Adolescents: Quality of life, self-esteem, mood, and psychological disorders', *Dermatology Online Journal*:2011,17,1, diakses pada tanggal 1 April 2014.

El-Khateeb, EA, Khafagy, NH, Abd Elaziz, KM, & Shedid AM 2014, 'Acne vulgaris: prevalence, beliefs, patients' attitudes, severity and impact on quality of life in Egypt' *Public Health*, 128(6), pp. 576-578, doi:10.1016/j.puhe.2014.03.009.

Finlay, AY & Khan, GK 1994, 'Dermatology Life Quality Index (DLQI)--a simple practical measure for routine clinical use', *Clin Exp Dermatol.*, 19(3), 210-216, doi:10.1111/j.1365-2230.1994.tb01167.x.

Ghaderi, R, Saadatjoo, A, & Ghaderi, F 2013, 'Evaluating of life quality in patients with acne vulgaris using generic and specific questionnaires', *Dermatol Res Pract*,

Hafez, KMA, Mahran, AMM, Mohammed, KA, Mohammed, ER, Darweesh, AM, Aal AA 2007, 'Quality of life in acne vulgaris patients', *Egypt J. Neurol. Psychiat. Neurosurg.*, 44(1): 301-312

Halvorsen JA, Stern RS, Dalgard F, Thoresen M, Bjertness E, dan Lien L, 2011, 'Suicidal Ideation, Mental Health Problems, and Social Impairment Are Increased in Adolescents with Acne: A Population-Based Study', *Journal of Investigative Dermatology*, 131, 363-370

Harahap, M 2000, 'Anatomi dan fungsi kulit' dalam M Harahap (ed), *Ilmu penyakit kulit*, Hipokrates, Jakarta, pp.1-3.

Hayashi, N, Akamatsu, H, Kawashima, M, et al. 2008, 'Establishment of grading criteria for acne severity', *J Dermatol.*, 35(5):255-260, doi:10.1111/j.1346-8138.2007.00403.x-i1.

Hedden, SL, Davidson, S, & Smith CB 2008, 'Cause and effect: the relationship between acne and self-esteem in the adolescent years', *The Journal for Nurse Practitioners*, pp. 595-600.

Ismail, K & Mohammed-Ali K 2012, 'Quality of life in patients with acne in Erbil city' *Health Quality of Life Outcomes*, 10(1):60, doi:10.1186/1477-7525-10-60.

Jankovic, S, Vukicevic, J, Djordjevic, S, Jankovic, J, & Marinkovic, J 2012, 'Quality of life among schoolchildren with acne: Results of a cross-sectional study', *Indian J Dermatol Venereol Leprol* [serial online] 2012 [diakses pada 11 Januari 2015], 78, 454-8, <http://www.ijdv1.com/text.asp?2012/78/4/454/98076>

Knaggs, H 2007, 'Cell biology of the sebaceous unit', dalam GF Webster & AV Rawlings (eds), *Acne and its therapy*, Informa Health Care, New York, pp. 11.

Knutsen-Larson, S, Dawson, AL, Dunnick, CA, & Dellavalle, RP 2012, 'Acne vulgaris: pathogenesis, treatment, and needs assessment',

Dermatol Clin., 30(1):99-106, viii - ix.
doi:10.1016/j.det.2011.09.001.

Kokandi, A 2010, 'Evaluation of acne quality of life and clinical severity in acne female adults', *Dermatol Res Pract*, (1):16-19. doi:10.1155/2010/410809.

Lasek RJ dan Chren MM, 1998, 'Acne Vulgaris and The Quality of Life of Adult Dermatology Patients', *Arch Dermatology* 1998;134:454-458, diperoleh di <http://archderm.jamanetwork.com/> pada tanggal 1 April 2014.

Lehmann, HP, Robinson, KA, Andrews, JS, Holloway, V, & Goodman, SN 2002, 'Acne therapy: A methodologic review', *J Am Acad Dermatol*, 47(2):231-240.

Madiyono, B, Moeslichan Mz, S, Sastroasmoro, S, Budiman, I, & Purwanto, SH 2011, 'Perkiraan besar sampel', dalam S Sastroasmoro & S Ismael (eds.), *Dasar-dasar metodologi penelitian klinis*, 4 edn, Sagung Seto, Jakarta, PP.362

Motley, RJ & Finlay, AY 1992, 'Practical use of a disability index in the routine management of acne', *Clinical and Experimental Dermatology*, vol. 17, no. 1, pp. 1-3.

Picardo M, Ottaviani M, Camera E, 'Lipid mediators in acne', *Mediators Inflamm*. 2010;2010

Purdy, S & de Berker, D 2010, 'Acne vulgaris: systematic review' *Clinical Evidence*, pp. 549 - 550

Purwaningdyah, RAK & Yusuf, NK 2013, 'Profil Penderita Akne Vulgaris pada Siswa-Siswi di SMA Shafiyatul Amaliyah Medan', *E-Journal FK USU*, 1(1): 1-8, diakses pada tanggal 1 April 2014.

Safitri, YE, Ervianty, E, & Sukanto, H 2010, 'Profil kualitas hidup penderita akne vulgaris di RSUD Dr. Soetomo Surabaya (Studi menggunakan cardiff acne disability index (CADI))', *Berkala Ilmu Kesehatan Kulit dan Kelamin*, Vol.22, No.1, April 2010, pp 25-33.

Safizadeh, H, Shamsi-Meymandy, S, & Naeimi, A 2012, 'Quality of life in Iranian patients with acne', *Dermatol Res Pract.*, 571516. doi:10.1155/2012/571516.

Singh, A, Agrawal, P, Choudhary, SV, & Jain, D 2013, 'Disability in acne patients - a hospital based study in rural population of central india', *Global Journal of Dermatology & Venereology*, 1, pp. 21-24.

Tahir, M 2010, Pathogenesis of acne vulgaris: simplified, *Journal of Pakistan Association of Dermatologists*, 2010, 20: 93-97

Tan, JKL, 2004, *Psychosocial Impact of Acne Vulgaris: Evaluating the Evidence*,
<http://www.skintherapyletter.com/2004/9.7/1.html>
diakses pada 24 Juli 2014

Tasoula, E, Gregoriou, S, Chalikias, J, Lazarou, D, Danopoulou, I, Katsambas, A et al. 2012, 'The

impact of acne vulgaris on quality of life and psychic health in young adolescents in greece, results of a population survey'. *An Bras Dermatol.*, 87(6):862-869, diakses 24 Juli 2014, <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3699905&tool=pmcentrez&rendertype=abstract>.

Testa, MA & Simonson, DC 1996, 'Assessment of quality of life outcomes' *New England Journal of Medicine*, Vol. 334, No. 13, pp. 835.

Wasitaatmadja, SM 2007, 'Akne, erupsi akneiformis, rosacea, rinofima', dalam A Djuanda, M Hamzah, & S Aisah (eds.), *Ilmu penyakit kulit dan kelamin*, 5 edn, Fakultas Kedokteran Universitas Indonesia, Jakarta, pp. 254-5.

Witkowski, JA & Parish, LC 2004, 'The assessment of acne: An evaluation of grading and lesion counting in the measurement of acne' *Clinics in Dermatology*, 22(5), pp.394-397. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/15556725> [diakses tanggal 11 Januari 2015].

WHOQOL Group 1994, 'Development of the WHOQOL: rationale and current status', *Int J Mental Health*, 23:24-56.

Yap, FB-B 2012, 'The impact of acne vulgaris on the quality of life in Sarawak, Malaysia'. *J Saudi Soc Dermatology Dermatologic Surg.* 16(2):57-60, doi:10.1016/j.jssdds.2012.04.003.