

DAFTAR PUSTAKA

- Adeline, M.E., Tanudjaja, G.N., Kalangi, S.J.R. 2013, Hubungan antara aktivitas fisik dengan lingkaran pinggang pada siswa obes sentral, *Jurnal e-Biomedik*, Vol. 1, No. 1, pp. 455-460.
- Artanto, A.Y. 2012, Hubungan Rasio Lingkaran Pinggang-Tinggi Badan Dengan Tekanan Darah pada Penduduk Usia 40-65 Tahun, Kecamatan Ngaglik, Kabupaten Sleman, Daerah Istimewa Yogyakarta, *Skripsi*, Fakultas Kedokteran UGM, Yogyakarta.
- Arifuddin, M.S., Hazari, M.A.H., Reddy, B.R. 2012, Blood pressure variations during different phases of menstrual cycle, *International Journal of Science and Nature*, Vol. 3, pp. 551-554.
- Bawazier, L.A., Sja'bani, M., Haryana, S.M., Soesatyo, M.H.N.E., Sadewa, A.H. 2010, Relationship of angiotensin converting enzyme gene polymorphism and hypertension in Yogyakarta, Indonesia, *Acta Med Indones-Indonesia Journal Internal Medicine*, Vol. 42, No. 4, pp. 192-198.
- Bray GA. 2010, Obesity. In: Feldman M, Friedman LS, Brandt LJ, eds. *Sleisenger & Fordtran's Gastrointestinal and Liver Disease*, edisi 9, Saunders Elsevier, Philadelphia.
- Campana, E.M.G., Brandão, A.A., Pozzan, R., Maria Eliane Campos Magalhães, M.E.C., Fonseca, F.L., Pizzi, O.L., Freitas, E.V., Brandão, A.P. 2014, Blood Pressure in Adolescence, Adipokines and Inflammation in Young Adults. The Rio de Janeiro Study, *Arq Bras Cardiol*, Vol. 102, no. 1, pp. 60-69.
- Chen, X., Zhang, Z.X., George, L.K., Wang, Z.S., Fan, Z.J., Xu, T., Zhou, X.L., Han, S.M., Wen, H.B., Zeng, Y. 2012, Birth measurements, family history, and environmental factors associated with later-life hypertensive status, *American Journal of Hypertension*, Vol. 25, pp. 464-471.

- Choy, C.S., Huang, Y.K., Liu, Y.H., Yang, C., Liao, C.C., Li, J.S., Chiu, W.T., Chiou, H.Y. 2011, Waist circumference as a predictor of pediatric hypertension among normal-weight taiwanese children, *Journal of Experimental and Clinical Medicine*, Vol. 3, No.1, pp. 34-39.
- Corwin, E. J., 2009, Buku Saku Patologi, Alih Bahasa oleh Nike Budhi Subekti, EGC, Jakarta.
- Despopoulos, A., Silbernagl, S. 2003, Color Atlas of Physiology, edisi 5, Thieme, New York.
- Dorland, W.A. 2002, Kamus Kedokteran Dorland. Alih bahasa oleh Huriawati Hartanto et al, EGC, Jakarta.
- Dua, S., Bhuker, M., Sharma, P., Dhall, M., Kapoor, S. 2014, Body Mass Index Relates to Blood Pressure Among Adults, *North American Journal of Medical Sciences*, Vol. 6, No. 2, pp. 89-95.
- Dulskiene, V., Kuciene, R., Medzioniene, J., Benetis, R. 2014, Association between obesity and high blood pressure among Lithuanian adolescents: a cross-sectional study, *Italian Journal of Pediatric*, Vol. 40, No.1, pp. 1-10.
- Faqih, D.M., Paranadipa, M., Trisna, D.V., Waluyo, D.A., Herqutanto et al. 2013, Panduan Praktis Klinis bagi Dokter di Fasilitas Pelayanan Kesehatan Primer, edisi 1, IDI, Jakarta.
- Guimaraes, I.C., Almeida, A.M., Santos, A.S., Barbosa, D.B. & Guimaraes, A.C. 2008 Blood Pressure: Effect of Body Mass Index and of Waist Circumference on Adolescents. *Brazilian journal of cardiology*. Vol. 90, No. 6, pp. 393-399.
- Guyton, A.C., Hall, J.E. 2010, Buku Ajar Fisiologi Kedokteran. Alih bahasa oleh Irawati Setiawan. Edisi 9, EGC, Jakarta.
- Hall, J.E., Brands, M.W., Dixon, W.N. & Smith, M.J. 1993 Obesity-induced hypertension, Renal function and systemic hemodynamics. *Journal Of The American Heart Association*. Vol. 22, pp. 292-299.

Hasanah, U. 2011, Hubungan Lingkar Pinggang, Lingkar Pinggul, dan Rasio Lingkar Pinggang-Pinggul (RLPP) dengan Tekanan Darah pada Penduduk Kecamatan Berbah, Kabupaten Sleman, Daerah Istimewa Yogyakarta, *Skripsi*, Fakultas Kedokteran UGM, Yogyakarta.

Hastuti, J. 2013, Anthropometry and Body Composition of Indonesian Adults: An Evaluation of Body Image, Eating Behaviours, and Physical Activity, *Disertasi*, Faculty of Health Queensland University of Technology, Queensland.

Hunt, S.C., Stephenson, S.H., Hopkins, P.N., Williams, R.R. 1991, Predictor of an increased risk of future hypertension in Utah, *Hypertension*, Vol. 17, No. 6, pp.969-976.

Indra, R., Ratnawati, R., Lyrawati, D., Muliarta, K. 2006, Fighth Obesity from Cells to Community, Laboraturium Ilmu Faal FK UNIBRAW.

Indriati, E. 2010, Antropometri untuk Kedokteran, Keperawatan, Gizi, dan Olahraga, PT Citra Aji Parama, Yogyakarta.

Jones, M.M. 2001, International Standards for Anthropometric Assessment, The International Society for the Advancement of Kinanthropometry, New Zealand.

Kang, Y.S. 2013, Obesity associated hypertension: new insights into mechanism, *Electrolyte Blood Press*, Vol. 11, No. 2, pp. 46-52.

Kelly, T.N., Rebholz, C.M., Gu, D., Hixson, J.E., Rice, T.K., Cao, J., et al. 2013, Analysis of Sex Hormone Genes Reveals Gender Differences in the Genetic Etiology of Blood Pressure Salt Sensitivity: The GenSalt Study, *American Journal of Hypertension*, Vol. 262, No. 2, 191-200.

Kemp, W.L., Burns, D.K., Brown, T.D. 2008, The Big Picture-Pathology, The McGraw-Hill Companies, Inc., New York.

Kumar, V., Cotran, R. S., Robbins, S. L. 2007, Buku Ajar Patologi, Alih Bahasa oleh Brahma U, Pendit, Edisi 7, EGC, Jakarta.

Logmore, M., Wilkinson, I.B., Davidson, E.H., Foulkes, A., Mafi, A.R. 2010, Oxford Handbook of Clinical Medicine, Oxford University Press Inc., New York.

Loscalzo, J. 2010, Harrison's Cardiovascular Medicine, The McGraw-Hill Companies, United State.

Mazigoglu, M.M., Hatipolu, N., Öztürk, A., Çiçek, B., Üstünbafl, H.B., Kurtolu, S. 2010, Waist circumference and mid-upper arm circumference in evaluation of obesity in children aged between 6 and 17 years, *J Clin Res Ped Endo*, Vol. 2, pp. 144-150.

Nishiyama, M., Kimijima, M., Muto, T., Kimura, K. 2012, Presence of an interaction between smoking and being overweight increases risks of hypertension, diabetes, and cardiovascular disease in outpatients with mood disorders, *Environment Health Prevalency Medicine*, Vol. 17, pp. 285-291.

Park, S.H., Choi, S.J., Lee, K.S. & Park, H.Y. 2009, Waist circumference and waist-to-height ratio as predictors of cardiovascular disease risk in Korean adults, *Circulation Journal*, Vol. 73, pp. 1643 - 1650.

Perdana, S. 2008, Hubungan Antara Tekanan Darah Dengan Lingkar Pinggang Pada Penderita Obesitas Di RSUP Dr. Sardjito, *Skripsi*, Fakultas Kedokteran UGM, Yogyakarta.

Poirier, P., Lemieux, I., Mauriège, P., Demailly, E. & Blanchet, P. 2005 Impact of waist circumference on the relationship between blood pressure and insulin : The Quebec Health Survey, *Journal of the American heart association* Vol. 45, pp. 363-367.

Reckelhoff, J.F. 2001, Gender Differences in the Regulation of Blood Pressure, *Journal of the American Heart Association*, Vol. 37, pp. 1199-1208.

Riskesdas, 2013, Riset Kesehatan Dasar:Hipertensi/Tekanan Darah Tinggi, Badan Penelitian dan Pengembangan KesehatanKementerian Kesehatan RI, Jakarta.

Rochmah, W., Wilopo, S.A., Aswin, S. 1984, Hubungan antara tekanan darah dan ukuran anthropometrik sekelompok pelajar sekolah tingkat pertama di kotamadya Yogyakarta, *Berkala Ilmu Kedokteran*, Vol. 16, pp. 95-99.

Sastroasmoro, S., Ismael, S. 2011, Dasar-dasar Metodologi Penelitian Klinis, edisi 4, Sagung Seto, Jakarta.

Seibert, H., Pereira A.M.L., Ajzen S.A., Nogueira, P.C.K. 2013,Abdominal circumference measurement by ultrasound does not enhanceestimating the association of visceral fat with cardiovascular risk, *Nutrition Journal*, Vol. 29, pp. 393-398.

Setiati, S., Sutrisna, B. 2005, Prevalence of hypertension without anti-hypertensive medications and its association with social demographic characteristics among 40 years and above adult population in Indonesia, *Acta Med Indones-Indonesian Journal Internal Medicine*, Vol. 37, No. 1, pp. 20-25.

Sharma, A.M. 2004, Is there a rationale for angiotensin blockade in the management of obesity hypertension?,*Hypertension*, Vol. 44, pp. 12-19.

Siani, A., Cappuccio, F.P., Barba, G., Trevisan, M., Farinaro, E., Iacone, R., Russo, O., Russo, O., Mancini, M., Strazzullo, P. 2002, The Relationship of Waist Circumference toBlood Pressure: The Olivetti Heart Study, *American Journal of Hypertension*, Vol. 15, pp. 780-786.

Silva, D.A.S., Petroski, E.L., Peres, M.A. 2012, Is high body fat estimated by body mass index and waist circumference a predictor of hypertension in adults? a population-based study, *Nutrition Journal*, Vol. 11, No. 1, pp. 112.

Stevens, J., Katz, E.G., Huxley, R.R. 2010, Associations between gender, age and waist circumference, *European Journal of Clinical Nutrition*, Vol. 64, pp. 6-15.

Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibarat, M., Setiati, S. 2009, Buku Ajar Ilmu Penyakit Dalam, edisi 5, Internal Publishing, Jakarta Pusat.

Talukder, M.A., Johnson, W.M., Varadharaj, S., Lian, J., Kearns, P.N., El-Mahdy, M.A., Liu, X., Zweier, J.L. 2011, Chronic cigarette smoking causes hypertension, increased oxidative stress, impaired NO bioavailability, endothelial dysfunction, and cardiac remodeling in mice, *American Journal Physiology-Heart Circulation Physiology*, Vol. 300, pp. 388-396.

Tortora, G.J., Derrickson, B. 2011, Principles of Anatomy and Physiology, Edisi 13, EGC, Jakarta.

Wahab, A.S. 1985, Hubungan antara tekanan darah dan ukuran antropometrik sekelompok anak sekolah dasar di Daerah Istimewa Yogyakarta, *Berkala Ilmu Kedokteran*, Vol. 17, pp. 119-125.

Wang, S.K., Ma, W., Wang, S., Yi, X.R., Jia, H.Y., Xue, F. 2014, Obesity and its relationship with hypertension among adults 50 years and older in Jinan, China, *Plos One*, Vol. 9, No. 12, pp. 1-10.

Willerson, J.T., Cohn, J.N., Wellens, H.J.J., Holmes, D.R. 2007, Cardiovascular Medicine, edisi 3, Springer-Verlag London Limited, London.