

CHAPTER VI

REFERENCES

- Aditya, R., Musyassaroh, 2010, *Association Between The History Of Prenatal And Perinatal Events With Severe Profound Sensorineural Hearing loss In Children In RSUP Dr. Kariadi Semarang*, pp.1-22
- American Speech-Language-Hearing Association (ASHA). *Sensorineural Hearing Loss*. Retrieved 08 September 2014 from <http://www.asha.org/public/hearing/sensorineural-hearing-loss/>
- Beata AS, Ioana AN., 2008, Etiopatogeny of congenital and early-onset hearing loss; detection and early intervention method in infants and children. *J Clin med* 3(1):45-51
- Behrman, R.E., Kliegman, R.M., Nelson, W.E., Vaughan, V.G., Nelson textbook of pediatrics, *Philadelphia: Saunders*. 16th ed, chapter 2011, 2000
- Blum NJ, Baron MA. *Speech and Language Disorders*, 1997, In: SchwartzMV, ed. *Pediatric Primary Care: a problem oriented approach*. St. Louis: Mosby ,845-9
- Boggs W. Newborn health advocates propose acceleration of kangaroo mother care. *Reuters Health Information* [serial online]. December 4, 2013; Accessed December 10, 2013. Available at <http://www.medscape.com/viewarticle/815372>
- Coplan J. ELM scale., 1987: The early language milestone scale. Austin, Tex, *Pro-Ed*.
- Dasgupta, S.J., and Gill, A.B., 2003. Hypotension in The very Low Birth Weight Infant: The Old. The New and The Uncertain, *Arch. Disc. Child Fetal neonatal*, Ed 88. F 450-F454
- Demissie, K., Rhoads, G.G., Ananth, C.V. 2001. Trends in Preterms Birth and Neonatal Mortality Among Blacks and Whites in the United Stated from 1989 to 1997. *American Journal of Epidemiology*; 154:307-15

- Downey, D., Mraz, R., Knott, J., Knutson, C., Holte, L., Van Dyke, D. 2002. Diagnosis and evaluation of children who are not talking. *Inf Young Children*; 15(2):38-48
- Elzouki, Abdelaziz Y. Textbook of Clinical Pediatrics (2ed.). Berlin: Springer. p.602
- Feldman, H.M., Ronald, L., Patricia, M. 2005. Evaluation and management of language and Speech Disorders in Preschool Children. *Pediatrics in Review*; 26:131-142
- First, L.R., Palfrey, J.S. 1994. The infant or young child with development delay. *N Engl j Med*; 330(7): 478-83
- Fortnum H, Summerfield Q, Marshall D, Davis A, Bamford J. Prevalence of permanent children hearing impairment in the United Kingdom and implications for universal neonatal hearing screening: questionnaire based ascertainment study. *BMJ* 2001; 323:536
- Gerry, R., 2013. Prematurity as a risk factor of outer hair cell dysfunction. *Ilmu Kesehatan Telinga Hidung Tenggorok*, pp.1-70
- Hearing Loss And Language Delay In Little Children by Jane H. LeBlanc, M.S., M.S.P. Audiologist, CCC-A Speech Language Pathologist, CCC-SLP
- Hediger, M.L., Overpeck, M.D., Ruan, W.J., Troendle, JF. 2002. Birthweight and Gestational Age Effects on Motor and Social Development. *pediatrics and Perinatal Epidemiology*; 16
- Henderson C, Mac Donald S, Mayes midwifery, a textbook for midwives; *Philadelphia Ballieve Tindall*, 20
- Hille ET, van Straaten HI, Verkerk PH. 2007. Prevalence and independent risk factors for hearing loss in NICU infants. *Acta Paediatr* 96: 1155-8
- Institute of Medicine (US) Committee on Understanding Premature Birth and Assuring Healthy Outcomes; Behrman RE, Butler AS, editors. Washington (DC): *National Academies Press (US)*; 2007.

Irmawati M, Listyandarini H., 2005, *Jumlah Penderita baru Rawat Jalan Klinik Tumbuh Kembang Anak RSU Dr. Soetomo Surabaya*

Jacobson J. T. (1985) : Normative Aspects of the Pediatric Auditory Brainstem Response : *J Otolaryngol Suppl*, 14 : 7-11.

Khalil, K.A., El-Amrawy, S.M., Ibrahim, A.G., El-Jeimy, N.A., Greiw, A.E. 1995. *Pattern of growth and development of premature children at the age of two and three years in Alexandria, Egypt (part 1)*. 1(2): 176-85. Available at: <http://www.emro.who.int/publication/emjh>

Law J, Boyle J, Harris F, Harkness A, Nye C. Screening for primary speech and language delay: a systematic review of the literature. *Int J Lang Commun Discord*. 1998; 33 (suppl): 21-23

Law J, Garrett Z, Nye C. *Speech and language therapy interventions for children with primary speech and language delay or disorder*. Cochrane Database of Systematic Reviews 2003, Issue 3. Art. No.: CD004110. DOI: 10.1002/14651858.CD004110.

Law, J.ed.The Early Identification of Language Impairment in Children. *London: Chopmen Italy*, 1993

Leung AK, Robson WL, Fagan J, Chopra S, Lim SH. Mental retardation. *J R Soc Health*. 1995;115:31-9.

Leung, A.,Kao, C.P.1999.Evaluation and management of the child with speech delay. *Am Fam Physician*; 59:3121-3128,3135

Marlow,N., Wolke, D.,Bracewell, M.A., Samara, M.2005. neurologic and developmental disability at six years of age after extremely preterm birth. *Engl J Med*; 352(1):9-19

McRae KM, Vickar E. Simple developmental speech delay: a follow-up study. *Dev Med Child Neurol*. 1991;33:868-74.

Meyer C, Whittle J, Hiildmann A, Hennecke H, Schunck U, Maul K et al (1999) Neonatal screening for hearing disorder in infants at risk: incidence, risk factors and follow-up. *Pediatrics* 104(4):900-904

Mohr PE, Feldman JJ, Dunbar JL. The societal costs of severe to profound hearing loss in the United States. *Int J Technol Assess*

Muyassaroh, Muyassaroh; Kosim, M. Sholeh; Suprihati, Suprihati, *MEDIA MEDIKA INDONESIA*.2011:*Faktor Risiko Kejadian Kurang Pendengaran Tipe Sensorik pada Bayi Baru Lahir*.45(3):158-162

Health Care 2000; 16: 1120-35.

Mortality and Burden of Disease and Prevention of Blindness and Deafness; WHO,2012

National Institute for Health and care Statistics, Preterm Labour and Birth, guidance scope (final), London NICE,2013

New York State Department of Health (NYSDOH). 2007. Clinical Practice Guideline: The Guideline Technical Report "Hearing Loss, Assessment and Intervention for Young Children (Age 0-3 Years)". New York: New York Department of Health, Division of Family Health, Bureau of Early Intervention

NHS Choices; page last reviewed: 10/06/2013. Available at:<http://www.nhs.uk/Conditions/Hearingimpairment/Pages/Symptoms.aspx>

Office for National Statistics, gestation-Specific Infant Mortality in England and Wales 2011. *CardiffONS*,2013. Also available at: <http://www.ons.gov.uk>

Pagon RA, Adam MP, Ardinger HH, et al., editors. *Deafness and Hereditary Hearing Loss Overview*. *Seattle (WA): University of Washington, Seattle*; 1993-2014.

Pramudito. 2004. *Masa gestasi kurang bulan sebagai factor risiko gangguan perkembangan pada usia 6 sampai 36 bulan*. *Tesis*

Pujol,R.,1999.Maturation of human cochlea. Dalam Grandori, F.,Collet,L. &Rvazzani, P. *Otoacoustic emissions from maturation to ageing*. London: Decker

Randall D, Rayned J, Curwen M. A study of language development in a sample of 3 year old children, *Br J, Discord Commun.* 1974; 9(1):3-16

Roizen NJ. 2003. Nongenetic causes of hearing loss. Mental retardation and developmental disabilities research reviews 9: 120-7

Sastroasmoro S., Ismael S..Dasar-dasar Metode Penelitian Klinis.Jakarta : *Bina rupa Aksara* ; 1995

Salvago P, Martines E, Martines F: Prevalence and risk factors for sensorineural hearing loss: Western Sicily overview. *Eur Arch Otorhinolaryngol* 2013, 270:3049-56

Schum RL. Language screening in the pediatric office setting. *PediatrClin North Am.* 2007;54(3):425-436

Shilpi Arora - L. K. Kochhar - Indian Journal of Otolaryngology and Head & Neck Surgery - Vol. 55 - Issue 4 - 2003 - pp. 246-250 *Iran J Otorhinolaryngol.* 2012 Summer; 24(68): 129-134.

Silva PA, McGee R, Williams SM. Developmental language delay from three to seven years and its significance for low intelligence and reading difficulties at age seven. *Dev Med Child Neurol.* 1983;25(6):783-793.

Soetjiningsih. 1998. *Tumbuh Kembang Anak, Jakarta:ECG*

Stern LM, et al. The Adelaide preschool language unit: results of follow-up. *J Paediatr Child Health.* 1995;31(3):207-212

Sugono, D.Kamus Besar Bahasa Indonesia, 4th ed.2008

Volpe, J.J., 2003. Cerebral White Matter Injury of The Premature Infant- More Common than You think, *Pediatrics*, Vol 112: 176-80

White, KR. Early hearing detection and intervention programs: Opportunities for genetics services. *Am J Med Genet A* 2004; 130:29-36

WHO (2008). The global burden of disease: 2004 update (online.August) e.d. Geneva, Switzerland: *World Health Organization*. P.35

Wilson DH, Walsh PG, Sanchez L et al. The epidemiology of hearing impairment in an Australian adult population, *Int J Epidemiol* 1999;28;247-52

World Health Organization, Preterm birth, fact sheet No. 363, Geneva, Who, 2013. Also available at: <http://www.who.int/medicentre/factsheets/fs363/en/> (accessed 11 February 2014)

Yoshinaga-Itano C.,2004. Levels of evidence: universal newborn hearing screening (UNHS) and early detection and intervention system (EHDI). *J Commun and Disord* 37:451-465

Zarina N, and Valeria N. *Prevalence of sensorineural hearing loss on Asian children*. 1996; 30(5): 332-339.