

DAFTAR PUSTAKA

- Aaronson, P. I., Ward, J. P. T., & Connolly, M. J. (2012). *The Cardiovascular System at a Glance* (4th ed.). Hoboken: Wiley-Blackwell.
- Agata, J. (1997). High Plasma Immunoreactive Leptin Level in Essential Hypertension. *American Journal of Hypertension*, 10(10), 1171-1174. doi:10.1016/S0895-7061(97)00310-5
- AHA. (2014). About High Blood Pressure. Retrieved January 14, 2015, from http://www.heart.org/HEARTORG/Conditions/HighBloodPressure/AboutHighBloodPressure/About-High-Blood-Pressure_UCM_002050_Article.jsp
- Amini, A., Soltanian, N., Iraj, B., Askari, G., Ebneyamin, S., Ghias, M., ... Amini, M. (2002). Association of Wrist Circumference with Cardio Metabolic Risk Factors. *Journal of Pakistan Medical Association*, 62(3), 34-36. Retrieved from http://www.jpma.org.pk/supplement_details.php?article_id=32
- Anderson, K. M. (1987). Cholesterol and Mortality; 30 Years of Follow-up From the Framingham Study. *JAMA*, 257(16), 2176. doi:10.1001/jama.1987.03390160062027
- Anuradha, R., Hemachandran, S., & Dutta, R. (2012). The waist circumference measurement: a simple method for assessing the abdominal obesity. *Journal of Clinical and Diagnostic Research : JCDR*, 6(9), 1510-3. doi:10.7860/JCDR/2012/4379.2545
- Bickley, L., & Szilagyi, P. G. (2012). *Bates' Guide to Physical Examination and History-Taking* (11th ed., Vol. 1). Philadelphia: Lippincott Williams & Wilkins.
- Buntoro, F. (2009). *Hubungan Antara Profil Lipid dengan Tekanan Darah pada Remaja Putri Obes di Yogyakarta*. Universitas Gadjah Mada.
- Capizzi, M., Leto, G., Petrone, A., Zampetti, S., Papa, R. E., Osimani, M., ... Buzzetti, R. (2011). Wrist circumference is a clinical marker of insulin

resistance in overweight and obese children and adolescents. *Circulation*, 123, 1757-1762.
doi:10.1161/CIRCULATIONAHA.110.012898

CDC. (2014). High Blood Pressure (Hypertension) Risk Factors | cdc.gov. Retrieved January 14, 2015, from http://www.cdc.gov/bloodpressure/risk_factors.htm

Chumlea, W. C., Wisemandle, W., Guo, S. S., & Siervogel, R. M. (2002). Relations between frame size and body composition and bone mineral status. *The American Journal of Clinical Nutrition*, 75(6), 1012-6. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12036807>

Costanzo, L. S. (2013). *Physiology* (5th ed.). Oxford: Elsevier Health Sciences.

Crews, D. E., & Mancilha-Carvalho, J. J. (1993). Correlates of blood pressure in Yanomami Indians of northwestern Brazil. *Ethnicity & Disease*, 3(4), 362-71. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7888987>

Delafontaine, P., Song, Y. H., & Li, Y. (2004). Expression, Regulation, and Function of IGF-1, IGF-1R, and IGF-1 Binding Proteins in Blood Vessels. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 24, 435-444. doi:10.1161/01.ATV.0000105902.89459.09

Dorland, W. A. N., & Dorland. (2008). *Dorland's Pocket Medical Dictionary* (28th ed.). Philadelphia: Saunders.

Ganong, W. F., Barrett, K. E., & Brooks, H. L. (2012). *Ganong's Review of Medical Physiology* (23rd ed.). New York: McGraw-Hill.

Gray, H., Dawkins, K., Morgan, J., & Simpson, I. A. (2008). *Lecture Notes: Cardiology* (5th ed.). New York: Wiley.

Guyton, A. C., & Hall, J. E. (2010). *Guyton and Hall Textbook of Medical Physiology*. (J. E. Hall, Ed.) (12th ed.). phi: Elsevier Health Sciences.

- Haris, S., & Tambunan, T. (2009). Hipertensi pada Sindrom Metabolik, 11(4), 257-263.
- Hasanah, U. (2011). *Hubungan Lingkar Pinggang, Lingkar Pinggul, dan Rasio Lingkar Pinggang-Pinggul (RLPP) dengan Tekanan Darah pada Penduduk Kecamatan Berbah Kabupaten Sleman, Daerah Istimewa Yogyakarta*. Universitas Gadjah Mada.
- James, P. A., Oparil, S., Carter, B. L., Cushman, W. C., Dennison-Himmelfarb, C., Handler, J., ... Ortiz, E. (2014). 2014 evidence-based guideline for the management of high blood pressure in adults: report from the panel members appointed to the Eighth Joint National Committee (JNC 8). *JAMA : The Journal of the American Medical Association*, 311(5), 507-20. doi:10.1001/jama.2013.284427
- JNC 7. (2003). The Seventh Report of the Joint National Committee on Prevention , Detection , Evaluation , and Treatment of High Blood Pressure. *National High Blood Pressure Education Program*.
- Johnson, J. a., Zernicke, K. a., & Campbell, T. S. (2012). Waist-to-hip Ratio is Associated With Nighttime Blood Pressure Dipping. *Canadian Journal of Cardiology*, 28(5), S122. doi:10.1016/j.cjca.2012.07.101
- Kotchen, T. a. (2010). Obesity-related hypertension: epidemiology, pathophysiology, and clinical management. *American Journal of Hypertension*, 23(11), 1170-8. doi:10.1038/ajh.2010.172
- Landsberg, L., Aronne, L. J., Beilin, L. J., Burke, V., Igel, L. I., Lloyd-Jones, D., & Sowers, J. (2013). Obesity-related hypertension: pathogenesis, cardiovascular risk, and treatment: a position paper of The Obesity Society and the American Society of Hypertension. *Jch*, 15(1), 14-33. doi:10.1111/jch.12049
- Li, S.-S., Pan, S., Ma, Y.-T., Yang, Y.-N., Ma, X., Li, X.-M., ... Wang, Y.-T. (2014). Optimal cutoff of the waist-to-hip ratio for detecting cardiovascular risk factors among Han adults in Xinjiang. *BMC*

Cardiovascular Disorders, 14(1), 93.
doi:10.1186/1471-2261-14-93

Longo, D., Fauci, A., Kasper, D., Hauser, S., Jameson, J., & Loscalzo, J. (2011). *Harrison's Principles of Internal Medicine*, 18th Edition (18th ed.). New York: McGraw Hill Professional.

Luo, W., Guo, Z., Hu, X., Zhou, Z., MingWu, Zhang, L., & Liu, J. (2012). A prospective study on association between 2years change of waist circumference and incident hypertension in Han Chinese. *International Journal of Cardiology*, 167(6), 2781-5. doi:10.1016/j.ijcard.2012.07.003

Madhur, M. S. (2014). Hypertension. Retrieved January 14, 2015, from <http://emedicine.medscape.com/article/241381-overview>

Marfell-Jones, M., Olds, T., Stewart, A., & Carter, J. L. (2006). International Standards for Anthropometric Assessment. *International Society for the Advancement of Kinanthropometry*.

Marlowe, F., Apicella, C., & Reed, D. (2005). Men's preferences for women's profile waist-to-hip ratio in two societies. *Evolution and Human Behavior*, 26(6), 458-468.
doi:10.1016/j.evolhumbehav.2005.07.005

Mohebi, R., Mohebi, A., Sheikholeslami, F., Azizi, F., & Hadaegh, F. (2014). Wrist circumference as a novel predictor of hypertension and cardiovascular disease: results of a decade follow up in a West Asian cohort. *Journal of the American Society of Hypertension : JASH*, 8(11), 800-7.
doi:10.1016/j.jash.2014.08.010

Moore, K. L., Dalley, A. F., & Agur, A. M. R. (2010). *Clinically Oriented Anatomy* (6th ed.). Philadelphia: Wolters Kluwer Health/Lippincott Williams & Wilkins.

Mootz, R. D., & Vernon, H. T. V. (1999). *Best Practices in Clinical Chiropractic* (p. 202). Jones & Bartlett Learning. Retrieved from

<https://books.google.com/books?id=3913gmWbnfMC&pgis=1>

- NIH, N. I. of H. (2015). Aging Hearts and Arteries: A Scientific Quest | National Institute on Aging. Retrieved February 08, 2015, from <http://www.nia.nih.gov/health/publication/aging-hearts-and-arteries/chapter-4-blood-vessels-and-aging-rest-journey>
- Noudeh, Y. J., Hadaegh, F., Vatankhah, N., Momenan, A. A., Saadat, N., Khalili, D., & Azizi, F. (2013). Wrist circumference as a novel predictor of diabetes and prediabetes: results of cross-sectional and 8.8-year follow-up studies. *The Journal of Clinical Endocrinology and Metabolism*, 98(2), 777-84. doi:10.1210/jc.2012-2416
- Orr, J. S., Gentile, C. L., Davy, B. M., & Davy, K. P. (2008). Large artery stiffening with weight gain in humans: role of visceral fat accumulation. *Hypertension*, 51(6), 1519-24. doi:10.1161/HYPERTENSIONAHA.108.112946
- Phillips, L. K., & Prins, J. B. (2008). The link between abdominal obesity and the metabolic syndrome. *Current Hypertension Reports*, 10(2), 156-164. doi:10.1007/s11906-008-0029-7
- Riskesdas. (2013). *Riset Kesehatan Dasar 2013*. Departemen Kesehatan Republik Indonesia. Jakarta. Retrieved from http://www.litbang.depkes.go.id/sites/download/rkd2013/Laporan_Riskesdas2013.PDF
- Rosjidi, C. H. (2007). *Hubungan Antara Kemiskinan dengan Pengetahuan tentang Diet, Aktivitas Fisik dan Risiko Penyakit Kardiovaskular pada Masyarakat Kabupaten Ponorogo*. Gadjah Mada.
- Saladin, K. S. (2010). *Anatomy & Physiology: the unity of form and function*. McGraw Hill.
- Siddiqui, A. H., Gulati, R., Tauheed, N., & Pervez, A. (2014). Correlation of Waist-to-hip Ratio (WHR) and Oxidative Stress in Patients of Acute Myocardial Infarction (AMI). *Journal of Clinical and*

Diagnostic Research : JCDR, 8(1), 4-7.
doi:10.7860/JCDR/2014/6446.3912

- Singh, D. (2002). Female Mate Value at a Glance: Relationship of Waist-to-Hip Ratio to Health, Fecundity and Attractiveness. *Neuroendocrinology Letters Special Issue*, 23(December), 81-91. Retrieved from <http://faculty.bennington.edu/~sherman/sex/whr-singh2002.pdf>
- Sorof, J., & Daniels, S. (2002). Obesity Hypertension in Children: A Problem of Epidemic Proportions. *Hypertension*, 40(4), 441-447. doi:10.1161/01.HYP.0000032940.33466.12
- Sudigdo, S., & Ismael, S. (2014). *Dasar-Dasar Metodologi Penelitian Klinis* (5th ed.). Jakarta: Sagung Seto.
- Swartz, M. H. (2014). *Textbook of Physical Diagnosis: History and Examination* (7th ed.). Philadelphia: Elsevier Health Sciences.
- Tatar, B. T., Ersoy, C., Kacan, T., Kirhan, E., Sarandol, D. S., Kacan, S., ... Imamoglu, S. (2014). Neck and Wrist Circumferences Propose a Reliable Approach to Qualify Obesity and Insulin Resistance. *Medicine Science | International Medical Journal*, 3(1), 1013-25. Retrieved from <http://www.scopemed.org/?mno=38787>
- Tortora, G. J., & Derrickson, B. H. (2013). *Principles of Anatomy and Physiology, 14th Edition: 14th Edition* (14th ed.). New York: John Wiley & Sons.
- WHO. (2008). Waist Circumference and Waist-Hip Ratio Report of a WHO Expert Consultation. *World Health*, (December), 8-11. Retrieved from http://www.who.int/nutrition/publications/obesity/WHO_report_waistcircumference_and_waisthip_ratio/en/
- WHO. (2011). WHO | Global status report on noncommunicable diseases 2010. Retrieved from http://www.who.int/nmh/publications/ncd_report2010/en/

Zheng, L., Sun, Z., Li, J., Zhang, R., Zhang, X., Liu, S., ... Sun, Y. (2008). Pulse pressure and mean arterial pressure in relation to ischemic stroke among patients with uncontrolled hypertension in rural areas of China. *Stroke*, 39, 1932-1937.
doi:10.1161/STROKEAHA.107.510677

Zheng, R.-D., Chen, Z.-R., Chen, J.-N., Lu, Y.-H., & Chen, J. (2012). Role of Body Mass Index, Waist-to-Height and Waist-to-Hip Ratio in Prediction of Nonalcoholic Fatty Liver Disease. *Gastroenterology Research and Practice*, 2012(January 2008), 362147.
doi:10.1155/2012/362147