

## DAFTAR PUSTAKA

- Al-Nakeeb, Y, Lyons, M, Collins, P, Al-Nuaim, A, Al-Hazzaa, H, Duncan, MJ, Nevill, A 2012. Obesity, physical activity and sedentary behavior amongst British and Saudi youth: a cross-cultural study, *International Journal of Environmental Research and Public Health*, 9: 1490-1506.
- Bartness, TJ 2010, Dual innervation of white adipose tissue: some evidence for parasympathetic nervous system involvement, *The Journal of Clinical Investigation*, 110(9):1235-7.
- Bartness, TJ, Vaughan, CH, Song, CK 2010, Sympathetic and sensory innervation of brown adipose tissue, *International Journal of Obesity (Lond)*, 34(1):S36-S42.
- Berk, M 2008. Sleep and depression, theory and practice, *Australian Family Physician*, 38(5): 302-304.
- Burch, JB, Tom, J, Zhai, Y, Criswell, L, Leo, E, Ogoossan, K 2009, Shiftwork impacts and adaptation among health care workers, *Occupational Medicine*, 59: 159-166
- Cappuccio, FP, Taggart, FM, Kandala, NB, Currie, A, Peile, E, Stranges, S 2008. Meta-analysis of short sleep duration and obesity in children and adults, *Sleep*, 31(5): 619-626.
- Carmienke, S, Freitag, MH, Pischon, T, Schlattmann, P, Fankhaenel, T, Goebel, H et al. 2013. General and abdominal obesity parameters and their combination in relation to mortality: a systematic review and meta-regression analysis, *European Journal of Clinical Nutrition*, 67(6): 573-585.
- Carskadon, MA 1990. Patterns of sleep and sleepiness in adolescents, *Pediatrician*, 17: 5-12.
- Centers for Disease Control and Prevention (CDC) 2007. Anthropometry procedures manual. n.d. CDC. viewed 22 December 2014.  
<[http://www.cdc.gov/nchs/data/nhanes/nhanes\\_07\\_08/manual\\_an.pdf](http://www.cdc.gov/nchs/data/nhanes/nhanes_07_08/manual_an.pdf)>

Centers for Disease Control and Prevention (CDC) 2011, Other factors in weight gain, n.d., CDC, viewed 22 December 2014, <[http://www.cdc.gov/healthyweight/calories/other\\_factors.html](http://www.cdc.gov/healthyweight/calories/other_factors.html)>

Chaput, JP, Lambert, M, Gray-Donald, K, McGrath, JJ, Tremblay, MS, O'Loughlin J et al. 2011, Short sleep duration is independently associated with overweight and obesity in Quebec children, *The Canadian Journal of Public Health*, 102(5): 369-74.

Corgosinho, FC, Damaso, AR, Ganen, AP, Campos, RMS, Silva, PL, Sanchez, PL 2013. Short sleep time increases lipid intake in obese adolescents, *Sleep Science*, 6(1):26-31.

Crowley, SJ, Acebo, C, Carskadon, MA 2007. Sleep, circadian rhythms, and delayed phase in adolescence, *Sleep Medicine*, (4): 602-612.

Daniel, W 2005, *Biostatistics: a foundation for analysis in the health sciences*, 5 edn, Georgia State University, Georgia.

Di Milia, L & Mummery, K 2009, The association between job related factors, short sleep and obesity, *Industrial Health*, 47: 363-368.

Ervin, RB 2009, Prevalence of metabolic syndrome among adults 20 years of age and over, by sex, age, race and ethnicity, and body mass index: United States, 2003-2006, *National Health Statistics Report*, 5(13): 1-7.

Fintaru, V 2010, Hubungan antara pola tidur siang dan lama tidur malam dengan perubahan indeks massa badan pada remaja SMA Negeri 1 Sleman, skripsi, Yogyakarta, Universitas Gadjah Mada.

Frey, S, Balu, S, Greusing, S, Rothen, N, Cajochen, C 2009, Consequences of the timing of menarche on female adolescent sleep phase preference, *PLoS ONE*, 4(4): e5217.

- Froy, O 2010, Metabolism and circadian rhythms - implications for body weight, *The Open Neuroendocrinology Journal*, 3: 28-37.
- Fryar, CD, Gu, Q, Ogden, CL 2012, Anthropometric reference data for children and adults: United States, 2007-2010, *Vital and Health Statistics*, 11(252): 1-40.
- Guyton, AC & Hall, JE 2008, *Buku Ajar Fisiologi Kedokteran*, 1 edn, EGC Medical Publisher, Jakarta.
- Himes, JH 2009, Challenges of accurately measuring and using bmi and other indicators of obesity in children, *Pediatrics*, 124(1): pp. 3-22.
- Hysing, M, Pallesen, S, Stormark, KM, Lundervold, AJ, Sivertsen, B 2013, Sleep patterns and insomnia among adolescents: a population-based study, *Journal of Sleep Research*, 22: 549-556.
- Irwin, MR & Ziegler, M 2004, Sleep deprivation potentiates activation of cardiovascular and catecholamine responses in abstinent alcoholics, *Hypertension*, 45: 252-257.
- Kaczmarek, M 2002, Adolescent growth and its relation to menarche, dental and somatic maturation, *Anthropological Review*, 65: 27-42.
- Kahane, R 1998, *Multicode organizations: a conceptual framework for the analysis of boarding school*, American Sociological Association, Washington DC.
- Kamath, MG, Prakash, J, Dash, S, Chowdhury, S, Ahmed, ZB, Yusof, MZZBM 2014, Is there an association between self-reported sleep duration, body mass index and waist-hip ratio in young adults? A cross-sectional pilot study, *Journal of Clinical and Diagnostic Research*, 8(9): 5-7.
- Kaur, S & Walia, I 2007, Body mass index, waist circumference and waist hip ratio among nursing students, *Nursing and Midwifery Research Journal*, 3(2): 84-90.

Ketel, IJG, Volman, MNM, Seidell, JC, Stehouwer, CDA, Twisk, JW & Lambalk, CB 2007, Superiority of kkinfold measurements and waist over waist-to-hip ratio for determination of body fat distribution in a population-based cohort of Caucasian Dutch adults, *European Journal of Endocrinology*, 156: 655-661.

Kirchengast, S, 2010, Gender differences in body composition from childhood to old age: an evolutionary point of view, *Journal of Life Science*, 2(1): 1-10.

Klein, S, Allison, DB, Heymsfield, SB, Kelley, DE, Leibel, RL, Nonas, C et al. 2007, Waist circumference and cardiometabolic risk: a consensus statement from Shaping America's Health: Association for Weight Management and Obesity Prevention; NAASO, The Obesity Society; the American Society for Nutrition; and the American Diabetes Association, *The American Journal of Clinical Nutrition*, 85: 1197-1202.

Kline, C 2013, *Encyclopedia of behavioral medicine*, Springer, New York.

Knutson, KL & Cauter, EV 2008, Associations between sleep loss and increased risk of obesity and diabetes, *Annals of the New York Academy of Sciences*, 1129: 287-304.

Lockwood, W 2013, Obesity: methods of assessment, RN, viewed 11 October 2014, <<http://www.rn.org/courses/coursematerial-211.pdf>>

Lorenzo, LD, Pergola, GD, Zocchetti, C, L'Abbate, N, Basso, A, Pannacciulli, N et al. 2003, Effect of shift work on body mass index: results of a study performed in 319 glucose-tolerant men working in a Southern Italian industry, *International Journal of Obesity*, 27: 1353-8.

Louzada, ML, Rauber, F, Campagnolo, PD, Vitolo, MR 2012, Sleep duration and body mass index among Southern Brazilian preschoolers, *Arquivos Brasileiros de Cardiologia*, 99(6): 1156-1158.

Meerlo, P, Sgoifo, A, Suchecki, D 2008, Restricted and disrupted sleep: effects on autonomic function,

neuroendocrine stress systems and stress responsivity, *Sleep Medicine Reviews*, 12: 197-210.

Maurovich-Horvat, E, Pollmarcher, T, Sonka, K 2008, The effects of sleep and sleep deprivation on metabolic, endocrine and immune parameters, *Prague Medical Report*, 109(4): 275-285.

Nagai, M, Hoshide, S, Kazuomi, K 2010, Sleep duration as a risk factor for cardiovascular disease - a review of the recent literature, *Current Cardiology Reviews*, 6(1): 54-61.

National Sleep Foundation 2015, Tips for healthy eating and exercising when working shifts, n.d., National Sleep Foundation, viewed 25 January 2015, <<http://sleepfoundation.org/shift-work/content/tips-healthy-eating-and-exercising-when-working-shifts>>

National Sleep Foundation 2014, How much sleep do we really need, n.d., National Sleep Foundation, viewed 2 December 2014, <<http://sleepfoundation.org/how-sleep-works/how-much-sleep-do-we-really-need>>

National Sleep Foundation 2000, *Adolescent sleep needs and patterns, research report and resource guideline*, National Sleep Foundation, Washington.

Ng, M, Flemming, T, Robinson, M, Thomson, B, Graetz, N, Margono, C et al. 2014, Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the global burden of disease study 2013, *The Lancet*, 384(9945): 766-781.

Norton, K & Olds, T 2004, *Anthropometrica*, University of New South Wales Press Ltd, Sydney.

Ogechi, UP, Akhakhia, OI, Ugwunna, UA 2007, Nutritional status and energy intake of adolescents in Umuahia Urban, Nigeria, *Pakistan Journal of Nutrition*, 6(6): 641-646.

Oka, Y, Suzuki, S, Inoue, Y 2008, Bedtime activities, sleep environment, and sleep/wake patterns of

Japanese elementary school children, *Behavioral Sleep Medicine*, 6: 220-233.

Padez, C, Mourao, I, Moreira, P, Rosado, V, 2009. Long sleep duration and childhood overweight/obesity and body fat, *American Journal of Human Biology*, 21: 371-376.

Panjikkaran, ST 2013, Waist to height ratio for recording the risks of overweight in schoolchildren in Kerala, *Indian Pediatrics*, 50: 493-495.

Patel, SR & Hu, FB 2008, Short sleep duration and weight gain: a systematic review, *Obesity (Silver Spring)*, 16: 643-653.

Peebles, R 2008, Adolescent obesity: etiology, office evaluation and treatment, *Adolescent Medicine*, 19: 1-26.

Pereira, PF, Serrano, HMS, Carvalho, GQ, Lamounier, JA, Peluzio, MCG, Franceschini, SCC et al. 2011, Waist and waist-to-height ratio: useful to identify the metabolic risk of female adolescents?, *Revista Paulista de Pediatria*, 29(3):372-377.

Purves, D, Augustine, GJ, Fitzpatrick, D, Katz, LC, LaMantia, AS, McNamara, JO, Williams, SM 2001, *Neuroscience*, Sinauer Associates, Sunderland.

*Riset Kesehatan Dasar 2013*, Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI, viewed 2 December 2014, <[www.litbang.depkes.go.id/sites/.../rkd2013/Laporan\\_Riskedas2013.PDF](http://www.litbang.depkes.go.id/sites/.../rkd2013/Laporan_Riskedas2013.PDF)>

Roehrs, T & Roth, T 2014, The effects of medications on sleep quality and sleep architecture, UpToDate, viewed 22 December 2014, <<http://www.uptodate.com/contents/the-effects-of-medications-on-sleep-quality-and-sleep-architecture>>

Rogol, AD, Roemmich, JN, Clark, PA 2002. Growth at puberty, *Journal of Adolescent Health, Supplement article*, 31: 192-200.

- Sadeh, A, Raviv, A, Gruber, R 2000, Sleep patterns and sleep disruptions in school-age children, *Developmental Psychology*, 36(3): 291-301.
- Sebo, P, Beer-Borst, S, Haller, DM, Bovier, PA 2008, Reliability of doctors' anthropometric measurements to detect obesity, *Preventive Medicine*, 47: 389-393.
- Seidell, JC, Kahn, HS, Williamson, DF, Lissner, L, Valdez, R 2001, Report from a Centers for Disease Control and Prevention workshop on use of adult anthropometry for public health and primary health care, *The American Journal of Clinical Nutrition*, 73(1): 123-126.
- Shields, M & Tremblay, MS 2008, Sedentary behavior and obesity, *Health Reports*, 19(2): 19-30.
- Skidmore, PML, Howe, AS, Polak, MA, Wong, JE, Lubransky, A, Williams, SM et al. 2013, Sleep duration and adiposity in older adolescents from Otago, New Zealand: relationships differ between boys and girls and are independent of food choice, *Nutrition Journal*, 12(128).
- Spaeth, AM, Dinges, DF, Goel, N 2013, Effects of experimental sleep restriction on weight gain, caloric intake, and meal timing in healthy adults, *Sleep*, 36(7): 981-990.
- Srivastava, N, Lakhan, R, Mittal, B 2007, Pathophysiology and genetics of obesity, *Indian Journal of Experimental Biology*, 45: 929-936.
- Suglia, SF, Kara, S, Robinson, WR 2014, Sleep duration and obesity among adolescents transitioning to adulthood: do results differ by sex?, *The Journal of Pediatrics*, 165(4): 750-754
- Suryaputra, K & Nadhiroh, SR 2012, Perbedaan pola makan dan aktivitas fisik antara remaja obesitas dengan non obesitas, *Makara, Kesehatan*, 16(1): 45-50.
- Taheri, S 2006, The link between short sleep duration and obesity: we should recommend more sleep to prevent obesity, *Archives of Disease in Childhood*, 91(11): 881-884.

- Toriola, OM & Monyeki, MA 2012, Health-related fitness, body composition and physical activity status among adolescent learners: the PAHL study, *African Journal for Physical, Health Education, Recreation and Dance*, 18(4): 795-811.
- Utami, NP 2013, Hubungan pola tidur terhadap asupan energi dan obesitas pada remaja SMP di Kota Yogyakarta, skripsi, Yogyakarta, Universitas Gadjah Mada.
- van Mil, EGAH, Westerterp, KR, Kester, ADM, Saris, WHM 2001, Measurement: energy metabolism in relation to body composition and gender in adolescents, *Archives of Disease in Childhood*, 85: 73-78.
- Wang, C, Hou, XH, Zhang, ML, Bao, YQ, Zou, YH, Zhong, WH et al. 2010, Comparison of body mass index with body fat percentage in the evaluation of obesity in Chinese, *Biomedical and Environmental Sciences*, 23: 173-179.
- Wells, JCK & Fewtrell, MS 2006, Measuring body composition, *Archives of Disease in Childhood*, 91(7): 612-617.
- Wolfson, AR, Carskadon, MA 1998, Sleep schedules and daytime functioning in adolescents, *Child Development*, 69(4): 875-887.
- World Health Organization (WHO) 2009, *Obesity: preventing and managing the global epidemic, technical report series*, WHO, Geneva.
- World Health Organization (WHO) 1995, *Physical status: the use and interpretation of anthropometry, technical report series*, WHO, Geneva.
- Xu, F, Wang, YF, Lu, L, Liang, Y, Wang, Z, Hong, X et al. 2010, Comparison of anthropometric indices of obesity in predicting subsequent risk of hyperglycemia among Chinese men and women in Mainland China, *Asia Pacific Journal of Clinical Nutrition*, 19(4): 586-593.