

DAFTAR PUSTAKA

- Arnoczky, S. P., Delos, D., & Rodeo, S. a. (2011). What Is Platelet-Rich Plasma? *Operative Techniques in Sports Medicine*, 19(3), 142-148. doi:10.1053/j.otsm.2010.12.001
- Badan Penelitian dan Pengembangan Kesehatan RI, 2007, Riskesdas, Jakarta.
- Chan, B. P., & Leong, K. W. (2008). Scaffolding in tissue engineering: general approaches and tissue-specific considerations. *European Spine Journal: Official Publication of the European Spine Society, the European Spinal Deformity Society, and the European Section of the Cervical Spine Research Society*, 17 Suppl 4, 467-79. doi:10.1007/s00586-008-0745-3
- Dohan Ehrenfest, D. M., Rasmusson, L., & Albrektsson, T. (2009). Classification of platelet concentrates: from pure platelet-rich plasma (P-PRP) to leucocyte- and platelet-rich fibrin (L-PRF). *Trends in Biotechnology*, 27(3), 158-167. doi:10.1016/j.tibtech.2008.11.009
- Foster, T. E., Puskas, B. L., Mandelbaum, B. R., Gerhardt, M. B., & Rodeo, S. A. (2009). Platelet-Rich Plasma From Basic Science to Clinical Applications. *The American Journal of Sports Medicine*, 37(11).
- Franco, D., Franco, T., Schettino, A. M., Filho, J. M. T., & Vendramin, F. S. (2012). Protocol for obtaining platelet-rich plasma (PRP), platelet-poor plasma (PPP), and thrombin for autologous use. *Aesthetic Plastic Surgery*, 36(5), 1254-9. doi:10.1007/s00266-012-9957-3
- Jana, S., Tefft, B. J., Spoon, D. B., & Simari, R. D. (2014). Scaffolds for tissue engineering of cardiac valves. *Acta Biomaterialia*, 10(7), 2877-93. doi:10.1016/j.actbio.2014.03.014

- Kon, E., Filardo, G., Di Matteo, B., Perdisa, F., & Marcacci, M. (2013). PRP-Augmented Scaffolds for Cartilage Regeneration: A Systematic Review. *Operative Techniques in Sports Medicine*, 21(2), 108-115. doi:10.1053/j.otsm.2013.03.004
- Kasten, P., Vogel, J., Beyen, I., Weiss, S., Niemeyer, P., Leo, A., & Luginbuhl, R. (2008). Effect of platelet-rich plasma on the in vitro proliferation and osteogenic differentiation of human mesenchymal stem cells on distinct calcium phosphate scaffolds: the specific surface area makes a difference. *Journal of Biomaterials Applications*, 23(2), 169-88. doi:10.1177/0885328207088269
- Kretlow, J. D., Klouda, L., & Mikos, A. G. (2007). Injectable matrices and scaffolds for drug delivery in tissue engineering. *Advanced Drug Delivery Reviews*, 59(4-5), 263-73. doi:10.1016/j.addr.2007.03.013
- Liu, C., Xia, Z., & Czernuszka, J. T. (2007). Design and Development of Three-Dimensional Scaffolds for Tissue Engineering. *Chemical Engineering Research and Design*, 85(7), 1051-1064. doi:10.1205/cherd06196
- Marx, R. E. (2001). Platelet-Rich Plasma (PRP): What Is PRP and What Is Not PRP? *Implant Dentistry*, 10(4), 225-228. doi:10.1097/00008505-200110000-00002
- Matsui, M., & Tabata, Y. (2012). Enhanced angiogenesis by multiple release of platelet-rich plasma contents and basic fibroblast growth factor from gelatin hydrogels. *Acta Biomaterialia*, (2012-05). Retrieved from <http://hdl.handle.net/2433/155091>
- Middleton, K. K., Barro, V., Muller, B., Terada, S., & Fu, F. H. (2012). Evaluation of the Effects of Platelet-Rich Plasma (PRP) Therapy Involved in the Healing of Sports-Related Soft Tissue Injuries. *The Iowa Orthopaedic Journal*, 32, 150-163.
- Ni, M., & Ratner, B. D. (2014). Differentiation of Calcium Carbonate Polymorphs by Surface Analysis Technique - An XPS and TOF-SIMS study. *National*

Institute of Health, 40(10), 1356-1361.
doi:10.1002/sia.2904.Differentiation

Notodiharjo, P. V. (2014). Gelatin hydrogel impregnated with platelet-rich plasma release promotes angiogenesis and wound healing in murine model. Springer

Pang, Y., & Greisler, H. P. (2011). Using a type I collagen based system to understand cell-scaffold interactions and to deliver chimeric collagen binding growth factors for vascular tissue engineering, 58(7), 845-848.
doi:10.231/JIM.0b013e3181ee81f7.Using

Pettersson, S. (2009). *Biodegradable gelatin microcarriers in tissue engineering In vitro studies on cartilage and bone.*

Santoro, M., Tataru, A. M., & Mikos, A. G. (2014). Gelatin carriers for drug and cell delivery in tissue engineering. *Journal of Controlled Release: Official Journal of the Controlled Release Society*, 190, 210-8. doi:10.1016/j.jconrel.2014.04.014

Subramanian, A., Krishnan, U. M., & Sethuraman, S. (2009). Development of biomaterial scaffold for nerve tissue engineering: Biomaterial mediated neural regeneration. *Journal of Biomedical Science*, 16, 108. doi:10.1186/1423-0127-16-108

Tessmar, J. K., & Göpferich, A. M. (2007). Matrices and scaffolds for protein delivery in tissue engineering. *Advanced Drug Delivery Reviews*, 59(4-5), 274-91. doi:10.1016/j.addr.2007.03.020

Thodi, S. P., & Ramya, C. (2014). Drug delivery and tissue engineering applications of biocompatible pectin-chitin/nano CaCO₃ composite scaffolds, 106, 109-116. Retrieved from <http://macha.itc.griffith.edu.au/dspace/handle/10072/64775>

Willerth, S. M., & Sakiyama-elbert, S. E. (2008). Approaches to Neural Tissue Engineering Using Scaffolds for Drug Delivery, 59, 325-338.

Willerth, S. M., Sakiyama-elbert, S. E., Engineering, B., & Louis, S. (2008). Combining stem cells and biomaterial scaffolds for constructing tissues and cell delivery. *StemBook*, (314), 1-18.
doi:10.3824/stembook.1.1.1

Zhang, G., & Suggs, L. J. (2007). Matrices and scaffolds for drug delivery in vascular tissue engineering ☆, 59, 360-373.
doi:10.1016/j.addr.2007.03.018

Zhang, Q., Lu, H., Kawazoe, N., & Chen, G. (2014). Pore size effect of collagen scaffolds on cartilage regeneration, 10, 2005-2013.