



CHAPTER VI

REFERENCES

Kostoglou-Athanassiou I., Ntalles K. (2010). Hypothyroidism - new aspects of an old disease. *Hippokratia*. 14(2).p.82-87

Vanderpump M.P., Tunbridge W.M., French J.M., Appleton D., Bates D., Clark F., et al. (1995). The incidence of thyroid disorders in the community: a twenty-year follow-up of the Wickham Survey. *Clin Endocrinol(Oxf)*. 43.p.55-68

Biondi B., Cooper D.S. (2008). The clinical significance of subclinical thyroid dysfunction. *Endocrine Reviews*. 29(1).p.76-131

Yen P.M. (2001). Physiological and molecular basis of thyroid hormone action. *Physiol Rev*. 81.p.1097-1142

Hollowell J.G., Staehling N.W., Flanders W.D., Hannon W.H., Gunter E.W., Spencer C.A., et al. (2002). Serum TSH, T(4), and thyroid antibodies in the United States population (1988 to 1994): National Health and Nutrition Examination Survey (NHANES III). *J Clin Endocrinol Metab*. 87.p.489-99.



Canaris G.J., Manowitz N.R., Mayor G., Ridgway E.C. (2000). The Colorado thyroid disease prevalence study. *Arch Intern Med.* 160.p.526-34.

Brenta G., Vaisman M., Sgarbi J.A., Bergoglio L.M., de Andrada N.V., Bravo P.P., Orlandi A.M., Graf H., (2013). Clinical practice guidelines for the management of hypothyroidism. *Arq Bras Endocrinol Metab.* 57(4).p.265-99

Helfand M., Redfern C.C. (1998). Clinical guideline, part 2. Screening for thyroid disease: an update. American College of Physicians. *Ann Intern Med.* 129.p.144-158

Zulewski H, Muller B, Exer P, Miserez A.R., Staub J.J. (1997). Estimation of tissue hypothyroidism by a new clinical score: evaluation of patients with various grades of hypothyroidism and controls. *J Clin Endocrinol Metab.* 82.p.771-6

Moore K.L., Dalley A.F., Agur A.M.R. (2010). Clinically Oriented Anatomy, 6th Ed. Philadelphia. Lippincott Williams & Wilkins.p.1018-1020

Hak A.E., Pols H.A., Visser T.J., Drexhage H.A., Hofman A., Witteman J.C. (2000). Subclinical hypothyroidism is an independent risk factor for atherosclerosis and myocardial infarction in elderly women: the Rotterdam study. *Ann Intern Med.* 132.p.270-278



Rodondi N., Bauer D.C., Cappola A.R., Cornuz J., Robbins J., Fried L.P., et al. (2008). Subclinical thyroid dysfunction, cardiac function, and the risk of heart failure. The Cardiovascular Health Study. *J Am Coll Cardiol*. 52.p.1152-1159

Casey B.M., Dashe J.S., Wells C.E., McIntire D.D., Byrd W., Leveno K.J., et al. (2005). Subclinical hypothyroidism and pregnancy outcomes. *Obstet Gynecol*. 105.p.239-245

Longo D.L., Fauci A.S., Kasper D.L., Hauser S.L., Jameson J.L., Loscalzo J.(eds.) (2012). *Harrison's Principles of Internal Medicine*. 18th ed. New York. McGraw-Hill.p.2922-2927

Idris I., Srinivasan R., Simm A., Page R.C. (2005). Maternal hypothyroidism in early and late gestation: effects on neonatal and obstetric outcome. *Clin Endocrinol (Oxf)*. 63.p. 560-565

Kempers M.J., Lanting C.I., van Heijst A.F., van Trotsenburg A.S., Wiedijk B.M., de Vijlder J.J., et al. (2006). Neonatal screening for congenital hypothyroidism based on thyroxine, thyrotropin, and thyroxine-binding globulin measurement: potentials and pitfalls. *J Clin Endocrinol Metab*. 91.p.3370-3376

Rose S.R., Brown R.S., Foley T., Kaplowitz P.B., Kaye C.I., et al. (2006). Update of newborn screening and



therapy for congenital hypothyroidism. *Pediatrics*.
117.p.2290-2303

Singer P.A., Cooper D.S., Levy E.G., Ladenson P.W.,
Braverman L.E., Daniels G, et al. (1995). Treatment
guidelines for patients with hyperthyroidism and
hypothyroidism. Standards of Care Committee, American
Thyroid Association. *JAMA*. 273.p.808-812

Garber J.R., Cobin R.H., Gharib H., Hennessey J.V.,
Klein I., Mechanick J.I., Pessah-Pollack R., Singer
P.A., Woeber K.A. (2012). Clinical Practice Guidelines
For Hypothyroidism In Adults: Cosponsored By The
American Association Of Clinical Endocrinologists And
The American Thyroid Association. *Endocr Prac*.
18(6).p.989-1019

Freinkel RK, Freinkel N. Cutaneous manifestations of
endocrine disorders. In: Fitzpatrick TB, Eisen AZ, Wolff
K, et al.,(eds.) (1987). *Dermatology in General
Medicine*. 3rd ed. New York. McGraw Hill.p.2063-2081

Heymann WR. (1992). Cutaneous manifestations of thyroid
disease. *J Am Acad Dermatol*. 26.p.885-902

Jonklaas J., Nsouli-Maktabi H. (2011). Weight Changes
in Euthyroid Patients Undergoing Thyroidectomy. *Thyroid
Journal*. 21.p.1343-1351

Sunita., Mahajan AS., Jain A., Singh N., Mishra T.
(2013). Heart rate and blood pressure response to



exercise and recovery in subclinical hypothyroid patients. *Int J Appl Basic Med Res.* 2.p.106-110

Wise MP., Blunt S., Lane RJM. (1995). Neurological presentations of hypothyroidism: the importance of slow relaxing reflexes. *Journal Of The Royal Society Of Medicine.* 88.p.272-274

Baker JT., Harvey MF. (1971). Bowel Habit in Thyrotoxicosis and Hypothyroidism. *British Medical Journal.* 1.p.322-323

Dave A., Maru L., Tripathi M. (2014). Importance of Universal screening for thyroid disorders in first trimester of pregnancy. *Indian J Endocrinol Metab.* 18.p.735-738

Indra, R., Patil, S.S., Joshi, R., Pai, M. & Kalantri, S.P. (2004). Accuracy of physical examination in the diagnosis of hypothyroidism: a crosssectional, double blind study. *Journal of Postgraduate Medicine.* 50.p.7-11

Philp, J.R., Duthie, M.B. & Crooks, J. (1968). A follow-up scheme for detecting hypothyroidism in thyrotoxic patients treated with radioiodine. *Lancet.* 2.p.1336-1338

Saravanan, P., Chau, W.F., Roberts, N., Vedhara, K., Greenwood, R. & Dayan, C.M. (2002). Psychological well-being in patients on 'adequate' doses of l-thyroxine:



results of a large, controlled community-based questionnaire study. *Clinical Endocrinology*. 57.p.577-585

Seshadri, M.S., Samuel, B.U, Kanagasabapathy, A.S. & Cherian, A.M. (1989). Clinical scoring system for hypothyroidism: is it useful? *Journal of General Internal Medicine*. 4.p.490-492

Barker, D.J. & Bishop, J.M. (1969). Computer-based screening system for patients at risk of hypothyroidism. *Lancet*. 2.p.835-838