

## DAFTAR PUSTAKA

- Abdulah A. (1990) *Kemungkinan pengembangan tiga jenis kayu-manis di Indonesia*. Prosiding Simposium I Hasil penelitian dan pengembangan tanaman industri. Buku VIII Tanaman industri lainnya. Puslitbangtri, Bogor.
- Ahmad, M., Lim, C. P., Akowuah, G. A., Ismail, N. N., Hashim, M. A., Hor, S. Y., Ang, L. F., dan Yam, M. F., (2013) Safety Assessment of Standardized Methanol Extract of *Cinnamomum burmannii*. *Phytomedicine*, 20(2): 1124-30
- Almatsier, S. (2006) *Prinsip Dasar Ilmu Gizi*. Jakarta: Gramedia Pustaka Utama
- Al-Numair, K.S., Ahmed, S.B., Ahmad, D., Al-Assaf, A.H. (2007) Nutritive value, levels of polyphenols and anti-nutritional factors in sri lankan cinnamon (*Cinnamomum zeylanicum*) and chinese cinnamon (*Cinnamomum cassia*). *Food Sci Agri*, 154(6): 5-21
- Amin, K.A., Thanaa, M. (2009) Oxidative markers, nitric oxide and homocysteine alteration in hypercholesterolemic rats: role of atorvastatine and *cinnamon*. *Int Jr Exp Med*, 2(3):254-65
- Ariviani, S., Rachmawati, D.A., Listiyaningsih, E. (2012) Potensi minuman bubuk kedelai (*var. Galunggung*) sebagai minuman fungsional: sifat fisikokimia, efek hipoglikemik dan hipokolesterolemik serta status antioksidan. *Jur Ked UNS*, 1(1): 1-11
- Bachorik, P.S., Denke, M.A., Stein, E.A., Rifikind, B.M. (2001) Lipids and Dyslipoproteinemia. In: Henry, J.B.ed. *Clinical Diagnosis and Management by Laboratory Methods*. Philadelphia: W.B. Saunders Company
- Bruno R.S., Dugan C.E., Smyth J.A., DiNatale D.A., Koo S.I. (2008) Green tea extract protects leptin-deficient, spontaneously obese mice from hepatic steatosis and injury. *Jr of Nutr*, 138(6): 323-30
- Cahanar, P., Suhanda, I. (2006) *Makan Sehat Hidup Sehat*. Jakarta: Kompas
- Daniels, K.M., Killinger, J.J., Michal, R.W., Wright Jr., Zhihua J. (2009) Lipoproteins, Cholesterol Homeostasis and Cardiac Health. *Int Jr Biol Sci*, 5(5): 474-88
- Depkes. (2006) *Pharmaceutical Care untuk Pasien Penyakit Jantung Koroner: Sindrom Koroner Akut*. Jakarta: Departemen Kesehatan RI
- Dewi, K. (2008) Pengaruh Ekstrak Teh Hijau (*Camellia sinensis*) terhadap penurunan berat badan, Kadar Trigliserida dan Kolesterol Total pada Tikus Jantan Galur Wistar. *Jur Kes Masy*, 7(2): 156-63
- Diagnostic System International* (2009) Diambil dari <http://www.diasys-diagnostic.com/> pada tanggal 8 November 2014



UNIVERSITAS  
GADJAH MADA

**PENGARUH PEMBERIAN KOMBINASI EKSTRAK KAYU MANIS (*Cinnamomum burmanii*) DAN EKSTRAK TEH HIJAU (*Camellia sinensis*) TERHADAP KADAR LDL TIKUS SPRAGUE-DAWLEY HIPERKOLESTEROLEMIA**  
RESTU MINANTI, Prof. Dr. Mustofa, Apt. M.Kes; Dian Caturini S., B.Sc, M.Sc

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Ditjen POM. (2000) *Parameter Standar Umum Ekstrak Tumbuhan*. Jakarta: Departemen Kesehatan RI

Effendi, D.S., Syakir, M., Yusron, M., Wiratno. (2010) *Budidaya dan Pasca Panen Teh*. Bogor: Pusat Penelitian dan Pengembangan Perkebunan

EI-Yamani, M. A. S. (2011) Cinnamon, Cardamom, and Ginger Impacts as Evaluated on Hyperglycemic Rats, *Jr Spec Educ*, 2 (20): 665-79

Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III). (2001) Executive summary of the third report of the National Cholesterol Education Program (NCEP). *Jr Am Med Associ*, 285(3): 2486-97

Federer, W.T. (1977) *Experimental Design Theory And Application, Third Edition*. New Delhi : Oxford and IBH Publishing Co

Felix, M. (2010) *Kepraktisan Ekstrak Teh Hijau*. Jakarta: PT Indesso Aroma

Fridewald, N. T., Levy, R. I., Frieddericson R. I., (1972) Estimation Of The Concentration Of Low Density Lipoprotein Cholesterol Plasma Without Use The Prepagative Ultracentrifugation. *Clinical Chemistry*, 18: 499-502

Genest, J., McPherson, R., Frohlich, J., Anderson, T. (2009) Canadian Cardiovascular Society guidelines for the Diagnosis and treatment of dyslipidemia and Prevention of Cardiovascular disease in the adult. *Can Jr Card*, 25(10): 567-580

Ghozali, I. (2011) *Aplikasi Analisis Multivariate dengan Program IBM SPSS 19*. Semarang: Badan Penerbit Universitas Diponegoro

Goldberg, I.J. (2001) Diabetic dyslipidemia : causes and consequences, *Jr Cli Endocrin&Met*, 86 (3): 965-971

Graha K.C. (2010) *100 Question & Answers Kolesterol*. Jakarta: Elex Komutindo

Grundy, S.M. (1991) Multifactorial etiology of hipercholesterolemia: implication for prevention of coronary heart disease. 5(11): 1619-35

Hadinoto D. (2009) *Efek Epigallocatechin-3-Gallate (EGCG) Topikal terhadap Ekspresi Siklooksigenasi-2 Konjungtivitis Alergi pada Model Tikus Wistar*. Skripsi. Universitas Diponegoro

Hartoyo, A. (2007) *Teh dan Khasiatnya bagi kesehatan*. Yogyakarta: Kanisius

Hasanein, M. A., Gawad, S. H. A., Megeid, A. (2012) Effect of Water Extract Prepare Green Tea, Black Tea and Cinnamon on Obese Rats Suffering from Diabetes. *World App Sci Jr*, 20(7): 976-87



UNIVERSITAS  
GADJAH MADA

**PENGARUH PEMBERIAN KOMBINASI EKSTRAK KAYU MANIS (*Cinnamomum burmanii*) DAN EKSTRAK TEH HIJAU (*Camellia sinensis*) TERHADAP KADAR LDL TIKUS SPRAGUE-DAWLEY HIPERKOLESTEROLEMIA**  
RESTU MINANTI, Prof. Dr. Mustofa, Apt. M.Kes; Dian Caturini S., B.Sc, M.Sc  
Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Himawan, R. (2008) *Pengaruh Pemberian Ekstrak Daun Teh Hijau (*Camellia sinensis*) terhadap Kadar SGPT Tikus Putih (*Rattus Norvegicus*) yang Diinduksi Isoniazid*. Skripsi. Universitas Sebelas Maret
- Hofstetter, J., Suckow, M. A., Hickman, D.L. (2006) *The Laboratory Rat (Second Edition)*. USA: Elsevier Academic Press
- Hong, G., Wang, J., Zhang, Y., Hochstetter, D. (2014) Biosynthesis of Catechin Components is Differentially Regulated in Dark-Treated Tea (*Camellia sinensis* L.). *Jr Plant Phys Biochem*, 78(3): 49-52
- Hukmah, S. (2007) *Aktivitas Antioksidan Katekin dari Teh Hijau (*Camellia Sinensis* O.K. Var. *Assamica* (*mast*)) Hasil Ekstraksi dengan Variasi Pelarut dan Suhu*, Skripsi. Universitas Islam Negeri Malang
- Iswari, R. S. (2009) *Perbaikan Fraksi Lipid Serum Tikus Putih Hiperkolesterol setelah Pemberian Jus dari Berbagai Olahan Tomat*. Skripsi. Universitas Negeri Semarang
- Jarvill-Taylor, K.J., Anderson, R.A., Graves, D.J. (2001) A hydroxychalcone derived from cinnamon function as a mimetic for insulin in 3T3-L1 adipocytes. *Jr Am Coll Nut*, 20 (4): 327-36
- Junge, C., Freeman, M.W. (2005) *The Harvard Medical School Guide to Lowering your Cholesterol*. USA: Harvard Ltd
- Kabo, P. (2008) *Pengobatan Jantung Koroner*. Jakarta: PT Gramedia Pustaka Utama
- Karori, S. M., Wachira, F. N., Wanyoko, J. K., Ngure, R. M. (2007) Antioxidant capacity of different types of tea products. *Jr Home*, 6(19): 2287-96
- Khan A., Safdar M., Ali Khan M.M., Khattak K.N., Anderson R.A. (2003) Cinnamon improves glucose and lipids of people with type 2 diabetes. *Jr Diabet Care* 26(12): 3215-8
- Khan, I., Abourashed, E. (2010) *Leungs Encyclopedia od Common Natural Ingredients, 3rd Edition*. Canada: Wiley and Sons
- Kim A., Chiu A., Barone M. K., Avino D., Wang F., Coleman C. I., Phung O. J. (2011) Green tea catechins decrease total and low-density lipoprotein cholesterol: a systematic review and meta-analysis. *Jr Am Diet Assoc*, 111(11): 1720-9
- King, M.W., (2010) Cholesterol and bile synthesis and metabolism. <http://themedicalbiochemistry.org/cholesterol.html>. 05 Juni 2014 (19:35)
- Krauss, R. M., R. H. Eckel, B. Howard, L. J. Appel, S. R. Daniels, R. J. Deckelbaum, J. W. Erdman, Jr., Kris-Etherton, I. J. Goldberg T. A. Kotchen. (2000) AHA Dietary Guidelines: revision 2000: A statement for healthcare professionals from the

Nutrition Committee of the American Heart Association. *Circulation*. 102(5): 2284–99

- Krisdianto, L. D. (2014) *Japanese Roll Cake*. Jakarta: Dunia Kreasi
- Krisnawati, I. (2014) *45 Resep Minuman Mujarab Teh Herbal*. Jakarta: Gramedia Pustaka Utama
- Kumar H., Clark M. (2009) Definition of lung cancer. In *Kumar & Clark Clinical Medicine, Parveen Kumar, Michael Clark, 7th Edition*. New York: Elsevier Saunders
- Kurniawati, N. (2010) *Sehat dan Cantik Berkat: Khasiat Bumbu Dapur*. Bandung: Mizan
- Kusumawati, D. (2004) *Bersahabat dengan Hewan Coba*. Yogyakarta: Gadjah Mada University Press
- Laurence, B.A.L. (1964) *Evaluation of Drug Activities: Pharmacometrics*. New York: Academic Press
- Lee, J.S., Jeon, S.M., Park, E.M., Huh, T.L., Kwon, O.S., Lee, M.K., Choi, M.S. (2003) Cinnamate supplementation enhances hepatic lipid metabolism and antioxidant defense system in high cholesterol fed rats. *Jr Med Food*, 6(3): 183-91
- Linder, M.C. (1992) *Biokimia Nutrisi dan Metabolisme*. Jakarta: UI Press
- Löest, H.B., Noh, S.K., Koo, S.I. (2002) Green tea extract inhibits the lymphatic absorption of cholesterol and alpha-tocopherol in ovariectomized rats. *J Nutr*, 132(4): 1282–88
- Loscalzo, J. (2004) *Molecular Mechanism of Atherosclerosis*. USA: CRC
- Lukman, M. (2011) *Efek Ekstrak Kayu Manis (cinnamomum burmanii) terhadap Kadar Trigliserida dan Low Density Lipoprotein Kolesterol Tikus Model Diabetes Mellitus Tipe 1 yang Diinduksi Aloksan*. Skripsi. Universitas Islam Malang
- Malole M.B.M., Pramono C. S. (1989) *Penggunaan Hewan-hewan Percobaan Laboratorium*. Bogor: Direktorat Jendral Pendidikan Tinggi Pusat Antar Universitas Bioteknologi
- Marieb, N. (2001) *Human Anatomy and Physiology fifth edition*. San Francisco: Benjamin Cummings
- Maron, D. J., Lu, G. P., Cai, N. S., Wu, Z. G., Li, Y. H., Chen, H., Zhu, J. Q., Jin, X. J., Wouters, B. C., Zhao, J. (2003) Cholesterol-Lowering Effect of a Theaflavin-Enriched Green Tea Extract: A Randomized Control Trial. *Arch Intern Med*, 163: 1448-53



UNIVERSITAS  
GADJAH MADA

**PENGARUH PEMBERIAN KOMBINASI EKSTRAK KAYU MANIS (*Cinnamomum burmanii*) DAN EKSTRAK TEH HIJAU (*Camellia sinesis*) TERHADAP KADAR LDL TIKUS SPRAGUE-DAWLEY HIPERKOLESTEROLEMIA**  
RESTU MINANTI, Prof. Dr. Mustofa, Apt. M.Kes; Dian Caturini S., B.Sc, M.Sc  
Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Moffatt, J., Bryant S. (2005) *Lipid Metabolism and Health*. USA: CRC Press
- Murray, R.K., Daryl K.G., Peter A.M., Victor W.R. (2012) *Biokimia Harper*. Penerbit Buku Jakarta: EGC
- Naumovski, N. (2011) *The effects of Epigallocatechin gallate, a Green Tea Catechin, on Blood Cholesterol*. Thesis. The University of Newcastle Australia
- Ngatidjan. (2006) *Metode Laboratorium dalam Toksikologi*. Yogyakarta: Universitas Gadjah Mada.
- Notoatmodjo, S. (2012) *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta
- Novelli, E.L.B., Diniz, Y.S., Galhardi, C.M., Ebaid, G.M.X., Rodrigues, H.G., Mani, F., Fernandez, A.A.H., Cicogna, A.C., Novelli, J.L.V.B. (2007) Antropometrical Parameters and Markers of Obesity in Rats. *Lab Anim*, 41:111-19
- Opdyke, D. L. J. ed. (1979) *Monographs on Fragrance Raw Materials*. Australia: Pergamon Press
- Peter K.V. (2001) *Handbook of Herbs and spices*. England: Woodhead Publishing
- Poedjiadi, A. (2006) *Dasar – Dasar Biokimia*. Jakarta: UI Press
- Pusat Studi Biofarmaka LPPM IPB (2014) *Sehat Alami dengan Herbal, 250 Tanaman Herbal Berkhasiat Obat*. Jakarta: Gramedia Pustaka Utama
- Raina, H. (2006) *Ensiklopedi Tanaman Obat untuk Kesehatan*. Yogyakarta: Absolut
- Ramadhan, E. A. (2010) *Pengaruh Konsentrasi Etanol, Suhu, dan Jumlah stage pada Ekstraksi Oleoresin Jahe (*Zingiber officinale* Rosc) secara Batch*. Skripsi. Universitas Diponegoro
- Reeves, P.G., Forrest H., George C.F., (1993) AIN-93 Purified Diets for Laboratory Rodents: Final Report of the American Institute of Nutrition Ad Hoc Writing Committee on the Reformulation of the AIN-76A Rodent Diet. *Jr Nutr*. 123(3) 1939-51
- Rismunandar, Farry B.P. (2001) *Kayu Manis Budidaya dan Pengolahan*. Jakarta: Penebar Swadaya
- Rohdiana, D., Wisnu C., Trisna R. (2008) Aktivitas Penangkapan Radikal Bebas DPPH Beberapa Jenis Minuman Teh. *Jur Tek Pertanian*, 3 (2): 79
- Rubenstein, D., Wayne, D., Bradley, J. (2007) *Lecture Notes: Kedokteran Klinis*. Jakarta: Penerbit Erlangga
- Rusli, S., Abdullah A. (1990) Prospek Pengembangan Kayu Manis di Indonesia. *Jr Litb Pertanian*, 8 (3): 75-79



- Sayama K., Lin S., Zheng G., Oguni I. (2000) Effects of Green Tea on Growth, Food Utilization and Lipid Metabolism in Mice. *In Vivo*, 14(4): 481–84
- Senanayake, N. (2013) Green tea extract: Chemistry, antioxidant properties and food applications: A review. *Jr Funct Food*, 5(1): 1529-41
- Sharief, D. A. (2006) *Optimasi Proses Ekstraksi dan Pengeringan Semprot pada Teh Hijau Instan*. Skripsi. Institut Pertanian Bogor
- Sheng, X., Zhang, Y., Gong, Z., Huang, C., Ying, Q.Z. (2008) Improved insulin resistance and lipid metabolism by cinnamon extract through activation of peroxisome proliferator-activated receptors. *PPAR Research*, pp. 1-9
- Silalahi, J. (2002) Senyawa Polifenol Sebagai Komponen Aktif Yang Berkhasiat Dalam Teh. *Majalah Kedokteran Indonesia*. Yogyakarta: Kanisius
- Soeharto, I. (2002) *Kolesterol dan Lemak Jahat, Kolesterol dan Lemak Baik, dan Proses Terjadinya Serangan Jantung dan Stroke*. Jakarta: Gramedia Pustaka Utama
- Soeharto, I. (2004) *Serangan Jantung dan Stoke Hubungannya dengan Lemak dan Kolesterol*. Jakarta: Gramedia Pustaka Utama.
- Sola, R., Valls, R.M., Goda, G., Perez-Busquets, G., Ribalta, J., Girona, J., Heras, M., Cabre, A., Castro, A., Domenech, G., Torres, F., Masana, L., Angle, N., Reguant, J., Ramirez, B., Barriach, J.M. (2012) Cocoa, Hazelnuts, Sterols and Soluble Fiber Cream Reduces Lipids and Inflammation Biomarkers in Hypertensive Patients: A Randomized Controlled Trial. *Plos One*, 7(2): 1-7
- Sorrentino, M.J. (2011) *Hyperlipidemia in Primary Care*. New York: Springer
- Sriwahyuni, E., Puspita, P. (2013) *Pengaruh Pemberian Teh Hijau terhadap Kadar Kolesterol LDL dan HDL pada Tikus Putih (*Rattus norvegicus*)*. Malang: Universitas Brawijaya Press
- Stapleton, P.A., Goodwill, A.G., James, M.E., Brock, R.W., Frisbee, J.C. (2010) Hypercholesterolemia and microvascular dysfunction: Interventional strategies. *Jr Inf*, 7(6): 54
- Sudjadi. (1986) *Metode Pemisahan*. Yogyakarta: UGM Press
- Sumardjo, D. (2006) *Pengantar Kimia: Buku Panduan Kuliah Mahasiswa Kedokteran dan Program Strata 1 Fakultas Bioeksakta*. Jakarta: EGC
- Sundari, E. (2001) *Pengambilan minyak atsiri dan oleoresin dari kulit kayu manis*. Bandung: Ganesha
- Suyatna, F.D., Setyawati, A., Gan, S. (2007) *“Pengantar Farmakologi” dalam Farmakologi dan Terapi*. Departemen Farmakologi dan Terapeutik : FKUI



UNIVERSITAS  
GADJAH MADA

**PENGARUH PEMBERIAN KOMBINASI EKSTRAK KAYU MANIS (*Cinnamomum burmanii*) DAN EKSTRAK TEH HIJAU (*Camellia sinensis*) TERHADAP KADAR LDL TIKUS SPRAGUE-DAWLEY HIPERKOLESTEROLEMIA**  
RESTU MINANTI, Prof. Dr. Mustofa, Apt. M.Kes; Dian Caturini S., B.Sc, M.Sc  
Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Tuminah, S. (2004) Teh (*Camellia Sinensis var. Assamica*) sebagai Salah Satu Sumber Antioksidan, pusat penelitian dan pengembangan pemberantasan penyakit, balai penelitian dan pengembangan kesehatan. Jakarta: Departemen Kesehatan RI
- Upaganlawar, A., Balaraman, R. (2009) Combined Effect of Green Tea Extract and Vitamin E on Serum and Heart Tissue Lipids, Lipid Metabolizing Enzymes and Histopathological Alteration in Isoproterenol-Induced Myocardial Infarction in Rats, *Sci Pharm* 5(77): 791-803
- Venditti, E., Bacchetti, T., Tiano, L., Carlino, P., Greci, L., Damiani, E. (2010) Hot vs. cold water steeping of different teas: Do they affect antioxidant activity. *Food Chem*, 119(9):1597-1604
- Walldius, G., Jungner, I. (2004) Apolipoprotein B and apolipoprotein A-I: risk indicators of coronary heart disease and targets for lipid-modifying therapy. *Jr Int Med*, 255(4): 188–205.
- Waspaji, S. (2003) *Pengkajian Status Gizi Studi Epidemiologi*. Jakarta: FKUI
- Wolfensohn, S., M. Lloyd. (2003) *Handbook of Laboratory Animal Management and Welfare*. 3rd ed. London: Blackwell Publishing Ltd
- World Health Organization (1993) Research Guidelines for Evaluating The Safety and Efficacy of Herbal Medicine. <http://apps.who.int/medicinedocs/en/d/Jh2946e/>. 15 Januari 2015 (20:03)
- World Health Organization. (2013) Global atlas on cardiovascular disease prevention and control. [http://www.who.int/cardiovascular\\_diseases/en](http://www.who.int/cardiovascular_diseases/en). 23 April 2014 (13:45).
- Yamani, T., Matsumoto, H., Kikuoka, N., Nakatani, H., Uya, K., Takadashi, T. (1996) Inhibitory effects and toxicity of green tea polyphenols for gastrointestinal carcinogenesis. *Cancer*, 77(15): 1662-7
- Yang, D., Hwang, L. S., Lin, J. T. (2007) effects of different steeping methods and storage on caffeine, catechins, and gallic acid in bag tea infusions. *Jr of Chrom*, 1156(12): 312-20
- Yang, T.T.C., Marcel W.L.K. (2000) Chinese Green Tea Lowers Cholesterol Level Trough an Increase in Fecal Lipid Excretion. *Jr Life Sci*, 66(5): 411-23
- Yokozawa, T., Jeong S.H., Chan H.P. (2012) *Green Tea Polyphenols for the Protection against Renal Damage Caused by Oxidative Stress*. Japan: Institute of Natural Medicine
- Yousaf, S., Butt, M. S., Suleria, H. A. R., Iqbal, M. J. (2014) The role of green tea extract and powder in mitigating metabolic syndromes with special reference to hyperglycaemia and hypercholesterolemia. *Jr of food&func*, 5(10): 545-56



UNIVERSITAS  
GADJAH MADA

**PENGARUH PEMBERIAN KOMBINASI EKSTRAK KAYU MANIS (*Cinnamomum burmannii*) DAN EKSTRAK TEH HIJAU (*Camellia sinensis*) TERHADAP KADAR LDL TIKUS SPRAGUE-DAWLEY HIPERKOLESTEROLEMIA**  
RESTU MINANTI, Prof. Dr. Mustofa, Apt. M.Kes; Dian Caturini S., B.Sc, M.Sc

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zheng, X., Yan X., Shao-Hua L., Xu-Xia L., Rutai H., Xiao-Hong H. (2011) Green tea intake lowers fasting serum total and LDL cholesterol in adults: a meta-analysis of 14 randomized controlled trials. *Am Jr Cli*