



DAFTAR PUSTAKA

- Aran, A., 2007, Manufacturing Properties of Engineering Materials, <http://www2.isikun.edu.tr/personel/ahmetaran>, diakses dalam jaringan pada 19 Juni 2014.
- Ardakani, H.A., Mitsoulis, E., dan Hatzikiriakos, S.G., 2013, A Simple Improved Mathematical Model for Polytetrafluoroethylene (PTFE) Paste Extrusion, *Chemical Engineering Science*, vol. 89, pp. 216-222.
- Ariono, D., Fajrinia, L., Julyana, R., dan Manullang, 2007, Sifat Reologi Larutan Tapioka, *Jurnal Teknik Kimia Indonesia*, vol. 6, no. 2, pp. 602-608.
- Bagsik, A. dan Schoppner, V., 2011, Mechanical Properties of Fused Deposition Modeling Parts Manufactured with ULTEM®9085, *ANTEC 2011 Boston*.
- Barbero, E.J., 1998, *Introduction to Composite Material Design*, Taylor & Francis, Philadelphia, USA.
- Bird, R.B., Stewart, W.E., dan Lightfoot, E.N., 1960, *Transport Phenomena*, John Wiley & Sons Inc., New York.
- Birley A.W., Haworth, B., dan Batchelor, J., 1992, *Physics of Plastics: Processing, Properties and Material Engineering*, Hanser.
- Brock, J.M., Montero, M., Odell, D., dan Roundy, S., 2000, Fused Deposition Modeling (FDM) Material Properties Characterization, http://ode11.com/publications/sme_rp_2001.pdf, diakses dalam jaringan pada 25 Juni 2014.
- Chakraborty, P. dan Banerjee, S., 2009, Optimization of extrusion process for production of expanded product from green gram and rice by response surface methodology, *Journal of Scientific & Industrial Research*, vol. 68, pp. 140-148.



Chokshi, R. dan Zia, H., 2010, Hot-Melt Extrusion Technique: A Review,
<http://www.slscrewbarrel.com/news/?nid=33>, diakses dalam jaringan pada
19 Juni 2014.

Cunha, A.G. dan Covas, J.A., 2001, *The Design of Extrusion Screws: An Optimization Approach*, Campus de Azurém, Portugal.

Dwi, I.S., 2014, *Optimasi Komposisi Campuran Hidroksiapatit, Bioplastik dan Camphorquinone untuk Memperoleh Diametral Tensile Strength dan Laju Solidifikasi Terbaik*, Skripsi, Universitas Gadjah Mada, Yogyakarta.

Garlotta, D., 2011, A Literature Review of Poly(Lactic Acid), *Journal of Polymers and the Environment*, vol. 9, no. 2, pp. 63 – 84.

Heynick, M. dan Stotz, I., 2006, 3D CAD, CAM and Rapid Prototyping, *LAPA Digital Technology Seminar*, v1.1.

Hsiang, S.H. dan Lin, Y.W., 2009, Optimization of the Extrusion Process for Magnesium Alloy Sheets Using the Fuzzy-based Taguchi Method, *The Arabian Journal for Science and Engineering*, vol. 34, no. 1C, pp. 175-185.

Kalpakjian, S. dan Schmid, S.R., 2003, *Manufacturing Processes for Engineering Materials*, Edisi Keempat, Prentice Hall.

Kohara, Gear Technical Reference: The Role Gears are Playing,
http://www.khkgears.co.jp/en/gear_technology/pdf/gear_guide1.pdf,
diakses dalam jaringan pada 16 November 2014.

Mahadi, 2007, *Teknik Pembuatan Lembaran Polimer Pada Proses Ekstrusi*, USU Repository, Medan.

Marcincinova, L.N. dan Kuric, I., 2012, Basic and Advanced Materials for Fused Deposition Modeling Rapid Prototyping Technology, *Manufacture and Industrial Engineering* 11(1), pp. 24-27.

Mason, M.S., Huang, T., Landers, R.G., Leu, M.C., dan Hilmas, G.E., 2009, Aqueous-based extrusion of high solids loading ceramic pastes: Process



modeling and control. *Journal of Material Processing Technology*, vol 209, pp. 2946-2957.

Mason, M.S., Huang, T., Landers, R.G., Leu, M.C., Hilmas, G.E., dan Hayes, M.W., 2007, Aqueous-Based Extrusion Fabrication of Ceramics on Demand, *Proceedings of Solid Freeform Fabrication Symposium, Austin, TX*, pp. 124-134.

Montgomery, D.C. dan Runger, G.C., 2003, *Applied Statistics and Probability for Engineers*, Edisi Ketiga, John Wiley & Sons Inc, USA.

Pulak, M.P., 2010, *Rapid Prototyping Technologies, Applications, and Part Deposition Planning*, Indian Intitute of Technology Delhi.

Romeu, J.L., 2003, Kolmogorov-Smirnov: A Goodness of Fit Tesst for Small Samples, *START: Selected Topics in Assurance Related Technologies*, vol.10, no. 6.

Rutkowski, J.V. dan Levin, B.C., 1986, Acrylonitrile-Butadiene-Styrene Copolymers (ABS): Pyrolysis and Combustion Products and their Toxicity – A Review of the Literature, *Fire and Materials*, vol. 10, pp. 93 – 105.

Song, Y., Zheng, Q., dan Lai, Z., 2008, Properties of Thermo-Molded Gluten/Glycerol/Silica Composites, *Chinese Journal of Polymer Science*, vol. 26, no. 5, pp. 631 – 638.

Tontowi, A.E., 2012, *Pembuatan Filamen Feeder-3D Menggunakan Material Berbasis Tapioka*, Laporan Penelitian, Kegiatan Penelitian untuk Staf Pengajar Jurusan Teknik Mesin dan Industri, Universitas Gadjah Mada, Yogyakarta.

Triyono, J., Tontowi, A.E., Widowati, dan Rochmadi, 2011, Characterization of Hydroxyapatite Based Photo Bio-composites Material As Bone Substitute Material, *Internationa Conference and Exhibition on Sustainable Energy and Advanced Material*, pp. 253 – 257.



UNIVERSITAS
GADJAH MADA

EVALUASI LAJU ALIRAN VOLUMETRIK MATERIAL PASTA SILIKA-BIOPLASTIK PADA SISTEM
PENGUMPANAN EKSTRUSI
ULIR TUNGGAL MESIN PRINTER TIGA DIMENSI

HAFIDZ RIDHO, Ir. Alva Edy Tontowi M.Sc., Ph.D.

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Utami, A.D., 2014, *Pembuatan dan Karakterisasi Macroporous Hydroxyapatite Bioceramics dengan Struktur Beraturan Menggunakan Manually Extrusion Deposition Method*, Skripsi, Universitas Gadjah Mada, Yogyakarta.

Wignjosoebroto, S., 2008, *Teknik Tata Cara dan Pengukuran Kerja*, Edisi Pertama, Guna Widya, Jakarta.