

DAFTAR PUSTAKA

- Abdalla H.A., El-Mayit M. M., Abd El-Hamid A. A., El-Shazly A. M., 2005, *Turbulence in wide-angle conical diffusers with swirling flow*, Alexandria Engineering Journal, Vol. 44, No. 4, pp. 501-516
- Ahmed W.H., Ching C.Y., Shoukri M., 2007, *Pressure recovery of two-phase flow across sudden expansions*, International Journal of Multiphase Flow, Vol. 33, pp. 575–594
- Ando, T., Sakouchi, T., Yamamoto, H, Tsujimoto, H., 2007, *Drag Reduction Abrupt Expansion Pipe Flow*, Journal of JSEM, Vol.7, pp. 44-49.
- Awad M.M. , Muzychka Y.S., 2008, *Effective property models for homogeneous two-phase flows*, Experimental Thermal and Fluid Science, Vol. 33, pp. 106–113
- Azad R.S., 1996, *Turbulent Flow in a Conical Diffuser:A Review*, Experimental Thermal and Fluid Science, Vol. 13, pp.318-337
- Balamurugan S., Mayank D. L., Gaikar V.G., Patwardhan A.W., 2007, *Hydrodynamics and mass transfer characteristics of gas–liquid ejectors*, Chemical Engineering Journal, Vol. 131, pp. 83–103
- Benisek M.H., Ilic, D.B., Canrak D.S, Bozic, I.O., 2010, *Investigation of The Turbulent Swirl Flows in a Conical Diffuser*, Thermal Science, Vol.14, pp. 141-154.
- Biswas M.N., Mitra A.K., 1981, *Momentum Transfer in Horizontal Multi-Jet Liquid-Gas Ejector*, The Canadian Journal of Chemical Engineering, Vol. 59, pp. 634-637.
- Bosioc A. I., Tanasa C., Muntean S., Susan-Resiga R.F., 2010, *Pressure Recovery Improvement in Conical Diffuser With Swirling Flow Using Water Injection*, Proceedings of Romanian Academy, series A, Vol.11, No.3, pp.245-252.
- Brahim A.B., Prevost M, Bugarel L., 1984, *Momentum Transfer in A Vertical Down Flow Liquid Jet Ejector : Case of Self Gas Aspiration and Emulsion Flow*, Int. J. Multiphase Flow, Vol.10., No. 1., pp. 79-84
- Butterworth M.D., Sheer T.J., 2007, *High-pressure water as the driving fluid in an ejector refrigeration system*, Applied Thermal Engineering, Vol. 27, pp. 2145–2152.
- Butrymowicz D., Miaskowska D., Karawacki J., Smierciew K., *Experimental Investigation of Isothermal Liquid-Vapour Refrigeration Ejector*. Heat 2008, International Conference on Transport Phenomena In Multiphase Systems, 2008, Bialystok Poland.

- Chandavari V., Palekar S., 2014, *Diffuser Angle Control to Avoid Flow separation*, International Journal of Technical Research and Applications, Vol. 5, Issue 2, pp. 16-21
- Chanson H., 2009, *Turbulent Air-Water Flow in Hydraulic Structure: Dynamic Similarity and scale Effects*, Environ. Fluid Mech. Vol. 9, pp. 125-142
- Capra S. C., Canale R.P., 2010, *Numerical methods for engineers*, McGraw-Hill, New York.
- Chue, S.H., 1975, *Pressure Probe for Fluid Measurement*, Prog. Aerospace Sci.,Vol.16, pp. 147-223
- Chunnanond K, Aphornratana S., 2004, *Ejectors: applications in refrigeration Technology*, Renewable and Sustainable Energy Reviews, Vol. 8., pp. 129–155
- Cramer P.H.M.R., Dierendonck L.L.V., Beenackers A.A.C.M., 1992, *Influence of the gas density on the gas entrainment rate and gas hold-up in loop venture reactors*, Chemical Engineering Science, Vol. 47, No. 9-11, pp 2251–2256.
- Cramer P.H.M.R., Beenackers A.A.C.M., Dierendonck L.L.V., 1992, *Hydrodynamics and Mass Transfer Characteristics Of a Loop-Venturi Reactor With a Downflow Liquid Jet Ejector*, Chemical Engineering Science, Vol. 47. No. 13/14, pp. 3557-3564.
- Cunningham R.G, 1974, *Jet Breakup and Mixing Throat Lengths for the Liquid Jet Gas Pump*, Journal Fluids Engineering, Vol. 96, pp. 216-227
- Cunningham R. G., 1995, *Liquid Jet Pump for two Phase Flows*, Journal Fluids Engineering, Vol. 117, pp. 309-316.
- Daru Sugati, 2008, *Jet Pump Sebagai Pompa Hampa*, Media Mesin, Vol. 9, No. 2. p.p. 56-62.
- Daru Sugati, Indarto, Purnomo, Sutrisno.,2012, *Studi Ekperimental Pengaruh Posisi Nozzle-Throat Terhadap Kinerja Liquid Jet Gas Ejector*, Proceeding Seminar Nasional Tahunan Teknik Mesin XI (SNTTM XI) & Thermofluid IV Universitas Gadjah Mada (UGM), Yogyakarta.
- Daru Sugati, Indarto, Purnomo, Sutrisno, 2014, *Performance of Conical Diffuser on Liquid Jet Gas Ejector*, Applied Mechanics and Materials, Vol. 493, pp. 145-150.
- Davis M.R, 1991, *Compressible Gas-Liquid Mixture Flow at Abrupt Pipe Enlargements*, Experimental Thermal and Fluid Science, Vol. 4, p.p. 684-697.
- Duggins, R. K.,1977, *Some Techniques for Improving Performance of Short Conical Diffusers*, 6th Australasian Hydraulic and Fluid Mechanics Conference, adelaide Australia

- Dvorak, V., 2007, *Study of Optimization of Lobed Nozzle for Mixing, Colloquium FLUID DYNAMICS 2007* Prague: Institute of Thermomechanics Academy of Sciences of the Czech Republic.
- Eddington, R. B., 1967, Investigation of Supersonic Shock Phenomena in a Two-Phase (Liquid-Gas) Tunnel, NASA TR 32-1096.
- Elger, D.F., Taylor,S.J., Liao,C.P., 1994, *Recirculation in an Annular-Type Jet Pump*, Journal Fluids Engineering, Vol. 116, pp. 735-740.
- El-Nashar A.M., 1984, *Solar Desalination Using The Vacuum Freezing Ejector Absorbtion (VFEA) Process*, Desalination, Vol. 49., pp. 293-319
- Evans G.M, Bin A.K, Machniewsky P.M., 2001., *Performance of confined plunging liquid jet bubble column as a gas-liquid reactor.*, Chemical Engineering Science., Vol. 56,pp. 1151-1157.
- Evans, G. M., Jameson, G. J. & Rielly, C. D, 1996, *Free jet expansion and gas entrainment characteristics of a plunging liquid jet*, Experimental Thermal and Fluid Science, 12, pp 142-149
- Evans G.M., Jameson G.J., Atkinson B.W., 1992, *Prediction of Bubble Size Generated By A Plunging Liquid Jet Bubble Column*, Chemical Engineering Science, Vol. 47, No. 13/14, pp. 3265-3272.
- Evans G. M., 1990, *Study Of Plunging jet Bubble Column*, Thesis, The University of Newcastle.
- Gerhart, P.M., Gross, R.J., Hochstein, J., 1992, *Fundamental of Fluid Mechanics, 2nd edition*, Addison-Wesley Company, USA.
- Gulich J.F., 2010., *Centrifugal Pumps.*, Springer Heidelberg Dordrecht, London, New York
- Gurulingam S., Kalaiselvane A., Alagumurthy N., 2012, *Numerical Study of Performance Improvement of Jet Ejector*, International Journal of Engineering Research and Applications, Vol. 2, Issue 6, pp.1650-1653
- Huang B.J., Wu J.H., Hsu H.Y., Wang J.H., 2010, *Development of hybrid solar-assisted cooling/heating system*, Energy Conversion and Management, Vol. 51., pp.643–1650
- Iciek J., 1982, *The Hydrodynamics of a Free, Liquid Jet and Their Influence on Direct Contact Heat Transfer-I, Hidrodynamic of a Free, Cylindrical Liquid Jet*, Int. J. Multiphase Flow, Vol.8., pp. 239-249
- Iciek J., 1982, *The Hydrodynamics of a Free, Liquid Jet and Their Influence on Direct Contact Heat Transfer-II, Condition of Change of Liquid Outflow Type Through Sharp Inlet Edged Orifice*, Int. J. Multiphase Flow, Vol. 8, pp. 251-260
- Kandakure M.T., Gaikar V.G., Patwardhan A.W., 2005, *Hydrodynamic Aspects of Ejectors*, Chemical Engineering Science, Vol. 60, pp. 6391 – 6402

- Kandakure M.T., Patkar, V.C., Patwardhan A.W., 2008, Characteristics of turbulent confined jets, *Chemical Engineering and Processing*, Vol. 47, pp.1234–1245.
- Kumar R.S, Kumaraswamy S, Mani A., 2007, *Experimental Investigations on a Two-Phase Jet Pump Used in Desalination Systems*, *Desalination*, Vol. 204., pp. 437–447
- Kumar R.S, Mani A, Kumaraswamy S., 2005, *Analysis of a jet-pump-assisted vacuum desalination system using power plant waste heat*, *Desalination*, Vol. 179., pp. 345- 354.
- Kundu G., Mukherjee D.,Mitra A.K.,1997, *Ejector Performance in a Co-Current Gas-Liquid Downflow Bubble Column*, *The Canadian Journal of Chemical Engineering*, Vol.75, pp.956-963.
- Long X.P., dan Yang X.L., 2012, *Application of the constant rate of pressure change method to improve jet pump performance*, *IOP Conference Series: Earth Environment Science* 15.
- Mandal A., Kundu K., Mukherjee D., 2004, *Studies on frictional pressure drop of gas-non-Newtonian two-phase flow in a cocurrentdown'ow bubble column*, *Chemical Engineering Science*, Vol. 59, p.p. 3807 – 3815
- McCharty.M.J., Molloy. N.A., 1974, *Review of Stability of Liquid Jets and the Influence of Nozzle Design*, *The Chemical Engineering Journal*, Vol. 7, p.p. 1-20
- McKeogh E.J dan Ervine D. A., 1981, *Air Entrainment Rate and Diffusion Pattern of Plunging Liquid-jet*, *Chemical Engineering Science*, Vol.36, p.p 1161-1172.
- McDonald K., Da-Wen Sun., 2000, *Vacuum cooling technology for the food processing industry: a review*, *Journal of Food Engineering*. Vol. 45, pp. 55-65.
- McDonald A.T, Fox R.W., 1966, *An Experimental Investigation of Incompressible Flow in Conical Diffusers*, *Int. J. Mech. Sci.*, Vol. 8, pp. 125-139.
- Morris S.D., 1991, *Compressible Gas- Liquid Flow through Pipeline Restrictions*, *Chem. Eng. Process.*, Vol. 30, pp. 39-44.
- Neve, R. S., 1988, *The performance and modeling of liquid jet gas pumps*. *International Journal of Heat and Fluid Flow*, Vol. 9, pp. 156-164.
- Neve, R. S., 1991, *Diffuser Performance in Two-Phase Jet Pumps*, *International Journal of Multiphase Flow*, Vol. 17, pp. 267-272.
- Nishi M, Yoshida K, Moritmitsu K., 1998., *Control of Separation in Conical Diffuser by Vortex Generator Jet.*, *JSME International Journal.*, Vol. 41., series B., No. 1., pp. 233-238

- Okhio, C.B., Horton, H.B., Langer, G., 1983, *Effects of swirl on flow separation and performance of wide Angle diffusers*, Int. J. Heat & Fluid Flow, Vol. 4, No.4, pp. 199-206.
- Osman A.H., Mabrouki T, They B, Buisine D., 2004.,*Experimental analysis of high-speed air-water jet flow in an abrasive water jet mixing tube*, Flow Measurement and Instrumentation, Vol.15, pp. 37-48
- Owen, I., Abdul-Ghani, A., Amini, A. M., 1992, *Diffusing a homogenized two-phase flow*, International Journal of Multiphase Flow, Vol.18, pp. 531-540.
- Park Chang-Doo, Matsuda Ko, Tokai Tadashi, 1994, *surface Flow Visualization of Flat Plates by Tuft Method*, Nippon Suisan Gakkaishi, Vol. 60, pp. 193-199.
- Pfister M., Hager W.H., 2014, *History and Significant of thr Morton Number in Hydraulic Engineering*, J. Hydraul. Eng., Vol. 140, No. 5, pp. 1-6.
- Rahman F., Umesh D.B., Subbarao D., Ramasamy M., 2010, *Enhancement of Entrainment Rates in Liquid-Gas Ejectors*, *Chemical Engineering and Processing*, Vol. 49, pp. 1128-1135
- Rajaratnam, N., 1976, *Development in Water Science: Turbulent Jet*, Elsevier Scientific Publishing Company, Amsterdam.
- Ruangtrakoon N, Aphornratana S, Sriveerakul T., 2011, *Experimental studies of a steam jet refrigeration cycle: Effect of the primary nozzle geometries to system performance*, *Experimental Thermal and Fluid Science*, Vol. 35, pp. 676-683
- Sanger N.L., 1969, *Noncavitating and Cavitating Performance of Several Low Area Ratio Water Jet Pumps Having Throat Lengths 3,54 Diameters*, NASA Technical Note D-5095.
- Senoo, Y., Kawaguchi, N., Nagata, T., 1978, *Swirl Flow in Conical Diffuser*, Buletin of JSME, Vol. 21, No.151, pp. 112-119.
- Sharma, V. P., Kusmaraswamy, S. & Mani, A., 2011, *Experimental Investigations with Nozzle in a Two Phase Flow Jet Pump*, The 11th Asian International Conference on Fluid Machinery and The 3rd Fluid Power Technology Exhibition, Chennai, India.
- Sharma, V. P., Kusmaraswamy, S. & Mani, A., 2012, *Effect of Various Nozzle Profiles on Performance of a Two Phase Flow Jet Pump*. Engineering and Technology, pp 546-552.
- Sheen H.J.,Chen W.J., Jeng S.Y., Huang T.L., 1996, *Correlation of Swirl Number for a radial-Type Swirl Generator*, Experimental Thermal and Fluid Science, Vol.12, pp. 444-451.
- Shimizu, Y., Nagafusa, M., Khuzuhara, S., 1982, *Effect of Approching Flow Type on the Performance of Straight Conical Diffuser*, Bullein of JSME, Vol.25, No.208, pp. 1506-1512.

- Sparrow E.M., Abraham J.P., Minkowycz W.J., 2009, *Flow separation in a diverging conical duct: Effect of Reynolds number and divergence angle*, International Journal of Heat and Mass Transfer, Vol. 52, pp. 3079–3083.
- Tapucu, A., Teysseidou, A., Throce, N., Merilo, M., 1989, *Pressure Losses Caused by Area Change in Single-Chanel Flow Under Two-Phase Flow Conditions*, International Journal of Multiphase Flow, Vol.15, No.1, pp. 51-64.
- Thang, N.T., Davis M.R., 1981, *Pressure Distribution in Bubble Flow Through Venturis*, International Journal of Multiphase Flow, Vol. 7, pp. 191-210.
- Theobald, 1981, *The Effect of Nozzle Design on the Stability and Performance of Turbulent Water Jets*, Fire Safety Journal, Vol. 4, pp. 1 – 13.
- Toyokura T., Suzuki K., 1986, *Performance of Vertical Diffuser for Air-Water Mixture Flow*, Bulletin of JSME, Vol.29, No.259, pp. 1765-1769.
- Wadle, M., 1989, *A new Formula for the Pressure Recovery in an Abrupt Diffusor*, International Journal of Multiphase Flow, Vol.15, pp. 241-256.
- Wang S., Shoji M., 2002, *Fluctuation characteristics of two-phase flow splitting at a vertical impacting T-junction*, International Journal of Multiphase Flow, Vol 28, pp. 2007–2016.
- Watanawanavet S, 2005, *Optimization of a High-Efficiency Jet Ejector by Computational Fluid Dynamics Software*, Thesis, Texas A&M University
- Witte, J.H., 1969, *Mixing shocks in Two Phase Flow*, J.Fluid.Mech., Vol.36, pp. 639-655
- Yadav, R.L., Patwardhan.A.W., 2008, *Design aspects of ejectors: Effects of suction chamber geometry*, Chemical Engineering Science, Vol. 63, pp. 3886 – 3897
- Yuan G, Zhang L, Zhang H, Wang Z., 2011, *Numerical and experimental investigation of performance of the liquid–gas and liquid jet pumps in desalination systems*, Desalination, Vol. 276, pp. 89–95.
- Yule, A.J., 1991, *Investigation of Ducted jet*, Experimental Thermal and Science, Vol. 4, pp. 469-490.