

DAFTAR PUSTAKA

- Abreu, J. R., Santos, C. D., Abreu, C. M. P., and Castro, E. M. 2012. Histochemistry and morphoanatomy study on guava fruit during ripening. *Clenc.Tecnol.Altment.,Campinas* 32(1): 179-186
- Aga, E., Bryngelsson, T., Bekele, E., and Salomon, B. 2003. Genetic diversity of forest Arabica coffee (*Coffea arabica* L.) in Ethiopia as revealed by random amplified polymorphic DNA (RAPD) analysis. *Hereditas*. 138: 36-46
- Aman, R. 1990. Panduan penanaman ciku. Berita Publishing SDN. BHD untuk Mardi. Malaysia
- Amani, J., Kazemi, R., Abbasi, A. R., and Salmanian, A. H. 2011. A simple and rapid leaf genomic DNA extraction method for polymerase chain reaction analysis. *Iranian J.Biotech*. 9(1):69-71
- Anonim. 2007. *Manilkara zapota* (L.) var. Royen, Sapodilla. Natural Resources Conservation Service. United States Departement of Agriculture (USDA). <http://plants.usda.gov/java/profile?symbol=MAZA.032007> Diakses 25-5-2013
- _____. 2012. http://www.bps.go.id/tab_sub/view.php?tabel=1&daftar=1&id_subyek=55 Diakses 27-5-2013
- _____. 2012. Kondisi umum Kabupaten Gunung Kidul. <http://gunungkidulkab.go.id/home.php?mode=content&id=78> Diakses 20-12-2014
- _____. 2013. Flora identitas. http://anjungantmii.com/diyogyakarta/index.php?option=com_content&view=article&id=51&Itemid=72 Diakses 27-5-2013
- _____. 2013. Determination of vitamin C concentration by titration. www.outreach.canterbury.ac.nz
- _____. 2014. Sawo dan kisah keturunan Diponegoro yang tercerai-berai. <http://www.tempo.co/read/news/2014/01/09/113543581/Sawo-dan-Kisah-Keturunan-Diponegoro-yang-Tercerai-berai>. Diakses 29-9-2014
- _____. 2015. *Principal component analysis. Chapter 1*. <http://www.support.sas.com/publishing/pubcat/chaps/55129.pdf>. Diakses 1-1-2015

- Ashari, S. 2002. Pengantar biologi reproduksi tanaman. PT. Rineka Cipta. Jakarta.
- Atanassova, M., and Bagdassarian, V. C. 2009. Determination of tanin content by titrimetric method for comparison of different plant species. *J.Che.Tech and Metal* 44(4): 413-415
- Atangana, A. R. 2010. Phenotypic diversity in fruit and seed traits, and neutral genetic diversity in *Allanblackia floribunda*. Thesis. Universite Laval. Quebec
- Azmat, M. A., Khan, I. A., Cheema, H. M. N., Rajwana, I. A., Khan, A. S., and Khan, A. A. 2012. Extraction of DNA suitable for PCR applications from mature leaves of *Mangifera indica* L. *J. Zhejiang Univ-Sci.* 13(4): 239-243
- Azrai. M, 2005. Pemanfaatan Markah Molekuler dalam proses Seleksi Pemuliaaan Tanaman. *Jurnal AgroBiogen* 1(1): 26-37
- Badan Pertanahan Kabupaten Bantul. 2012. Data pokok pembangunan. Tinggi tempat. http://www.bantulkab.go.id/datapokok/0403_tinggi_tempat.html
- Bala, J. I. 1993. Floral biology and the compatibility system in ciku cv. Jantung (*Manilkara achras*). *MARDI Res.J.* 21(1): 27-34
- Balerdi, C. F., Crane, J. H., and Maguire, I. 2008. Sapodilla growing in the Florida home landscape. <http://edis.ifas.ufl.edu>. Diakses 15-3-2013
- Bird, C. E., Karl, S. A., Smouse, P. E., and Toonen, R. J. 2011. Detecting and measuring genetic differentiation. *Phylogeography and population genetics in Crustacea* (eds. Held, C., Koenemann, S., and Schubart, C.). CRC Press: 31-56
- BMKG. 2014. Prakiraan cuaca provinsi DI Yogyakarta. <http://meteo.bmkg.go.id/prakiraan/Indonesia>. Diakses 2-12-2014
- Booker, F. L., and Maier, C. A. 2001. Atmospheric carbon dioxide, irrigation, and fertilization effects on phenolic and nitrogen concentrations in pine (*Pinus taeda*) needles. *Tree Physiol.* 21: 609-616
- BPS Dirjen Hortikultura. 2012. Nilai impor dan ekspor buah Tahun 2012. <http://hortikultura.deptan.go.id> Diakses 5-6-2013
- Brito, E., and Narain, N. 2002. Physical and chemical characteristics of sapota fruit at different stages of maturation. *Pesq.agropec.bras. Brasilia.* 37(4): 567-572

- Bustamam, M., dan Mahrup. 2003. Panduan pengoperasian program numerical taxonomy system (NTSYS-pc) versi 1.8 dan winboot untuk analisis kluster. Balai penelitian bioteknologi dan sumber daya genetika pertanian.pp:1-24
- Campbell, R. J., Noris, L., Gary, Z., Juan, C. H., and Jorge, L. 2010. Collecting Pouterias (*Pouteria* spp.), Sapodilla (*Manilkara zapota*) and Caimito (*Chrysophyllum cainito*) for the Creation of New Markets. Journal of the American Pomological Society.ProQuest 64(1):24-27
- Campbell, R. J., and Ledesma, N. 2010. Collecting Pouterias (*Pouteria* spp.), Sapodilla (*Manilkara zapota*) and Caimito (*Chrysophyllum cainito*) on the Pacific Coast of Costa Rica and Nicaragua. <http://www.fairchildgarden.org/uploads/docs/Microsoft%20Word%20%20Collecting%20Sapotes.pdf> Diakses 20-4-2013
- Catani, M. V., Savini, I., Rossi, A., Melino, G., and Avigliano, L. 2005. Biological Role of Vitamin C in Keratinocytes. Nutrition Reviews. 63: 81-90
- Chanda, S. V., and Nagani, K. V. 2010. Antioxidant capacity of *manilkara zapota* leaves extracts evaluated by four *in vitro* methods. Nature and Science. 8(10)
- Chapman, N. H., Bonner, J., Grivet, L., Lynn, J., Graham, N., Smith, R., Sun, G., Walley, P.G., Poole, M., Causse, M., King, G.J., Baxter, C., and Seymour, G.B. 2012. High resolution mapping of a fruit firmness-related QTL in tomato reveals epistatic interaction associated with a complex combinatorial locus. Plant Physiol. DOI:10.1104/pp.112.200634
- Chatrath, P., Choudhary, M., and Tarafdar, A. 2013. An efficient protocol for genomic DNA isolation from field grown mature leaves of *Pennisetum glaucum*. J.Biotech. 8(8):30-34
- Chen, H., Rangasamy, M., Tan, S.Y., Wang, H., and Siegfried, B. D. 2010. Evaluation of five methods for total DNA extraction from western corn rootworm beetles. Plos One. 5(8):1-6
- Culley, T.M., Wallace, L.E., Gengler-Nowak, K.M., and Crawford, D.J. 2002. A comparison of two methods of calculating G_{st}, a genetic measure of population differentiation. Amer.J.of Botany. 89(3): 460-465
- Dafreville, S., Claudia, B., Vincent, F.B., Gerard, L., Eric, R., Dominique, S., and Marie-Helene, C. 2012. Isolation and characterization of microsatellite markers for *Mimusops balata* (Sapotaceae) and cross-amplification in other *Mimusops* species. Plants. 1. 100-105

- Danyen, S. B., Boodia, N., and Ruggoo, A. 2009. Interaction effects between ascorbic acid and calcium chloride in minimizing browning of fresh-cut green banana slices. *J. food Processing and Preservation*. 33:12-26
- Dehestani, A., and Tabar, S. K. K 2007. A rapid efficient method for DNA isolation from plants with high levels of secondary metabolites. *Asian J. Plant Sci*. 6(6): 977-981
- Doyle, J. 1991. DNA protocols for plants. *Molecular techniques in taxonomy*. NATO ASI Series. Vol.H 57
- Eduardo, I., Pacheco, I., Chietera, G., Bassi, D., Pozzi, C., Vecchietti, A., and Rossini, L. 2011. QTL analysis of fruit quality traits in two peach intraspecific populations and importance of maturity date pleiotropic effect. *Tree genetics & Genomes*. 7:323-335
- Elisti, W. 2008. Studi taksonomi kultivar sawo (*Manilkara zapota* (L.) van Royen) di Propinsi Banten berdasarkan profil terpenoid dan tanin. Tesis. Fakultas Biologi. UGM
- Esau, K. 1965. *Plant anatomy*. 2nd Edition. John Wiley and sons Inc. New York. pp: 353-354
- Esau, K. 1977. *Anatomy of Seed Plants*. 2nd Edition. John Wiley & Sons, Inc. New York
- Finkeldey, R. 2005. Pengantar genetika hutan tropis. Penerjemah: Djamhuri, E. Siregar, I.Z., Siregar, U.J., Kertadikara, A.W. Fakultas Kehutanan. IPB. Bogor
- Fischer, M., and Matthies, D. 1998. RAPD variation in relation to population size and plant fitness in the rare *Gentianella germanica* (Gentianaceae). *American J. of Botany*. 86:811-819
- Fofana, I. J., Silue, S., Diarrassouba, N., Kadio, A.A., and Sangare, A. 2013. Comparative analysis of amplified fragment length polymorphism (AFLP) and simple sequence repeat (SSR) in genetic diversity of Teak (*Tectona grandis* L.). *Inter.J.Adv.Agric.Research*. 114-123
- Frankham, R., Ballou, J. D., dan Briscoe, D. A. 2004. *A Primer of Conservation Genetics*. Cambridge University Press: Cambridge. UK
- Gardner, F. P., Pearce, R. B., and Mitchell, R. L. 1991. Fisiologi tumbuhan budidaya. Terjemahan. UI Press. Jakarta. p:291

- Gaspersz, V. 1992. Teknik analisis dalam penelitian percobaan. Tarsito. Bandung. pp:437-458
- Gaudeul, M., Till-Bottraud, I., Barjon, F., and Manel, S. 2004. Genetic diversity and differentiation in *Eryngium alpinum* L. (Apiaceae): comparison of AFLP and microsatellite markers. *Heredity*. 92: 508-518
- Goulao, L. F., and Oliveira, C. M. 2008. Cell wall modifications during fruit ripening: when a fruit is not the fruit. *Elseiver*. 19: 4-25
- Hadad, M., Andri, R., Yudiwanti, W. E. K., dan Ahmadi, N. R. 2009. Karakter dan hubungan kekerabatan 27 aksesori pala (*Myristica fragrans* Houtt.) di KP Cicurug. *Buletin Ristri*. 1(3): 113-127
- Hamrick, J. L., and Godt, M. J. W. 1996. Effects of life history traits on genetic diversity in plant species. *Philos Trans R.Soc.Lond.B. Biol. Sci.* 351:1291-1298
- Handoko. 1995. *Klimatologi dasar*. PT. Dunia Pustaka Jaya. Jakarta.
- Hartati, D., Rimbawanto, A. Taryono, Sulistyaningsih, E., dan Widyatmoko, AYPBC. 2007. Keragaman genetik di dalam dan antar provenan pulau (*Alstonia scholaris* (L.) R. Br.) menggunakan penanda RAPD. *J.Pemul.Tan.Hut*. 1(2):1-9
- Heaton, H. J., Whitkus, R., and Gomez-Pompa, A. 1999. Extreme ecological and phenotypic differences in the tropical tree chicozapote (*Manilkara zapota* (L.) P. Royen) are not matched by genetic divergence: a random amplified polymorphic DNA (RAPD) analysis. *Molecular Biology*. 8: 627-632
- Herawati, R., Purwoko, B. S., dan Dewi, I. S. 2009. Keragaman genetik dan karakter agronomi galur haploid ganda padi gogo dengan sifat-sifat tipe baru hasil kultur anthera. *J. Agron. Indonesia*. 37(2):87-94
- Hidayat, E. B. 1995. *Anatomi Tumbuhan Berbiji*. Penerbit ITB. Bandung
- Hilu, K.W. 1994. Evidence from RAPD markers in the evolution of *Echinochloa millets* (Poaceae). *Pl. Syst.Evol* 189: 247-257
- Holsinger, K. E., and Mason-Gamer, R. J. 1996. Hierarchical analysis of nucleotide diversity in geographically structured populations. *Genetics*. 142: 629-639
- Hu, Y., Xie, X., Wang, L., Zhang, H., Yang, J., and Li, Y. 2014. Genetic variation in cultivated *Rheum tanguticum* populations. *Genetic and Mol. Bio*. 37 (3): 540-548

- Hutchison, D. W., and Templeton, A. R. 1999. Correlation of pairwise genetic and geographic distance measures: inferring the relative influences of gen flow and drift on the distribution of genetic variability. *Evolution*. 53(6): 1898-1914
- Juanda, D., dan Cahyono, B. 2009. Ubi jalar, budidaya dan analisis usaha tani. Penerbit Kanisius. Yogyakarta.
- Jose, J., and Usha, R. 2000. Extraction of geminiviral DNA from a high mucilaginous plant (*Abelmoschus esculentus*). *Plant Mol.Biol.Rep.* 18:349-355
- Karim, M. N. A., Tarmizi, S. A., dan Bakar, A. A. 1987. The physico-chemical changes in ciku (*Achras sapota* L.) of Jantung variety. *Pertanika* 10(3): 277-282
- Kenis, K., Keulemans, J., and Davey, M.W. 2008. Identification and stability of QTLs for fruit quality traits in apple. *Tree Genetics & Genomes*. 4:647-661
- Khatun, M., and Mondal, K. 2011. Studies on the sclereids diversity and distribution pattern in the different plant organs (leaves, stem and fruits) of some selected medicinally viable angiospermic taxa in eastern India: a systematic approach. *Advances in BioResearch* 2(1): 111-121
- Khatun, M. M., Hossain, K. M., and Rahman, S. M. M. 2012. Molecular characterization of selected local and exotic cattle using RAPD marker. *Asian-Aust.J.Anim.Sci.* 25(6): 751-757
- Kobashi, K., Gemma, H., and Iiwahori, S. 2000. Absciscic acid content and sugar metabolism of Peaches grown under water stress. *J. Amer. Soc.Hort.Sci.* 125 (4): 425-428
- Kraus, T. E. C., Dahlgren, R. A., and Zasoski, R. J. 2003. Tannins in nutrient dynamic of forest ecosystems-a review. *Plant and Soil*. 256: 41-66
- Kraus, T. E. C., Zasoski, R. J., and Dahlgren, R. A. 2004. Fertility and pH effects on polyphenol and condensed tannin concentrations in foliage and roots. *Plant and Soil*. 262: 95-109
- Kulkarni, A. P., Policegoudra, R. S., and Aradhya, S. M. 2007. Chemical composition and antioxidant activity of sapota (*Achras sapota* Linn.) fruit. *J. Food Biochem.* 31: 399-414
- Kunyameea, S., Ketsaa, S., and Wouter, G. 2010. Gene expression of cell-wall degrading enzymes in sapodilla (*Manilkara zapota*) fruit. *Science Asia* 36: 18-25

- Lowe, A., Harris, S., and Ashton, P. 2006. Ecological genetics (design, analysis and application). Blackwell publishing. Singapore
- Lou, A., and Hou, Y. 2011. Population genetic diversity and structure of a naturally isolated plant species, *Rhodiola dumulosa* (Crassulaceae). Plos One. 6(9): e24497. doi:10.1371/journal.pone.0024497
- Majourhat, K., Jabbar, Y., Hafidi, A., and Matinez-Gomez, P. 2008. Molecular characterization and genetic relationships among most common identified morphotypes of critically endangered rare Moroccan species *Argania spinosa* (Sapotaceae) using RAPD and SSR markers. Ann.For.Sci.65:805. www.afs-journal.org
- Mallet, J. 2001. Gene Flow. Insect movement: mechanisms and consequences. (eds.Woiwod, I.P., Reynolds,D.R., and Thomas, C.D.)
- Massot, C., Genard, M., Stevens, R., and Gautier, H. 2010. Fluctuations in sugar content are not determinant in explaining variations in vitamin C in tomato fruit. Plant Physiol.and Biochem. 48: 751-757
- Mickelbart, M. V. 1996. Sapodilla: A potential crop for subtropical climates. ASHS Press. pp: 439-446. <http://www.hort.purdue.edu/newcrop/proceeding1996/v3-439.html>. Diakses 26-05-2013
- Medhi, K., Sarmah, D. K., Deka, M., and Bhau, B. S. 2014. High gene flow and genetic diversity in three economically important *Zanthoxylum* spp. of upper Brahmaputra Valley Zone of NE India using molecular markers. Elsevier. Meta Gene 2: 706-721.
- Meghala, R., Ravishankar, K.V., Lalitha, A., and Rekha, A. 2007. Genetic diversity of Indian Sapota (*Manilkara zapota*) cultivar characterized by RAPD marker.Issue142:43-46
- Meirmans, P. G., and Hedrick, P. W. 2011. Assessing population structure: Fst and related measures. Mol.Eco.Resources.11: 5-18
- Morais, P. L. D., Miranda, M. R. A., Lima, L. C. O, Alves, J. D., Alves, R. E., and Silva, J. D. 2008. Cell wall biochemistry of sapodilla (*Manilkara zapota*) submitted to 1-methylcyclopropene. Braz. J. Plant Physiol. 20(2): 85-94
- Monago, C. C., and Akhidue, V. 2002. Estimation of tanin, saponin, oxalate, cyanogenic and cardiac glycosides in Garsinia Kola. J. Appl. Sci. Environ, Mgt 6(1): 22-25

- Morjan, C. L., and Rieseberg, L. H. 2004. How species evolve collectively: implications of gene flow and selection for the spread of advantageous alleles. *Mol.Eco.* 13(6): 1341-1356
- Murti, R. H., Prajitno, D., Purwantoro, A., dan Tamrin. 2002. Keragaman genotip salak lokal Sleman. *J. Habitat.* 13(1): 1-7
- Nagy, S., Poczai, P., Cernak, I., Gorji, A.M., Hegedus, G., Taller, J. 2012. PICcalc: An online program to calculate polymorphic information content for molecular studies. *Biochem.Genet.* 50:670-672
- Nandariyah. 2007. Analisis keragaman genetik salak berdasarkan penanda morfologi dan molekuler. Disertasi. Faperta. UGM
- Nurchahyo, E. M., dan Setyowati, R. N. 1993. Menanam sawo di pot dan di kebun. Penebar Swadaya. Jakarta
- Northup, R. R., Dahlgren, R. A., and Yu, Z. 1995. Intraspecific variation of conifer phenolic concentration on a marine terrace soil acidity gradient: a new interpretation. *Plan Soil.* 171: 255-262
- Ochse, J. J., and Brink, R.C.B. 1931. Fruits and Fruitculture in Dutch East Indies. G.Kolff & Co.pp:147-150
- Orwa, C., Mutua, A., Kindt, R., Jamnadass, R., and Simons, A. 2009. *Manilkara zapota*. Agroforestry Database: a tree reference and selection guide version 4.0 (<http://www.worldagroforestry.org/af/treedb/>) Diakses 2-6-2013
- Pantastico, E. B. 1993. Fisiologi pasca panen: penanganan dan pemanfaatan buah-buahan dan sayur-sayuran tropika dan subtropika. UGM Press. Yogyakarta
- Pantastico, A. 1994. Dasar-dasar biokimia. Penerbit UI. Jakarta
- Pansera, M. R. 2004. Extraction of tanin by *Acacia mearnsii* with supercritical fluids. *J.Inter.Braz.Arc.Bio.Tech*
- Paran, I., and van der Knaap, E. 2007. Genetic and molecular regulation of fruit and plant domestication traits in tomato and pepper. *J.Exp.Bot.* 58(14): 3841-3852
- Pemerintah Kabupaten Gunung Kidul. 2012. Kondisi umum. Geografis. <http://gunungkidulkab.go.id/home.php?mode=content&id=78> Diaksesi 15-1-2015

- Pemerintah Kabupaten Kulon Progo. 2013. Informasi Berkala. <http://sentolo.kulonprogokab.go.id/pages-16-informasi-berkala.html> Diaksesi 15-1-2015
- Pornsuriya, P. 2005. Genetic studies and inheritance of fruit characters in slicing melon (*Cucumis melo* L. var. conomon Makino). Thesis. Kasetsart University
- Pradeepkumar, T., Philip, J., and Johnkutty, I. 2006. Variability in phsyco-chemical characteristics of mango genotype in northen Kerala. J.Trop.Agric. 44(1-2): 57-60
- Purwatiningsih, B., Leksono, A. S., dan Yanuwadi, B. 2012. Pengaruh umur petik dan lama penyimpanan terhadap kandungan vitamin C pada buah anggur (*Vitis vinifera* L.). El-Hayah 2(2): 64-69
- Pratiwi, P. 2012. Analisis variasi genetik beberapa populasi *Globba leucantha* Miq. di Sumatera Barat dengan RAPD. Tesis. Universitas Andalas
- Rahayu, S. E., dan Handayani, S. 2010. Keragaman genetik pandan asal Jawa Barat berdasarkan penanda *Inter Simple Sequence Repeat*. Makara, Sains. 14(2): 158-162
- Rahman, M. M., Khan, M. M. R., and Hosain, M. M. 2007. Analysis of vitamin C contents in various fruits and v2egetables by UV-spectrophotometry. Bangladesh J.Sci.Ind.Res. 42(4): 417-424
- Rangana, S. 1977. Manual of analysis of fruit and vegetable products. Tata Mc.Graw-Hill Publishing Company, Ltd. New Delhi
- Reddi, E. U. B. 1989. Thrips-pollination in Sapodilla (*Manilkara zapota*). Proc.Indian natn.Sci.Acad.pp.407-410
- Reed, D. H., and Frankham, R. 2001. How closely correlated are molecular and quantitative measures of genetic variation?. Evolution. 55(6): 1095-1103
- Restu, M., dan Mukrimin. 2007. Keragaman genetik ebony (*Diospyros celebica* Bakh.) provenansi amaro kabupaten Barru. J. Hutan dan Masyarakat. 2(3):263-267
- Ribeiro, R. A., and Lovato, M. B. 2007. Comparative analysis of different DNA extraction protocols in fresh and herbarium specimens of the genus *Dalbergia*. Genet. Mol. Res. 6:173-187
- Robi'ah, H. R., Sobir, M., dan Surahman. 2005. Analisis perbandingan pola keanekaragaman pisang introduksi berdasarkan penanda fenotipik dengan

penanda RAPD dan pendugaan korelasi antara keduanya terhadap komposisi genomiknya. *Bul. Agron.* 3(33):55-61

Rodriguez, G. R., Kim, H.J., and van der Knaap, E. 2013. Mapping of two suppressors of *ovate* (*sov*) loci in tomato. *Heredity*: 1-9

Roslim, D. I., Alex, H., dan Suharsono. 2003. Kemiripan genetika tiga populasi kelapa tipe dalam berdasarkan tiga metode analisis data penanda RAPD. *Hayati.* 10(1): 12-18

Roshchina, V. V., and Roshchina V. D. 2003. *Ozone and plant cell.* Springer Science and Business Media. pp: 113

Rozika. 2013. Eksplorasi dan karakterisasi sawo (*Manilkara zapota* (L.) van Royen) di Daerah Istimewa Yogyakarta. Skripsi. Faperta. UGM

Salinas-Peba, L., and Parra-Tabla, V. 2007. Phenology and polination of *Manilkara zapota* in forest and homegardens. *Forest ecology and Management.* 248:136-142.

http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=BGTGX-4NXG5C5-2&_user=4555062 Diakses 23-5-2013

Sambrook, J., Fritsch, E. F., and Maniatis, T. 1989. *Molecular cloning a laboratory manual.* Cold Spring Harbor Laboratory Press. New York

Sasongko, W. T. 2010. Pemanfaatan tanin daun nangka untuk meningkatkan nilai rumen undergraded protein pada bahan pakan protein tinggi. Tesis. Fapet.UGM

Schroeder, C. A. 1982. Progress report on study of sclereid formation in avocado fruit pericarp. *California Avocado Society Yearbook* 66: 161-165

Sera, T., Ruas, P. M., Ruas, C. F., Diniz, L. E. C., Carvalho, V. P., Rampim, L., Ruas, E. A., Silveira, S. R. 2003. Genetic polymorphism among 14 elite *Coffea arabica* L. cultivar using RAPD markers associated with restriction digestion. *Genet.Mol.Biol.* 26(1): 59-64

Setyamidjaja, D. 2000. *The budidaya dan pengolahan pasca panen.* PT Kanisius.

Shivashankara, K. S., Rao, N. K. S., and Geetha, G. A. 2013. Impact of climate change on fruit and vegetable quality. *Climate-resilient horticulture: adaptation and mitigation strategies* (eds: Singh, H. C. P., Rao, N. K. S., and Shivashankara, K. S.). Springer : 237-244

- Sudarmadji, S., Haryono, B., dan Suhardi. 2007. Analisa bahan makanan dan pertanian. Liberty. Yogyakarta
- Sultana, R. S., dan M. M. Rahman. 2013. Biotechnological approaches of watermelon to meet the future challenges for next decades. *Advances in Bioscience and Bioengineering*. 1(2): 40-48
- Sunarko. 2014. Budidaya kelapa sawit di berbagai jenis tanah. PT. Agro Media Pustaka.
- Susantidiana, A. Wijaya, B. Lakitan, dan M. Surahman. 2009. Identifikasi beberapa aksesori jarak pagar (*Jatropha curcas* L.) melalui analisis RAPD dan morfologi. *J.Agron.Indonesia*. 37(2):167-173
- Soerianegara, I., dan Lemmens, R. H. M. J. 2002. Sumber daya nabati Asia Tenggara: pohon penghasil kayu perdagangan yang utama. PROSEA. 5(1). Balai Pustaka. Jakarta
- Syafaruddin dan Santoso, T. J. 2011. Optimasi teknik isolasi dan purifikasi DNA yang efisien dan efektif pada kemiri sunan (*Reutalis trisperma* (Blanco) Airy Shaw). *J. Litri*. 17(1): 11-17
- Syukur, M., Sujiprihati, S., Yunianti, R., dan Kusumah, D.A. 2011. Pendugaan ragam genetic dan heritabilitas karakter komponen hasil beberapa genotipe cabai. *J. Agrivigor*. 10(2): 148-156
- Tessmer, M. A., Kluge, R. A., and Appezzato-de-Gloria, B. 2014. The accumulation of tanins during the development of Giombo and Fuyu Persimmon fruits. *Sci.Hort*.172: 292-299
- Thulaja, N. R. 1999. Ciku. *Nature-Plant Tropical Fruit-Singapore. Science and Technology-Agriculture-Fruit Crops*. National Library Board Singapore. http://infopedia.nlb.gov.sg/articles/SIP_204_2005.html
- Tresniawati, C., dan Randriani, E. 2008. Uji Kekerabatan Koleksi Plasma Nutfah Makadamia (*Macadamia integrifolia* Maiden & Betcher) di Kebun Percobaan Manoko, Lembang, Jawa Barat. *Buletin RISTRI* Vol. 1(1): 25-31
- Utami, A., R. Meryalita, N.A. Prihatin, L., and Ambarsari, P.A. Kurniatin, and W. Nurcholis. 2012. Variasi metode isolasi DNA daun temulawak (*Curcuma xanthorrhiza* Roxb.). *Prosiding Seminar Nasional Kimia Unesa*
- Van Breeman, N., and Finzi, A. C. 1998. Plant-soil interaction: ecological aspect and evolutionary implications. *Biogeochemistry*. 42: 1-19

- Wang, J., Yu, Y., Zhang, Z., Quan, R., Zhang, H., Ma, L., Deng, X.W., and Huang R. 2013. Arabidopsis CSN5B interacts with VTC and modulates ascorbic acid synthesis. *Plant Cell* : 1-12
- Wehner, T. C. 2008. Overview of the genes of watermelon. Proceedings of the IXth EUCARPIA on genetics and breeding of cucurbitaceae. Avignon. France. May 21-24th, 2008
- Weising, K., Nybom, H., Wolff, K., and Kahl, G. 2005. DNA fingerprinting in plants (Principles, Methods, and Application). CRC Press: New York
- Welsh, R.W. 1981. Fundamental of plan genetics and breeding. John Willey & Son. New York. pp.116-123
- Widyatmoko, A. Rimbawanto, dan Suharyanto. 2005. Keragaman genetik *Araucaria cunninghamii* menggunakan penanda RAPD. *Dalam* Hardiyanto, E.B. (Eds). Prosiding Peningkatan Produktivitas Hutan: Peran Konservasi Sumber Daya Genetik dalam Mendukung Rehabilitasi Hutan. Yogyakarta 26-27 Mei 2005
- Widyatmoko, AYPBC., Rimbawanto, A., dan Chasani, A.R. 2013. Hubungan kekerabatan antar populasi jati (*Tectona grandis*, Linn. F.) berdasarkan penanda RAPD. *J.Pemul.Tan.Hut.* 7(3):151-166
- Williams, J. G. K., Kubelic, A. R., Livak, K. J., Rafalski, J. A., and Tingey, S. V. 1990. DNA Polymorphic amplified by arbitrary primer as genetic marker. *Nucl Acid Res* (18): 6531-6539
- Zhao, K., Zhou, M., and Chen, L. 2007. Genetic diversity and discrimination of *Chimonathus praecox* (L.) link Germplasm using ISSR and RAPD markers. *HortScience*. 42 (5):1144-1148
- Zheng, T. 2013. Sugars, acids and phenolic compounds in currants and sea buckthorn in relation to the effect of environmental factors. Doctoral thesis. Departement of Biochemistry. University of Turku, Finland