

DAFTAR PUSTAKA

- Acton QA, 2013, *Hair Preparations – Advances in Research and Application*, Scholarly Editions, Atlanta, h. 19.
- Ahmed HA, Maaboud RM, Latif FF, Dean AM, Shaieb KM, Vilanova E, Estevan C, 2013, Different Analytical Methods of Para-Phenylenediamine Based Hair Dye, *Journal of Cosmetics, Dermatological Sciences and Applications*, 3(1): 17-25.
- Alalwani AD, 2013, Histopathological Examination of Paraphenylen Diamine Toxicity in Female Rats Liver, *Engineering Science and Technology: An International Journal*, 3(2): 296-302.
- Anass MA dan Ahmed HG, 2013, A Case-Control Study of Oral Epithelial Proliferative Markers among Sudanese Toombak Dippers Using Micronuclei Assay, Argyrophilic Nucleolar Organizer Region, Papanicolaou and Crystal Violet Methods, *Rare Tumors*, 5(3): 31.
- Angelieri F, Carlin V, Saez DM, Pozzi R, Ribeiro DA, 2010, Mutagenicity and cytotoxicity assessment in patients undergoing orthodontic radiographs, *The British Institute of Radiology*, 39: 437-440.
- Assidiq Y, 2013, Mengecat Rambut Warna-Warni, Boleh Tidak?, *Replubika*, 12 Januari 2013, Tahun ke-20, Nomor 194:15.
- Azhar A, Syed S, Luqman M, Ali A, 2013, Evaluation of Methyl Methacrylate Monomer Cytotoxicity in Dental Lab Technicians Using Buccal Micronucleus Cytome Assay, *Dental Materials Journal*, 32(3): 519-512.
- Babstista P, *Hair to Dye for A Hair Colorist's Secrets Revealed*, Universe, USA, h. 1.
- Badan Pengawas Obat dan Makanan Republik Indonesia, 2011, *Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia tentang Persyaratan Teknis Bahan Kosmetika*, Jakarta, h. 23.
- Belsito DV, 2003, *Allergic Contact Dermatitis*, McGraw-Hill, New York, h. 1164-1176.
- Bentley V, 2006, *Siasat Jitu Awet Muda*, Esensi, Jakarta, h. 90.
- Bolt H dan Golka K, 2007, The Debate on Carcinogenicity of Permanent Hair Dyes : New in Sights, *Critical Reviews in Toxicology*, 37(6): 521-536.
- Brooker C, 2009, *Ensiklopedia Keperawatan*, EGC, Jakarta, h. 203.
- Burns T, Breathnach S, Cox N, Griffiths C, 2010, *Rook's Textbook of Dermatology*, Wiley-Blackwell, UK, h. 12.
- Carlin V, Artioli AJ, Matsumoto MA, Filho HN, Borgo E, Oshima CTF, Ribeiro DA, 2010, Biomonitoring of DNA damage and cytotoxicity in individuals

exposed to cone beam computed tomography, *Dentomaxillofacial Radiology*, 39: 295-299.

Carlin V, Fracalossi AC, Miranda SR, Noguti J, Silva VH, Oshima CT, Ribeiro DA, 2013, Chromosome Breakage and Cellular Death are Induced in Oral Epithelial Cells of Hairdressers: a Preliminary Study, dalam Dixit R : *Toxicology Mechanisms and Methods*, informa healthcare, London, h. 108-112.

Carlson KJ, Elsenstat SA, dan Ziporyn TD, 2004, *The New Harvard Guide to Women's Health*, President and Fellows of Harvard College, USA, h. 258.

Cate T, 2008, *Oral Histology: Development, Structure, and Function*, Mosby Elsevier, Missouri, h. 320.

Celik A, Cavas T, dan Ergene-Gozukara S, 2003, Cytogenetic biomonitoring in petrol station attendants: micronucleus test in exfoliated buccal cells, *Mutagenesis*, 18(5): 417-421.

Cerqueira EMM, Meireles JCC, Lopes MA, Junqueira MC, Filho ISG, Trindade S, Santelli GMM, 2008, Genotoxic effects of X-rays on keratinized mucosa cells during panoramic radiography *Dentomaxillofacial Radiology Research*, 37: 398-403.

Chatterjee K, 2006, *Essentials of Oral Histology*, Jaypee Brothers Medical Publishers, New Delhi, h. 126.

Cho JA, Oh H, Lee E, Sul D, 2003, Effects of Hair Dyeing on DNA Damage in Human Lymphocytes, *Journal of Occupational Health*, 45: 376-381.

Cormack DH, 2001, *Essential Histology*, Lippincott Williams & Wilkins, Philadelphia, h. 51-52.

Corwin E, 2008, *Handbook of Pathophysiology*, Edisi Ketiga, Lippincott Williams & Wilkins, USA, h. 23-28.

Czene K, Tiikkaja S, dan Hemminki K, 2003, Cancer Risks in Hairdressers: Assessment of Carcinogenicity of Hair Dyes and Gels, *International Journal of Cancer*, 105: 108-112.

Draelos ZD, 2005, *Hair Care: An Illustrated Dermatologic Handbook*, Taylor & Francis, USA, h. 111.

Elyoussoufi Z, Habti N, Mounaji K, Motaouakkil S, Cadi R, 2013, Induction of Oxidative Stress and Apoptosis in Human Neutrophils by Para-Phenylenediamine, *Journal of Toxicology and Environmental Health Sciences*, 5(8): 142-149.

Garman RH, 2011, Histology of the Central Nervous System, *Toxicologic Pathology*, 39: 22-35.

- Galiotte MP, Kohler P, Mussi G, Gattas GJ, 2008, Assessment of occupational genotoxic risk among Brazilian hairdressers. *Annals of Occupational Hygiene*, 52: 645–651.
- Haluk AH, Adatepe S, Tahan F, Solmaz I, 2014, Hair Dyes and Temporary Tattoos are A Real Hazard for Adolescents, *European Annals of Allergy and Clinical Immunology*, 46(1): 35-37.
- Helaskoski E, Suojalehto H, Virtanen H, Airaksinen L, Kuuliala O, Korte KA, Pesonen M, 2014, Occupational Asthma, Rhinitis, and Contact Urticaria Caused by Oxidative Hair Dyes in Hairdressers, *American College of Allergy, Asthma & Immunology*, 112(1): 46-52.
- Holland N, Bolognesi C, Kirsch-Volders M, Bonassi S, Zeiger E, Knasmueller S, Fenech M, 2008, The Micronukleus Assay in Human Buccal Cells as a Tool for Biomonitoring DNA Damage: The HUMN Project Perspective on Current Status and Knowledge Gaps, *Mutation Research*, 659: 93-108.
- Huang YC, Hung WC, Kang WY, Chen WT, Chai CY, 2007, *P*-Phenylenediamine Induced DNA Damage in SV-40 Immortalized Human Uroepithelial Cells and Expression of Mutant P53 and COX-2 Proteins, *Toxicology Letters*, 170(2): 116-23.
- Hueber BF, Nohynek GJ, dan Dufour EK, 2007, Occupational exposure of Hairdressers to Para-Phenylenediamine-Containing Oxidative Hair Dyes: A Mass Balance Study, *Food and Chemical Toxicology*, 45: 160–169.
- Hughes VW dan Nagle DE, 1991, *The Meson Factories*, University of California Press, Los Angeles, h. 792.
- IARC, 1993, *IARC Monographs on The Evaluation of Carcinogenic Risks to Humans, Some Aromatic Amines, Organic Dyes, and Related Exposures*, International Agency for Research on Cancer, Lyon, h. 99.
- James J, Baker C, dan Swain H, 2008, *Prinsip-Prinsip Sains untuk Keperawatan (terj)*, Erlangga, Jakarta, h. 88.
- Kim JE, Jung HD, dan Kang H, 2012, A Survey of the Awareness, Knowledge and Behavior of Hair Dye Use in a Korean Population with Gray Hair, *Annals of Dermatology*, 24(3): 274–279.
- Kumar V, Abbas A, Aster JC, Robbins SL, 2013, *Basic Pathology*, Edisi Kesembilan, Saunders, Philadelphia, h. 8.
- Kusumadewi, 2003, *Rambut Anda: Masalah, Perawatan, Penataannya*, PT Gramedia Pustaka Utama, Jakarta, h. 56.
- Lin J, Dinney CP, Grossman B, Wu X, 2006, Personal Permanent Hair Dye Use Is Not Associated with Bladder Cancer Risk: Evidence from a Case-Control Study, *Cancer Epidemiology Biomarkers and Prevention*, 15(10): 1746.

- Madhavan R, Kumaraswamy M, Kailasam S, Kumar SM, 2012, Genetic Damage in Exfoliated Cells from Oral Mucosa of Individuals Exposed to X-rays after Panoramic Radiograph: A Cross-sectional Study, *Journal of Indian Academy of Oral Medicine and Radiology*, 24(2): 102-105.
- Maibach HI dan Hall AH, 2014, *Chemical Skin Injury: Mechanisms, Prevention, Decontamination, Treatment*, Springer, New York, h. 99.
- Majer BJ, Laky B, dan Kassie F, 2001, Use of Micronucleus Assay with Exfoliated Epithelial Cells as a Biomarker for Monitoring Individuals at Elevated Risk of Genetic Damage and in Chemoprevention Trials, *Mutation Research*, 489: 147-172.
- Majno G dan Joris I, 1995, Review: Apoptosis, Oncosis, and Necrosis, *American Journal of Pathology*, 146(1): 3-10.
- Mellowship D, 2009, *Toxic Beauty*, Octopus Publishing Group Ltd, UK, h. 5.
- Mitchell R, Kumar V, Abbas A, Fausto N, 2008, *Buku Saku Dasar Patologis Penyakit*, Edisi Ketujuh, EGC, Jakarta, h. 2-28.
- Morton W dan Richard HC, 1995, *Toxic Metal Syndrome*, Avery Pub Group, New York, h. 26-31.
- Nanci A, 2013, *Ten Cate's Oral Histology : Development, Structure, and Function*, Elsevier, Kanada, h. 4-5.
- Nefic H, Musanovic J, Kurteshi K, Prutina E, Turcalo E, 2013, The Effects of Sex, Age, and Cigarette Smoking on Micronucleus and Degenerative Nuclear Alteration Frequencies in Human Buccal Cells of Healthy Bosnian Subjects, *Journal of Health Sciences*, 3(3): 196-204.
- Newman dan Unger, 2003, *Fundamentals of ecotoxicology*, Lewis Publishers, Boca Raton, h. 83.
- Notoatmodjo S, 2010, *Metodologi Penelitian Kesehatan*, Rineka Cipta, Jakarta, h. 127.
- Novita W, 2009, *Buku Pintar Merawat Kecantikan di Rumah*, PT Gramedia Pustaka Utama, Jakarta, h. 101.
- Orellana-Busto, Espinoza S, Franco M, Lobos J, Ortega P, 2004, Evaluation of Keratinization and AgNORs Count in Exfoliative Cytology of Normal Oral Mucosa from Smokers and Non-Smokers, *Medicinal Oral*, 9: 197-203.
- Pardede S, Nababan KA, dan Mahadi ID, 2008, Dermatitis Kontak Alergi karena Cat Rambut, *Majalah Kedokteran Nusantara*, 41(3): 179-184.
- Patel D, Narayana S, dan Krishnaswamy B, 2013, Trends in Use of Hair Dye: A Cross-Sectional Study, *International Journal of Trichology*, 5(3): 140-143.

- Presland RB dan Dale BA, 2000, Epithelial Structural Proteins of the Skin and Oral Cavity: Function in Health and Disease, *Critical reviews in Oral Biology and Medicine*, 11(4): 383-408.
- Radhika D, Mohan M, Sreenivasulu M, Reddy S, Karthik TS, 2012, Hair Dye Poisoning-A Clinicopathological Approach and Review, *Journal of Bioscience and Technology*, 3(4): 492- 497.
- Rado AD, 2002, *Genetics Influences Link Between Hair Dye and Bladder Cancer*, USC News, California, h. 1.
- Rauscher GH, Shore D, dan Sandler DP, 2004, Hair Dye Use and Risk of Adult Acute Leukemia, *American Journal of Epidemiology*, 160(1): 19-25.
- Reddy S, 2008, *Essentials of Clinical Periodontology and Periodontics*, Jaypee, New Delhi, h. 11.
- Rickes, 2010, Increased Micronucleus Frequency in Exfoliated Cells of The Buccal Mucosa in Hairdressers, *Genetics and Molecular Research*, 9(3): 1921-1928.
- Robbins SL dan Kumar V, 1995, *Buku Ajar Patologi I*, EGC, Jakarta, h. 1-28.
- Ross MH dan Pawlina W, 2011, *Histology: A Text and Atlas: with Correlated Cell and Molecular Biology*, Edisi Keenam, Lippincott Williams & Wilkins, Philadelphia, h. 527-528.
- Ross MH, 2012, *Histology : A Text and Atlas*, Cram101, USA, h. 25.
- Salvador A, 2007, *Analysis of Cosmetic Products*, Elsevier, Amsterdam, h.199.
- Sampathkumar K, 2009, Hair Dye Poisoning and The Developing World, *Journal of Emergencies, Trauma and Shock*, 2(2): 129-131.
- Samudera M, 2014, Cat Rambut Warna Cokelat Gelap Jadi Tren 2014, *Tribun Sumsel*, 11 Januari 2014, Tahun ke-2, Nomor 54:17.
- Shalala, 1994, *Current Issues in Women's Health: An FDA Consumer Special Report*, Diane Publishing, USA, h. 92.
- Sherrow V, 2006, *Encyclopedia of Hair: A Cultural History*, Greenwood Press, USA, h. 1.
- Shetty S dan Gokul S, 2012, Keratinization and It's Disorders, *Oman Medical Journal*, 27(5): 348-357.
- Singla S, Miglani S, Lal AK, Pulin G, Agarwal AK, 2005, Para-phenylenediamine (PPD) Poisoning, *Journal Indian Academy of Clinical Medicine*, 6(3): 236-238.
- Sircar S, 2008, *Principles of Medical Physiology*, Thieme, New York, h. 309-312.

- Squier C dan Brogden K, 2011, *Human Oral Mucosa Development, Structure, and Function*, Wiley-Blackwell, UK, h. 28.
- Thomas P, 2008, *What's in This Stuff? : The Hidden Toxins in Everyday Products and What You Can Do About Them*, Penguin Group, New York, h. 31-35.
- Thun MJ, Altekruse SF, Namboodiri MM, Calle EE, Myers DG, Heath CW, 1994, Hair Dye Use and Risk of Fatal Cancers in U.S. Women, *Journal of the National Cancer Institute*, 86(3): 210-215.
- Tolbert PE, Shy CM, dan Allen JW, 1992, Micronuclei and Other Nuclear Anomalies in Buccal Smears: Method Development, *Mutation Research*, 271: 69-77.
- Underwood JC, 1996, *Patologi Umum dan Sistematis (terj)*, EGC, Jakarta, h. 119-120.
- Wahl CE, 2007, *Hardcore Pathology*, Lippincott Williams & Wilkins, USA, h. 2.
- Watson R dan Fawcett TN, 2003, *Pathophysiology, Homeostasis and Nursing*, Routledge, USA, h. 1.
- Wong R, Chien H, dan Luh D, 2005, Correlation Between Chemical-Safety Knowledge and Personal Attitudes Among Taiwanese Hairdressing Students, *American Journal of Industrial Medicine*, 47: 45-53.
- Work Cover New South Wales, 2003, *Health and Safety Guidelines for Hairdressers : Hazardous Substances*, New South Wales, h. 9.
- World Health Organization, 2006, *Resorcinol*, Canada, h. 16-19.
- Young JS, Chan YS, Song M, Rha YA, Ryu JC, 2011, Gene Expression Profiling of Hair-Dyeing Agent, Para-Phenylenediamine, in Human Keratinocytes (HaCaT) Cells, *Molecular and Cellular Toxicology*, 7: 339-346.
- Zong W dan Thompson CB, 2006, Necrotic Death as a Cell Fate, *Genes and Development*, 20: 1-15.



UNIVERSITAS
GADJAH MADA

**EFEK PAPARAN CAT RAMBUT TERHADAP PIKNOSIS PADA SEL EPITEL MUKOSA BUKAL
PENGGUNA DI YOGYAKARTA**

PUSPITA WULANSARI, Prof.Dr.drg. Regina TC Tandelilin ; Dr.drg. Juni Handajani, M.Kes, Ph.D

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>