UNIVERSITAS
GADJAH MADA
ANALISIS FREKUENSI SITOGENETIK MIKRONUKLEUS PADA SEL EPITEL BUKAL PENGGUNA CAT RAMBUT DI YOGYAKARTA
NUNKI AMELIA, Prof.Dr.drg. Regina TC. Tandelilin, MSc.; Dr. drg. Juni Handajani, MKes., PBO.
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

American Cancer Society, 2014, Hair Dyes, *http://www.cancer.org/cancer/cancercauses/othercarcinogens/intheworkplace/hair-dyes* diunduh pada 16/09/2014 (21:49)

Azhar A, Syed S, Luqman M, Ali A, 2013, Evaluation of Methyl Methacrylate Monomer Cytotocxicity in Dental Lab Technicians Using Buccal Micronucleus Cytomeassay, *Dental Material Journal* Vol. 32(3): 519-21.

Azis S, Muktiningsih SR, 1999, Studi Kegunaan Sediaan Rambut, *Media Litbangkes* Vol. 9(1): 6-13.

Beebe R, Myers J, 2010, *Foundations of Paramedic Care Volume Pertama*, Delmar, New York, hal. 354-5.

Bhargava P, Matthew P, 2007, Hair Dye Poisoning, *Journal Association of Physician India* Vol. 55: 871-2.

Bolognise C, Hayashi M, 2011, Micronucleus Assay in Aquatic Animals, *Mutagenensis* Vol. 26(1): 205-13.

Cho J, Oh E, Lee E, Sul D, 2003, Effect of Hair Dyeing on DNA Damage in Human Lymphocytes, *Journal of Occupational Health* Vol. 45: 376-81.

Chye SM, Hseu YC, Liang S, Chen C, Chen SC, 2007, Single Strand DNA Breaks in Human Lymphocytes Exposed to para-Phenylenediamine and its Derivatives, *Bulletin Environmental Contamination and Toxicology* (80): 58-62.

Chye SM, Tiong YL, Yip WK, Koh RY, Len YW, Seow HF, Ng KY, Ranjit DA, Chen SC, 2012, Apoptosis Induced by Para-Phenylenediamine Involves Formation Of ROS and Activation Of P38 and JNK in Chang Liver Cells, *Environmental Toxicology* Vol. 29(9): 981-90.

Coulter EM, Farrell J, Mathews KL, Maggs JL, Pease CK, Lockley DJ, Basketter DA, Park BK, Naisbitt DJ, 2006, Activation of Human Dendritic Cells by p-Phenylenediamine, *The Journal of Pharmacology and Experimental Therapeutics* Vol. 320(2): 885-92.

DuPont, 2010, p-Phenylenediamine, *http://www2.dupont.com/Products/en_RU/P_phenylendiamine_en.html diunduh pada 06/04/2015* (17:37).

de Oliveira Meneguetti DU, da Silva FC, Zan RA, Ramos LJ, 2012, Adaptation of the Micronucleus Technique in Allium Cepa, For Mutagenicity Analysis

UNIVERSITAS
GADJAH MADA
ANALISIS FREKUENSI SITOGENETIK MIKRONUKLEUS PADA SEL EPITEL BUKAL PENGGUNA CAT RAMBUT DI YOGYAKARTA
NUNKI AMELIA, Prof.Dr.drg. Regina TC. Tandelilin, MSc.; Dr. drg. Juni Handajani, MKes., PBO.
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

of the Jamari River Valley, Western Amazon, *Brazil, Journal Environment Analytic Toxicology* 2:127.

Ditjen POM, 1985, Formularium Kosmetika Indonesia, Jakarta: Departemen Kesehatan RI.

Espinoza F, Silverman D, Kogevinas M, Creus A, Fernandez F, Garcia-Closas M, Tardon A, Garcia-Closas R, Serra C, Carrato A, Rothman N, Dosemeci M, Malats N, Marcos R, 2008. Micronuclei Assessment in the Urothelial Cells of Women Using Hair Dyes and Its Modulation by Genetic Polymorphisms, *Cancer Letters* Vol. 263(2): 259-66.

Fazriyati W, 2011, Pewarna Rambut Bernutrisi Solusi Masalah Uban, *http://health.kompas.com/read/2011/10/04/16322168/Pewarna.Rambut.Bernutrisi.Solusi.Masalah.Uban* diunduh pada 08/06/2014 (10:53).

Fenech M, 1993, The Cytokinesis-Block Micronucleus Technique and Its Application to Genotoxicity Studies in Human Populations, *Environmental Health Perspectives Supplements* Vol. 101(3): 101-107.

Fenech M, Holland N, Chang WP, Zeiger E, Bonassi S, 1999, The Human Micronucleus Project –an International Collaborative Study on the Use of the Micronucleus Technique for Measuring DNA Damage in Humans, *Mutation Research* Vol. 428(17): 271-83.

Fenech M, Baghurst P, Luderer W, Turner J, Record S, Ceppi M, Bonassi S, 2005, Low Intake of Calcium, Folate, Nicotinic Acid, Vitamin E, Retinol, B-Carotene and High Intake of Pantothenic Acid, Biotin and Riboflavin are Significantly Associated with Increased Genome Instability—Results from A Dietary Intake and Micronucleus Index Survey in South Australia, *Carcinogenesis* Vol. 26(2): 991-9.

Fischer WH, Keiwan A, Schmitt E, Stopper H, 2001, Increased Formation of Micronuclei After Hormonal Stimulation of Cell Proliferation in Human Breast Cancer Cells, *Mutagenesis* Vol. 16 (3): 209-12.

Henderson CJ, Russell AL, Allan JA, Wolf CR, 1992, Sexual Differentiation and Regulation of Cytochrome P-450 CYP2C7, *Biochimica et Biophysica Acta* Vol 1118(43): 99-106.

Holland N, Bolognesi C, Kirsch-Volders M, Bonassi S, Zeiger E, Knasmueller S, Fenech M, 2008, The Micronucleus Assay in Human Buccal Cells as A Tool For Biomonitorin DNA Damage: The HUMN Project Perspective On Current Status And Knowledge Gaps, *Mutation Research*: 1-16

Huang Y, Fenech M, Shi Q, 2011, Micronucleus Formation Detected by Live-Cell Imaging. *Mutagenensis* Vol 26(1): 133-8.

UNIVERSITAS
GADJAH MADA
ANALISIS FREKUENSI SITOGENETIK MIKRONUKLEUS PADA SEL EPITEL BUKAL PENGGUNA CAT RAMBUT DI YOGYAKARTA
NUNKI AMELIA, Prof.Dr.drg. Regina TC. Tandelilin, MSc.; Dr. drg. Juni Handajani, MKes., PBOM.
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

International Agency for Research in Cancer, 1998, *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs* Volumes 1 to 42.

Jadhav NS, Lakshmi M, Meena S, Duraivel S, 2010, Validated Visible Spectrophotometric Estimation of Paraphenylenediamine, a Carcinogenic Ingredient in Henna Hair Dyes, *International Journal of Pharmacy and Technology* Vol. 2(4): 900-6.

Jardes DJ, Ross LA, Markovich JE, 2013, Hemolytic Anemia after Ingestion of The Natural Hair Dye Lawsonia Inermis (Henna) in A Dog, *Journal of Veterinary Emergency and Critical Care* Vol. 23(6): 648-51.

Jones KB, Klein OD, 2013, Oral Epithelial Stem Cells in Tissue Maintenance and Disease: The First Steps in A Long Journey, *International Journal of Oral Science* Vol. 5: 121-9.

Kallel H, Chelly H, Dammak H, Bahloul M, Ksibi H, Hamida CB, Chaari A, Rekik N, De Broe ME, Bouaziz M, 2005, Clinical Manifestations of Systemic Paraphenylene Diamine Intoxication, *Journal of Nephrology* Vol. 18: 308-11.

Lasne C, Gu Z.W, Venegas W, Chouroulincov, 1990, The Invitro Sister-Chromatic Exchange Assay, *Mutation Research* 130: 273-82.

Liu K, Sundqvist K, Belinsky SA, Castronguay A, Tjalve H, Grafstrom RC, 1993, Metabolism and Macromolecular Interaction of the Tobacco-Specific Carcinogen 4-(methylnitrosamino)-1-(3-pyridyl)-1-butatone in Cultured Explants and Ephitelial Cells of Human Buccal Mucosa. *Carcinogenesis* 14: 2383-88.

Luzhna L, Kathiria P, Kovalchuk O, 2013, Micronuclei in Genotoxicity Assessment: From Genetics to Epigenetics and Beyond, *http://www.ncbi.nlm.nih.gov/pubmed/23874352* diunduh pada 11/02/2015 (13:20).

Miligi L, Costantini AS, Benvenuti A, Veraldi A, Tumino R, Ramazzotti V, Vindigni C, Amadori D, Fontana A, Rodella S, Stagnaro E, Crosignani P, Vineis P, 2005, Personal Use of Hair Dyes and Hematolymphopoietic Malignancies, *Archives of Environmental and Occupational Health* Vol. 60 (5): 249-56.

Morton LM, Bernstein L, Wang SS, Hein DW, Rothman N, Colt JS, Davis S, Cerhan JR, Severson RK, Welch R, Hartge P, Zahm SH, 2007, Hair Dye Use, Genetic Variation in N-Acetyltransferase 1 (NAT1) And 2 (NAT2), and Risk of Non-Hodgkin Lymphoma, *Carcinogenesis* Vol. 28(8): 1759-64.

UNIVERSITAS
GADJAH MADA
ANALISIS FREKUENSI SITOGENETIK MIKRONUKLEUS PADA SEL EPITEL BUKAL PENGGUNA CAT RAMBUT DI YOGYAKARTA
NUNKI AMELIA, Prof.Dr.drg. Regina TC. Tandelilin, MSc.; Dr. drg. Juni Handajani, MKes., PBO.
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Murata M, Nishimura T, Chen F, Kawanishi S, 2006, Oxidative DNA Damage Induced by Hair Dye Componentsortho-Phenylenediamines and The Enhancementby Superoxide Dismutase, *Mutation Research* Vol. 607: 184-91.

National Cancer Institute, 2011, Hair Dyes and Cancer Risk, *http://www.cancer.gov/cancertopics/factsheet/Risk/hair-dyes* diunduh pada 16/09/2014 (21:51).

National Center for Biotechnology Information, PubChem Compound Database; CID=5934766,*http://pubchem.ncbi.nlm.nih.gov/summary/summary.cgi?cid=5934766* diunduh pada 06/04/2015 (17:32).

National Institute for Occupational Safety and Health (NIOSH), 2014, International Chemical Safety Cards p-Phenylenediamine, *http://www.cdc.gov/niosh/ipcsneng/neng0805.html* diunduh pada 05/03/2014 (20:10).

National Research Council (NRC), 2003, *Prudent Practices in Laboratory: Handlingand Management of Chemical Hazards*, The National Academies Press, Washington DC, hal. 37.

Notoatmodjo S, 2010, *Metodologi Penelitian Kesehatan*, Rineka Cipta, Jakarta.

Pardede S, Nababan KA, Mahadi IDR, 2008, Dermatitis Kontak Alergi Karena Cat Rambut, *Majalah Kedokteran Nusantara* Vol. 41(3): 179-84.

Penner NA, Nesterenko PV, 2000, Simultaneous Determination of Dihydroxybenzenes, Aminophenols and Phenylenediamines in Hair Dyes by High-Performance Liquid Chromatography on Hypercross-Linked Polystyrene, *The Analyst* Vol. 125: 1249-54.

Punjanon T, Arpornsuwan T, 2009, Studies of the Mutagenic Activities of Synthetic Hair Dyes and Natural Hair Dyes, *Bulletin Health, Science & Technology* Vol. 9 (1-2): 33-39.

Rauscher GH, Shore D, Sandler DP, 2004, Hair Dye Use and Risk of Adult Acute Leukemia, *American Journal of Epidemiology* Vol. 160(1): 19-25.

Reinhardt HC, Schumacher B, 2012, The p53 Network: Cellular and Systemic DNA Damage Responses in Aging and Cancer, Trends in Genectics Vol. 28(3): 128-36.

Rickes LN, Alvarengo MC, Souza TM, Garcias GL, Martino-Roth MG, 2010, Increased Micronucleus Frequency in Exfoliated Cells of The Buccal Mucosa in Hairdressers, *Genetics and Molecular Research* Vol. 9(3): 1921-28.

UNIVERSITAS
GADJAH MADA
ANALISIS FREKUENSI SITOGENETIK MIKRONUKLEUS PADA SEL EPITEL BUKAL PENGGUNA CAT RAMBUT DI YOGYAKARTA
NUNKI AMELIA, Prof.Dr.drg. Regina TC. Tandelilin, MSc.; Dr. drg. Juni Handajani, MKes., PhD.
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Sablina AA, Ilyinskaya GV, Rubtsova SN, Agapova LS, Chumakov LM, Kopnin BP, 1998, Activation of P53-Mediated Cell Cycle Checkpoint in Response to Micronuclei Formation, *Journal of Cell Science* Vol. 111: 977-84.

Severin I, Jondeau A, Dahbi L, Chagnon MC, 2005, 2,4-Diaminotoluene (2,4-DAT)-Induced DNA Damage, DNA Repair and Micronucleus Formation in The Human Hepatoma Cell Line Hepg2, *Toxicology* Vol. 213(1-2): 138-46.

Sciencelab, 2013, Material Safety Data Sheet p-Phenylenediamine MSDS, *http://www.sciencelab.com/msds.php?msdsId=9926499* diunduh pada 08/07/2014 (11:53).

Squier C, Kremer MJ, 2001, Biology of Oral Mucosa and Esophagus, *JNCI Monographs* Vol. (29): 7-15.

Tolbert PE, Shy CM, Allen JW, 1992, Micronuclei and Other Nuclear Anomalies in Buccal Smears: Methods Development, *Mutation Res*earch Vol. 271: 69–77.

Trustees of Princeton University, 2014, Controlling Chemical Exposure, *http://web.princeton.edu/sites/ehs/labsafetymanual/sec6c.htm* diunduh pada 05/03/2015 (20:23).

van Poppel G, Kok FJ, Hermus RJ, 1992, Beta-Carotene Supplementation in Smokers Reduces The Frequency of Micronuclei in Sputum, *British Journal of Cancer* Vol. 66(6): 1164-68.

Walum J, Erik R, 1990, Micronucleus Test in Fish for Monitoring the Genotoxic Effect of the Industrial Waste Products in the Baltic Sea, Sweden, *Comparative Biochemistry and Physiology* Vol. 97(5): 179-82.

Warner JC, Muollo L, Stewart A, 2014, Formulation and Processes for Hair Coloring, *http://www.google.com/patents/US8828100* diunduh pada 25/10/2014 (10:09).

Wen H, Park K, 2010, *Oral Controlled Released Formulation Design and Drug Delivery*, Wiley, New Jersey, hal. 169-70.