

DAFTAR PUSTAKA

- Ames BN, Kammen H, Yamasaki E, 1975, Hair dyes are mutagenic: Identification of a variety of mutagenic ingredients, *Proc Nat Acad Sci USA*, 72:2423-2427.
- Backland LK, Andreasen FM, Andreasen JO, 2002, *Management of Traumatized Teeth* 3rd ed., USA, Saunders Company, h.76.
- Beebe R, Myers J, 2010, *Foundations of Paramedic Care*, Vol. 1, New York, Delmar, h.354-355.
- Bath-Balogh M, Fehrenbach MJ, 2006, *Illustrated Dental Embriology, Histology, and Anatomy* 3rd ed., USA, Saunders Company, h.127-150.
- Belsito DV, 2003, *Allergic Contact Dermatitis*, New York, McGraw-Hill, h.1164-1176.
- Bharali M, Dutta K, 2009, Hepatic histopathological abnormalities in rats treated topically with Para-phenylenediamine (PPD), *J. Pharm Toxicol*, 4:221-228.
- Bhargava P, Matthew P, 2007, Hair Dye Poisoning, *J Api*, 55.
- Cantor KP, Blair A, Everett G, VanLier S, Burmeister L, Dick FR, Gibson RW, Schuman L, 1988, Hair Dye Use and Risk of Leukemia and Lymphoma, *Am J Public Health*, 78(5):570-571.
- Carlin V, Fracalossi ACC, Miranda SR, Noguti J, Pereira da Silva VH, Oshima CTF, Ribeiro DA, 2013, Chromosome breakage and cellular death are induced in oral epithelial cells of hairdressers: a preliminary study, *Toxicol Mech Methods*, 23(2): 108-112.
- Castelain M, 1999, Allergy PPD, *Lett Gerda*, 16:57-58.
- Carranza FA, Bulkacz J, 1996, *Defense mechanisms of the gingiva. in Clinical Periodontology* 8th ed., Eds.: Carranza FA dan Newman MG, Philadelphia, WB Saunders, h.108-109.
- Cerqueira EMM, Meireles JRC, Lopes MA, Junqueira VC, Gomes-Filho IS, Trindade S, Machado-Santelli M, 2008, Genotoxic Effects of X-Rays on Keratinized Mucosa Cells During Dental Radiography, *Dentomaxillofac Radiol*, 37(7): 398-403.
- Chen SC, Chen CH, Tioh YL, Zhong PY, Lin YS, Chye SM, 2010, Para-phenylenediamine induced DNA damage and apoptosis through oxidative stress and enhanced caspase-8 and -9 activities in Mardin-Darby canine kidney cells, *Toxicol in Vitro*, 24: 1197-1202.
- Cho Jin-A, Oh E, Lee E, Sul D, 2003, Effects of hair dyeing on DNA damage in human lymphocytes, *J. Occup Health*, 376-381.
- Conde-Salazar L, Baz M, Guimaraens D, Cannavo A, 1995, Contact Dermatitis in Hair-dressers: patch tests results in 379 hairdressers, *Am J Contact Dermatitis*, 6:19-23.
- Corbett JF, Sharma RK, Dressler WE, 1999, *Cosmetic Toxicology*, Toxicology, Eds.: Marquart H, Schafer SG, McClellan R, dan Welsch F, San Diego, Academic Press, h.899-910.
- Cormack DH, 2001, *Essential Histology*, Philadelphia, Lippincott Williams & Wilkins, h.51-52.

- Elyoussoufi Z, Habti N, Motaouakkil S, Cadi R, 2012, Paraphenylenediamine induces apoptosis of Murine myeloma cells in a reactive oxygen species dependant mechanism, *J. Toxicol. Environ. Health Sci*, 4(4):76-84.
- Guzman P, Sotelo-Regil RC, Mohar A, Gonsebatt ME, 2003, Positive correlation between the frequency of micronucleated cells and dysplasia in Papanicolau smears. *Environ Mol Mutagen* 41:339– 343 sit. Khan, Mohd Imran *et al.*, 2010, Elevated blood lead levels and cytogenetic markers in buccal epithelial cells of painters in India, *Environ Sci Pollut res* 17:1347-1354.
- Goetz N, Lasserre P, Boré P, Kalopissis G, 1988, Percutaneous absorption of p-phenylenediamine during actual hair dyeing procedure, *Int. J. Cosmet. Sci.*, 10(2): 63-74.
- Hammam RAM, Ghareeb NSE, Arafa MHM, Atteia HHM, 2014, Genotoxicity among Hairdressers and the Level of Commitment to Occupational Safety Measures at Beauty Salons, in Zagaig City, Egypt, *ODEM* 2:19-29.
- Henry MC, Wheeler J, dan Mofenson HC, 1996, Hydrogen peroxide 3% exposures, *J Toxicol Clin Toxicol*, 34:323-7.
- Holland N, Bolognesi C, Kirsch-Volders M, Bonassi S, Zeiger E, Knasmueller S, Fenech M, 2008, The Micronucleus assay in human buccal cells as a tool for biomonitoring DNA damage: The HUMN project perspective on current status and knowledge gaps, *Mutat Res*. 659:93-108.
- Hollund BE, Moen BE, 1998, Chemical Exposure in Hairdresser Salons: Effect of Local Exhaust Ventilation, *Ann. occup. Hyg.*, 42(4):277-281.
- Huang YC, Hung WC, Kang WY, Chen WT, Chai CY, 2007, p-Phenylenediamine induced DNA damage in SV-40 immortalized human uroepithelial cells and expression of mutant p53 and COX-2 proteins, *Toxicol. Letter*, 170: 116-123.
- Hummdi LA, 2012, Histopathological Alterations in Renal Tubules of Female Rats Topically Treated with Paraphenylenediamine, *World Appl. Sci. J.*, 16 (3): 376-388.
- Hopkins JE, Manoharan A, 1985, Severe aplastic anemia following the use of hair dye: report of two cases and review of literature, *Postgrad Med J.*, 61:1003-1005.
- IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 2010, Some Aromatic Amines, Organic Dye, and Related Exposures, *WHO Press*, 99(17):499-633.
- Khan MI, Ahmad I, Mahdi AA, Akhtar MJ, Islam N, Ashquin M, Venkatesh T, 2010, Elevated blood lead levels and cytogenetic markers in buccal epithelial cells of painters in India, *Environ Sci Pollut res* 17:1347-1354.
- Kumar V, Ramzi S, Stanley L, Robbins, 2007, *Buku Ajar Patologi Robbins*, Edisi Ketujuh, Vol.1, Jakarta, EGC, h.23.
- Kumar V, Abbas AK, Aster Jon C, 2013, *Robins Basic Pathology*, Canada, Elsevier, h.9-12.
- Le Coz CJ, Lefebvre C, Keller F, Grosshans E, 2000, Allergic contact dermatitis caused by skin painting (pseudotattooing) with black henna, a mixture of henna and p-phenylenediamine and its derivatives, *Arch Dermatol*

136:1515-1517.

- Linder MC, 1992, *Biokimia Nutrisi dan Metabolisme dengan Pemakaian secara Klinis*, Jakarta, UI Press, h.33.
- Marcoux D, Riboulet-Delmas G, 1994, Efficacy and safety of hair-colouring agents, *Am J Contact Dermatitis*, 5:123-129.
- Mederos A, Sixto D, Hernandez-Molina R, Sanchiz J, Brito F, 1999, Coordinating ability of phenylenediamines, *Coordination Chemistry Reviews*, 913-939.
- Mitchell, Richard N, 2009, *Buku Saku Dasar Patologis Penyakit Robbins & Cotran*, Edisi Ketujuh, Jakarta, EGC, h.9-11.
- Moss-Salentijn L, Klyvert M, 1980, *Dental and Oral Tissues : An Introduction for Paraprofessionals in Dentistry*, Philadelphia, Lea & Febiger, h.27- 43.
- Newman MC, Clements WH, 2008, *Ecotoxicology : a comprehensive Treatment*, USA, Taylor & Francis Group, h.44.
- Nohynek GJ, Fautz R, Benech-Kieffer F, Toutain H, 2004, Toxicity and human health risk of hair dyes, *Food Chem Toxicol*, 42:517-543.
- Notoatmodjo S, 2010, *Metodologi Penelitian Kesehatan*, Jakarta, Rineka Cipta, h.127.
- Prasad NR, Rao Bitla AR, Manohar SM, Harini Devi N, Rao PVLN, 2011, A Retrospective Study on the Biochemical Profile of Self Poisoning with a Popular Indian Hair Dye, *J. Clini. Diag. Res.*, 5: 1343-1346.
- Ray MR, Basu C, Mukherjee S, Roychowdhury S, Lahiri T, 2005, Micronucleus Frequencies and Nuclear Anomalies in Exfoliated Buccal Epithelial Cells of Firefighters, *Int. J. Hum. Genet.*, 5(1): 45-48.
- Reichart PA, Philipsen HP, 2000, *Color Atlas of Dental Medicine : Oral Pathology*, Jerman, Georg Thieme Verlag, h.154
- Rhoades R, Tanner GA, 2003, *Medical Physiology*, USA, Lipincott William & Wilkins, h.3.
- Sampathkumar K, Yesudas S, 2009, Hair dye poisoning and the developing world, *J Emerg Trauma Shock* 2(2): 129-131.
- Sahay K, Mahendiratta M, Rehani S, Kumra M, Sharma R, Kardam P, 2013, Cytological artifacts masquerading interpretation, *J Cytol*; 4:241-246.
- Sherrow V, 2006, *Encyclopedia of Hair : a Cultural History*, USA, Greenwood press, h.152-155.
- Shetty S, Gokul S, 2012, Keratinization and It's Disorders, *Oman Medical Journal*, 27(5): 348-357.
- Singla S, Miglani S, Lal AK, Gupta P, Agarwal AK, 2005, Paraphenylenediamine (PPD) Poisoning, *J. Indian Academy of Clinical Medicine*, 6(3):236-238.
- Stich HF, Stich W, Parida BB, 1982, Elevated frequency of micro nucleated cells in the buccal mucosa of individuals at high risk for oral cancer: Betel quid chewers, *Cancer Lett* 17: 125-134.
- Sudiana IK, 2008, *Patobiologi Molekuler Kanker*, Jakarta, FKIK UIN, h.56.
- Suliman SM, Homeida M, Aboval O, 1983, Paraphenylenediamine induced acute tubular necrosis following hair dye ingestion, *Human Toxicol*; 2:633-5.
- Søsted H, Agner T, Andersen KE, Menne T, 2002, 55 Cases of Allergic reaction to hair dye : a descriptive, consumer complaint-based study, *Contact*

Dermatitis, 47(5):299-303.

- Søsted H, 2007, Allergic contact dermatitis to hair dye ingredients, *Thesis*, Faculty of Health Sciences, Denmark, University of Copenhagen.
- Tambayong J, 1999, *Patofisiologi untuk Keperawatan*, Jakarta, EGC, h.47.
- Tolbert PE, Shy CM, Allen JW, 1992, Micronuclei and other nuclear abnormalities in buccal smears: methods and development, *Mutant Res* 271:69-77.
- Torres-Bugarín O, Zavala-Cerna MG, Nava A, Flores-García A, Ramos IML, 2014, Potential Uses, Limitations, and Basic Procedures of Micronuclei and Nuclear Abnormalities in Buccal Cells, *Disease Markers*, 6-7.
- Underwood JCE, 1999, *Patologi Umum dan Sistematis*, Edisi Kedua, Jakarta, EGC, h.120-121.
- Verma R, Tewari N, Jaiswal S, Rastogi V, Singh D, Tiwari A, 2007, Fatal poisoning caused by oral ingestion of hair dye, *Internet J Emerg Intensive Care Med.*, 11(1):2.
- Walter P, Welcomme E, Hallegot P, 2006, Early use of PbS nanotechnology for an ancient hair dyeing formula, *Nano Lett.*, 6:2215-2219.
- Watt BE, Proudfoot AT, Vale JA, 2004, Hydrogen Peroxide Poisoning, *Toxicol Rev.*, 23 (1): 51-57.
- White IR, Anton CDG, 2001, *Cosmetics and Skin Care products : Textbook of contact dermatitis*, Jerman, Springer, h.133-137.
- Wolfram LJ, Maibach HI, 1985, Percutaneous penetration of hair dyes, *Arch Dermatol Res.*, 277(3): 235-241.