

REFERENCES

- Aleksovski, Z., Klein, M., Ten Kate, W., & Van Harmelen, F. (2006). Matching unstructured vocabularies using a background ontology. In *Managing Knowledge in a World of Networks* (pp. 182–197). Springer. Retrieved from http://link.springer.com/chapter/10.1007/11891451_18
- Arpírez, J. C., Corcho, O., Fernández-López, M., & Gómez-Pérez, A. (2001). WebODE: a scalable workbench for ontological engineering. In *Proceedings of the 1st international conference on Knowledge capture* (pp. 6–13).
- Aumueller, D., Do, H. H., Massmann, S., & Rahm, E. (2005). Schema and ontology matching with COMA++. In *Proceedings of the 2005 ACM SIGMOD international conference on Management of data* (pp. 906–908).
- Baader, F. (2003). *The description logic handbook: theory, implementation, and applications*. Cambridge Univ Pr.
- Batet, M., Sánchez, D., & Valls, A. (2011). An ontology-based measure to compute semantic similarity in biomedicine. *Journal of Biomedical Informatics*, 44(1), 118–125. <http://doi.org/10.1016/j.jbi.2010.09.002>
- Bechhofer, S., Horrocks, I., Goble, C., & Stevens, R. (2001). OilEd: a reason-able ontology editor for the semantic web. *KI 2001: Advances in Artificial Intelligence*, 396–408.
- Bernaras, A., Laresgoiti, I., & Corera, J. (1996). Building and Reusing Ontologies for Electrical Network Applications'. In *ECAI* (Vol. 96, pp. 298–302).
- Bernstein, P. A., Melnik, S., & Churchill, J. E. (2006). Incremental schema matching. In *Proceedings of the 32nd international conference on Very large data bases* (pp. 1167–1170).
- Bernstein, P. A., Melnik, S., Petropoulos, M., & Quix, C. (2004). Industrial-strength schema matching. *ACM SIGMOD Record*, 33(4), 38–43.
- Borst, W. N. (1997). *Construction of engineering ontologies for knowledge sharing and reuse*. Universiteit Twente.
- Bray, T., Paoli, J., Sperberg-McQueen, C. M., Maler, E., & Yergeau, F. (1997). Extensible markup language (XML). *World Wide Web Journal*, 2(4), 27–66.
- Brickley, D., & Guha, R. V. (2004). RDF vocabulary description language 1.0: RDF Schema, 2004. *W3C Recommendation*, 10.

Caire, G. (2002). Jade Tutorial. *Application-Defined Content Languages and Ontologies*.

Choi, N., Song, I. Y., & Han, H. (2006a). A survey on ontology mapping. *ACM Sigmod Record*, 35(3), 34–41.

Choi, N., Song, I. Y., & Han, H. (2006b). A survey on ontology mapping. *ACM Sigmod Record*, 35(3), 34–41.

Ciaramita, M., Gangemi, A., Ratsch, E., Saric, J., & Rojas, I. (2005). Unsupervised learning of semantic relations between concepts of a molecular biology ontology. In *Proceedings of the 19th international joint conference on Artificial intelligence* (pp. 659–664). Retrieved from http://sites.google.com/site/massiciera/Home/ijcai_05.pdf

Cranfield, S., & Purvis, M. (1999). UML as an Ontology Modeling Language.(1999). In *Proc. Workshop on Intelligent Information Integration, 16< sup> th</sup> International Joint Conference on Artificial Intelligence, IJCAI* (Vol. 99).

Culmone, R., Rossi, G., & Merelli, E. (2002). An ontology similarity algorithm for BioAgent. In *NETTAB Workshop on Agents in Bioinformatics* (pp. 12–14). Citeseer.

Darmoni, S. J., Thirion, B., Leroy, J.-P., Douyère, M., & Piot, J. (2001). The use of Dublin Core metadata in a structured health resource guide on the Internet. *Bulletin of the Medical Library Association*, 89(3), 297.

Derriere, S., Richard, A., & Preite-Martinez, A. (2006). An ontology of astronomical object types for the Virtual Observatory. *Proceedings of the International Astronomical Union*, 2(Highlights of Astronomy 14), 603–603. <http://doi.org/10.1017/S174392130701201X>

Doan, A. H., Madhavan, J., Dhamankar, R., Domingos, P., & Halevy, A. (2003). Learning to match ontologies on the Semantic Web. *The VLDB Journal*, 12(4), 303–319.

Doan, A. H., Madhavan, J., Domingos, P., & Halevy, A. (2004). Ontology matching: A machine learning approach. *Handbook on Ontologies*, 385–516.

Do, H.-H., & Rahm, E. (2002). COMA: a system for flexible combination of schema matching approaches. In *Proceedings of the 28th international conference on Very Large Data Bases* (pp. 610–621). Retrieved from <http://dl.acm.org/citation.cfm?id=1287422>

Domingue, J. (1998). Tadzebao and WebOnto: Discussing, browsing, and editing ontologies on the web.

Domingue, J., Motta, E., & Garcia, O. C. (1999). Knowledge Modelling in WebOnto and OCML: A User Guide. *URL Link: [Http://kmi. Open. Ac. Uk/projects/webonto](Http://kmi.Open.Ac.Uk/projects/webonto)*.

Ehrig, M., & Staab, S. (2004). QOM–quick ontology mapping. *The Semantic Web–ISWC 2004*, 683–697.

Ehrig, M., & Sure, Y. (2005). FOAM-framework for ontology alignment and mapping-results of the ontology alignment evaluation initiative. In *Workshop on integrating ontologies* (Vol. 156, pp. 72–76). Retrieved from http://www.iwayan.info/Research/Ontology/Papers_Research/OntoMapping/MethodEvaluationOntoMatch/IntegrateOnto2005proceedings.pdf#page=74

Elkan, C., & Greiner, R. (2006). Building large knowledge-based systems: representation and inference in the Cyc project. *Artificial Intelligence*, 61(1), 41–52.

Fagin, R., Haas, L., Hernández, M., Miller, R., Popa, L., & Velegrakis, Y. (2009). Clio: Schema mapping creation and data exchange. *Conceptual Modeling: Foundations and Applications*, 198–236.

Falconer, S. M. (2009). *Cognitive support for semi-automatic ontology mapping*. University of Victoria.

Farquhar, A., Fikes, R., Pratt, W., & Rice, J. (1995). Collaborative ontology construction for information integration. *Technique Reports of Knowledge Systems Laboratory, Department of Computer Science, KSL-95*, 63.

Farquhar, A., Fikes, R., & Rice, J. (1997a). The ontolingua server: A tool for collaborative ontology construction. *International Journal of Human-Computers Studies*, 46(6), 707–727.

Farquhar, A., Fikes, R., & Rice, J. (1997b). The ontolingua server: A tool for collaborative ontology construction. *International Journal of Human-Computers Studies*, 46(6), 707–727.

Fellbaum, C. (2010). WordNet. *Theory and Applications of Ontology: Computer Applications*, 231–243.

Fensel, D. (2004). *Ontologies: a silver bullet for knowledge management and electronic commerce*. Springer Verlag.

Fensel, D., Horrocks, I., Van Harmelen, F., Decker, S., Erdmann, M., & Klein, M. (2000). OIL in a nutshell. *Knowledge Engineering and Knowledge Management Methods, Models, and Tools*, 137–154.

Fernández, M., Gómez-Pérez, A., Pazos, J., & Pazos, A. (1999). Building a chemical ontology using methontology and the ontology design environment. *IEEE Intelligent Systems*, 14(1), 37–46.

Fox, M. S., & Gruninger, M. (1997). On ontologies and enterprise modelling. In *International Conference on Enterprise Integration Modelling Technology* (Vol. 97).

Gao, W., & Liang, L. (2012). Ontology similarity measure by optimizing NDCG measure and application in physics education. In *Future Communication, Computing, Control and Management* (pp. 415–421). Springer. Retrieved from http://link.springer.com/chapter/10.1007/978-3-642-27314-8_56

Genesereth, M. R., Fikes, R. E., & Computer Science Department, S. U. (1992). Knowledge interchange format-version 3.0: reference manual.

Goh, C. H. (1996). *Representing and reasoning about semantic conflicts in heterogeneous information systems*. Massachusetts Institute of Technology.

Granell, C., Lemmens, R., Gould, M., Wytzisk, A., de By, R., & van Oosterom, P. (2006). Integrating semantic and syntactic descriptions to chain geographic services. *Internet Computing, IEEE*, 10(5), 42–52.

Gruber, T. (2008). What is an Ontology. *Encyclopedia of Database Systems*, 1.

Gruber, T. R. (1993). A translation approach to portable ontology specifications. *Knowledge Acquisition*, 5, 199–199.

Gruber, T. R. (1995). Toward principles for the design of ontologies used for knowledge sharing. *International Journal of Human Computer Studies*, 43(5), 907–928.

Grüniger, M., & Fox, M. S. (1995). Methodology for the Design and Evaluation of Ontologies.

Gruninger, M., Schlenoff, C., Knutilla, A., & Ray, S. (1997). Using process requirements as the basis for the creation and evaluation of process ontologies for enterprise modeling. *ACM SIGGROUP Bulletin Special Issue on Enterprise Modelling*, 18(3).

Guarino, N. (1997). Semantic matching: Formal ontological distinctions for information organization, extraction, and integration. *Information Extraction A Multidisciplinary Approach to an Emerging Information Technology*, 139–170.

Guarino, N. (1998). *Formal ontology in information systems: proceedings of the first international conference (FOIS'98), June 6-8, Trento, Italy* (Vol. 46). Ios Pr Inc.

Gupta, A., Ludäscher, B., & Moore, R. W. (2002). Ontology services for curriculum development in NSDL. In *Proceedings of the 2nd ACM/IEEE-CS joint conference on Digital libraries* (pp. 219–220). Retrieved from <http://dl.acm.org/citation.cfm?id=544266>

Hakimpour, F., & Geppert, A. (2001). Resolving semantic heterogeneity in schema integration. In *Proceedings of the international conference on Formal Ontology in Information Systems-Volume 2001* (pp. 297–308).

Hakimpour, F., & Timpf, S. (2001). Using ontologies for resolution of semantic heterogeneity in GIS. In *4th AGILE Conference on Geographic Information Science*.

Harvey, F., Kuhn, W., Pundt, H., Bishr, Y., & Riedemann, C. (1999). Semantic interoperability: A central issue for sharing geographic information. *The Annals of Regional Science*, 33(2), 213–232.

Heflin, J., & Hendler, J. (2000). *Semantic interoperability on the web*. Citeseer.

Heflin, J., Hendler, J., & Luke, S. (1999). SHOE: A knowledge representation language for internet applications.

Horrocks, I., & others. (2002). DAML+OIL: A Description Logic for the Semantic Web. *IEEE Data Engineering Bulletin*, 25(1), 4–9.

Ichise, R. (2010). AN ANALYSIS OF MULTIPLE SIMILARITY MEASURES FOR ONTOLOGY MAPPING PROBLEM. *International Journal of Semantic Computing*, 04(01), 103–122. <http://doi.org/10.1142/S1793351X1000095X>

Jasper, R., Uschold, M., & others. (1999). A framework for understanding and classifying ontology applications. In *Proceedings 12th Int. Workshop on Knowledge Acquisition, Modelling, and Management KAW* (Vol. 99, pp. 16–21).

Jean-Mary, Y. R., Shironoshita, E. P., & Kabuka, M. R. (2009). Ontology matching with semantic verification. *Web Semantics: Science, Services and Agents on the World Wide Web*, 7(3), 235–251.

Jean-Mary, Y. R., Shironoshita, E. P., & Kabuka, M. R. (2010). ASMOV: Results for OAEI 2010. *Ontology Matching*, 126.

Jones, M. B., Schildhauer, M. P., Reichman, O. J., & Bowers, S. (2006). The new bioinformatics: integrating ecological data from the gene to the biosphere. *Annual Review of Ecology, Evolution, and Systematics*, 519–544.

Kalfoglou, Y., & Schorlemmer, M. (2003). Ontology mapping: the state of the art. *The Knowledge Engineering Review*, 18(01), 1–31.

Karp, P. D., Chaudhri, V. K., & Thomere, J. (1999). XOL: An XML-based ontology exchange language. *Version 0.3, July, 3, 25*.

Kifer, M., Lausen, G., & Wu, J. (1995). Logical foundations of object-oriented and frame-based languages. *Journal of the ACM (JACM)*, 42(4), 741–843.

Kim, W., & Seo, J. (1991). Classifying schematic and data heterogeneity in multidatabase systems. *Computer*, 24(12), 12–18.

Kruk, S. R., Synak, M., & Zimmermann, K. (2005). Marcont-integration ontology for bibliographic description formats. In *Proceedings of the International Conference on Dublin Core and Metadata Applications (DC-2005), Madrid, Spain*.

Lambrix, P., & Tan, H. (2006). Sambo—A system for aligning and merging biomedical ontologies. *Web Semantics: Science, Services and Agents on the World Wide Web*, 4(3), 196–206.

Lambrix, P., Tan, H., & Liu, Q. (2008). SAMBO and SAMBOdtf results for the ontology alignment evaluation initiative 2008. In *Proceedings of the Third International Workshop on Ontology Matching* (pp. 190–198). Retrieved from <http://oaei.ontologymatching.org/doc/Proceedings-OM-2008.pdf#page=201>

Lassila, O., & McGuinness, D. (2001). The role of frame-based representation on the semantic web. *Linköping Electronic Articles in Computer and Information Science*, 6(5), 2001.

Lassila, O., Swick, R. R., & others. (1998). Resource description framework (RDF) model and syntax specification.

Lau, A., Tsui, E., & Lee, W. B. (2009). An ontology-based similarity measurement for problem-based case reasoning. *Expert Systems with Applications*, 36(3, Part 2), 6574–6579. <http://doi.org/10.1016/j.eswa.2008.07.033>

Lemmens, R., & de Vries, M. (2004). Semantic description of location based web services using an extensible location ontology. In *Proceedings of Münster GI-days* (pp. 261–276).

Lemmens, R. L. (2006). Semantic interoperability of distributed geo-services.

Lenzerini, M. (2002). Data integration: A theoretical perspective. In *Proceedings of the twenty-first ACM SIGMOD-SIGACT-SIGART symposium on Principles of database systems* (pp. 233–246).

Li, J., Tang, J., Li, Y., & Luo, Q. (2009). RiMOM: A dynamic multistrategy ontology alignment framework. *Knowledge and Data Engineering, IEEE Transactions on*, 21(8), 1218–1232.

MacGregor, R., & Brill, D. (1992). Recognition algorithms for the LOOM classier. In *Proc. of AAAI* (Vol. 92, pp. 774–779).

Madhavan, J., Bernstein, P. A., & Rahm, E. (2001). Generic schema matching with cupid. In *Proceedings of the International Conference on Very Large Data Bases* (pp. 49–58).

Maedche, A., & Staab, S. (2002). Measuring similarity between ontologies. In *Knowledge engineering and knowledge management: Ontologies and the semantic web* (pp. 251–263). Springer. Retrieved from http://link.springer.com/chapter/10.1007/3-540-45810-7_24

Malucelli, A., & others. (2006). Ontology-based services for agents interoperability. *Faculdade de Engenharia, Universidade Do Porto, Porto*.

Malucelli, A., Palzer, D., & Oliveira, E. (2006). Ontology-based Services to help solving the heterogeneity problem in e-commerce negotiations. *Electronic Commerce Research and Applications*, 5(1), 29–43.

McGuinness, D. L., Van Harmelen, F., & others. (2004). OWL web ontology language overview. *W3C Recommendation*, 10, 2004–03.

Miller, G. A., Beckwith, R., Fellbaum, C., Gross, D., & Miller, K. J. (1990). Introduction to wordnet: An on-line lexical database*. *International Journal of Lexicography*, 3(4), 235–244.

Noy, N. F. (2009). Ontology mapping. *Handbook on Ontologies*, 573–590.

Noy, N. F., Crubézy, M., Fergerson, R. W., Knublauch, H., Tu, S. W., Vendetti, J., & Musen, M. A. (2003). Protégé-2000: An Open-Source Ontology-Development and Knowledge-Acquisition Environment: AMIA 2003 Open Source Expo. In *AMIA Annual Symposium Proceedings* (Vol. 2003, p. 953).

Noy, N., Fergerson, R., & Musen, M. (2000). The knowledge model of Protege-2000: Combining interoperability and flexibility. *Knowledge Engineering and Knowledge Management Methods, Models, and Tools*, 69–82.

Noy, N. F., & Klein, M. (2004). Ontology evolution: Not the same as schema evolution. *Knowledge and Information Systems*, 6(4), 428–440.

Noy, N. F., McGuinness, D. L., & others. (2001). *Ontology development 101: A guide to creating your first ontology*. Stanford knowledge systems laboratory technical report KSL-01-05 and Stanford medical informatics technical report SMI-2001-0880.

Noy, N. F., & Musen, M. A. (2000). Algorithm and tool for automated ontology merging and alignment. In *Proceedings of the 17th National Conference on Artificial Intelligence (AAAI-00)*. Available as SMI technical report SMI-2000-0831.

Noy, N. F., & Musen, M. A. (2003). The PROMPT suite: interactive tools for ontology merging and mapping. *International Journal of Human-Computer Studies*, 59(6), 983–1024.

Ouksel, A. M., & Sheth, A. (1999). Semantic interoperability in global information systems. *ACM Sigmod Record*, 28(1), 5–12.

Pease, A., Niles, I., & Li, J. (2002). The suggested upper merged ontology: A large ontology for the semantic web and its applications. In *Working Notes of the AAAI-2002 Workshop on Ontologies and the Semantic Web* (Vol. 28).

Pedersen, T., Patwardhan, S., & Michelizzi, J. (2004). WordNet:: Similarity: measuring the relatedness of concepts. In *Demonstration Papers at HLT-NAACL 2004* (pp. 38–41).

Pérez, J., Arenas, M., & Gutierrez, C. (2006). Semantics and Complexity of SPARQL. In I. Cruz, S. Decker, D. Allemang, C. Preist, D. Schwabe, P. Mika, ... L. M. Aroyo (Eds.), *The Semantic Web - ISWC 2006* (Vol. 4273, pp. 30–43). Berlin, Heidelberg: Springer Berlin Heidelberg. Retrieved from <http://www.springerlink.com/content/p14356kpx6631057/>

Pinto, F. (2009). Database marketing intelligence methodology supported by ontologies and knowledge discovery in databases.

Pinto, H. S., Gómez-Pérez, A., & Martins, J. P. (1999). Some issues on ontology integration.

Pinto, H. S., & Martins, J. P. (2001). A methodology for ontology integration. In *Proceedings of the 1st international conference on Knowledge capture* (pp. 131–138).

Pinto, H. S., & Peralta, D. N. (2003). Combining ontology engineering subprocesses to build a time ontology. In *Proceedings of the 2nd international conference on Knowledge capture* (pp. 88–95).

Prieto-León, L. M. (2006). Ontology mapping for discovery of geographical services.

Ram, S., & Park, J. (2004). Semantic Conflict Resolution Ontology (SCROL): An ontology for detecting and resolving data and schema-level semantic conflicts. *Knowledge and Data Engineering, IEEE Transactions on*, 16(2), 189–202.

Schulze-Kremer, S. (1998). Ontologies for molecular biology. In *Pac Symp Biocomput* (Vol. 3, pp. 695–706). Retrieved from http://pdf.aminer.org/000/873/481/ontologies_for_molecular_biology.pdf

Sheth, A. P. (1999). Changing Focus on Interoperability in Information Systems: From System, Syntax, Structure to Semantics. In M. Goodchild, M. Egenhofer, R. Fegeas, & C. Kottman (Eds.), *Interoperating Geographic Information Systems* (pp. 5–29). Springer US. Retrieved from http://link.springer.com/chapter/10.1007/978-1-4615-5189-8_2

Sowa, J. F., & others. (2000). *Knowledge representation: logical, philosophical, and computational foundations* (Vol. 511). MIT Press.

Staab, S. (2009). *Handbook on ontologies*. Springer Verlag.

Stojanovic, L., Stojanovic, N., & Ma, J. (2007). An approach for combining ontology learning and semantic tagging in the ontology development process: eGovernment use case. *Web Information Systems Engineering—WISE 2007*, 249–260.

Sure, Y., Erdmann, M., Angele, J., Staab, S., Studer, R., & Wenke, D. (2002). OntoEdit: Collaborative ontology development for the semantic web. *The Semantic Web—ISWC 2002*, 221–235.

Su, X., & Gulla, J. (2004). Semantic enrichment for ontology mapping. *Natural Language Processing and Information Systems*, 21–44.

Su, X., & Gulla, J. A. (2006). An information retrieval approach to ontology mapping, *58*(1), 47–69.

Šváb-Zamazal, O. (2010). *Pattern-based Ontology Matching and Ontology Alignment Evaluation*. University of Economics.

Tan, H., & Lambrix, P. (2007). SAMBO results for the ontology alignment evaluation initiative 2007. In *Proceedings of the Second International Workshop on Ontology Matching* (pp. 236–243). Retrieved from <http://reverse.net/publications/download/REWERSE-RP-2007-106.pdf>

Thalheim, B. (1991). *Dependencies in relational databases*. Teubner.

Thalheim, B. (2000). *Entity-relationship modeling: foundations of database technology*. Springer-Verlag New York Inc.

Thompson, J. N., Reichman, O. J., Morin, P. J., Polis, G. A., Power, M. E., Sterner, R. W., ... Hooper, D. U. (2001). Frontiers of Ecology: As ecological research enters a new era of collaboration, integration, and technological sophistication, four frontiers seem paramount for understanding how biological and physical processes interact

over multiple spatial and temporal scales to shape the earth's biodiversity. *BioScience*, 51(1), 15–24.

United Nation. (2005). Poverty Reduction | UNDP. Retrieved November 30, 2011, from <http://www.beta.undp.org/content/undp/en/home/ourwork/povertyreduction/overview.html>

Uschold, M., & Gruninger, M. (1996). Ontologies: Principles, methods and applications. *Knowledge Engineering Review*, 11(2), 93–136.

Uschold, M., & King, M. (1995). Towards a methodology for building ontologies. In *Workshop on Basic Ontological Issues in Knowledge Sharing* (Vol. 80, pp. 275–280).

Van Heijst, G., Schreiber, A. T., & Wielinga, B. J. (1997). Using explicit ontologies in KBS development. *International Journal of Human Computer Studies*, 46, 183–292.

Wang, P., & Xu, B. (2008). Lily: ontology alignment results for OAEI 2008. In *Proceedings of the Third International Workshop on Ontology Matching* (pp. 167–175). Retrieved from <http://130.203.133.150/viewdoc/download?doi=10.1.1.142.8474&rep=rep1&type=pdf#page=178>

Wick, M., Rohanimanesh, K., Schultz, K., & McCallum, A. (2008). A unified approach for schema matching, coreference and canonicalization. *KDD, Las Vegas, Nevada*.

Xue, Y. (2010). *Ontological View-driven Semantic Integration in Open Environments*. The University of Western Ontario.