

REFERENCES

- [1] B. Pierre-Jean, "The Navigation and Control Technology Inside the AR.Drone Micro UAV," B. Sergio, Ed., Aug. 2011, pp. 1477–1484.
- [2] M. Norouzi, M. Yaghobi, M. Siboni, and M. Jadaliha, "Recursive line extraction algorithm from 2d laser scanner applied to navigation a mobile robot." IEEE, Feb. 2009, pp. 2127–2132.
- [3] J. Desai, J. Ostrowski, and V. Kumar, "Controlling formations of multiple mobile robots," vol. 4. IEEE, 1998, pp. 2864–2869.
- [4] M. Bachelard, *World's worst illegal logging in Indonesia*, Jun. 2014.
- [5] O. Tamindael, *Indonesia committed towards eradicating illegal fishing*, Jan. 2015.
- [6] R. Sukma, "Indonesia's Security Outlook, Defence Policy and Regional Co-operation.".
- [7] N. Erratt and Y. Liang, "The design and implementation of a general WSN gateway for data collection." IEEE, Apr. 2013, pp. 4392–4397.
- [8] Y. Dai, S. Lee, Y.-G. Kim, and S.-G. Wee, "A switching formation strategy for obstacle avoidance of multi-robot system." IEEE, Jun. 2014, pp. 457–462.
- [9] A. Guillet, R. Lenain, B. Thuilot, and P. Martinet, "Adaptable Robot Formation Control: Adaptive and Predictive Formation Control of Autonomous Vehicles," *IEEE Robotics & Automation Magazine*, vol. 21, no. 1, pp. 28–39, Mar. 2014.
- [10] H. Duan, Q. Luo, Y. Shi, and G. Ma, "Hybrid Particle Swarm Optimization and Genetic Algorithm for Multi-UAV Formation Reconfiguration," *IEEE Computational Intelligence Magazine*, vol. 8, no. 3, pp. 16–27, Aug. 2013.
- [11] J. Engel, J. Sturm, and D. Cremers, "Camera-based navigation of a low-cost quadrocopter." IEEE, Oct. 2012, pp. 2815–2821.
- [12] M. Antunes, J. Barreto, C. Premebida, and U. Nunes, "Can stereo vision replace a Laser Rangefinder?" IEEE, Oct. 2012, pp. 5183–5190.
- [13] H. Dong, W. Li, J. Zhu, and S. Duan, "The Path Planning for Mobile Robot Based on Voronoi Diagram." IEEE, Nov. 2010, pp. 446–449.
- [14] J. Bruce and M. Veloso, "Real-time randomized path planning for robot navigation," vol. 3. IEEE, 2002, pp. 2383–2388.
- [15] O. Khatib, "Real-time obstacle avoidance for manipulators and mobile robots," vol. 2. Institute of Electrical and Electronics Engineers, 1985, pp. 500–505.

- [16] Qian Jia and Xingsong Wang, "An improved potential field method for path planning." IEEE, May 2010, pp. 2265–2270.
- [17] Il-Kyun Jung, Ki-Bum Hong, Suk-Kyo Hong, and Soon Chan Hong, "Path planning of mobile robot using neural network," vol. 3. IEEE, 1999, pp. 979–983.
- [18] Z. Chibin, W. Xingsong, and D. Yong, "Complete Coverage Path Planning Based on Ant Colony Algorithm." IEEE, Dec. 2008, pp. 357–361.
- [19] T. Balch and M. Hybinette, "Behavior-based coordination of large-scale robot formations." IEEE Comput. Soc, 2000, pp. 363–364.
- [20] P. Stein, A. Spalanzani, C. Laugier, and V. Santos, "Leader selection and following in dynamic environments." IEEE, Dec. 2012, pp. 124–129.
- [21] N. Michael, M. M. Zavlanos, V. Kumar, and G. J. Pappas, "Distributed multi-robot task assignment and formation control." IEEE, May 2008, pp. 128–133.
- [22] A. A. A. Rizqi, A. I. Cahyadi, and T. B. Adji, "Path planning and formation control via potential function for UAV Quadrotor." IEEE, Jun. 2014, pp. 165–170.
- [23] M. V. Cook, *Flight dynamics principles: [a linear systems approach to aircraft stability and control]*, 2nd ed., ser. Elsevier aerospace engineering series. Oxford [UK] ; Burlington, MA: Butterworth-Heinemann/Elsevier, 2007.
- [24] R. Mahony, V. Kumar, and P. Corke, "Multirotor Aerial Vehicles: Modeling, Estimation, and Control of Quadrotor," *IEEE Robotics & Automation Magazine*, vol. 19, no. 3, pp. 20–32, Sep. 2012.
- [25] T. Dierks and S. Jagannathan, "Output Feedback Control of a Quadrotor UAV Using Neural Networks," *IEEE Transactions on Neural Networks*, vol. 21, no. 1, pp. 50–66, Jan. 2010.
- [26] D. Abeywardena, S. Kodagoda, G. Dissanayake, and R. Munasinghe, "Improved State Estimation in Quadrotor MAVs: A Novel Drift-Free Velocity Estimator," *IEEE Robotics & Automation Magazine*, vol. 20, no. 4, pp. 32–39, Dec. 2013.
- [27] D. Li, Q. Li, N. Cheng, Q. Wu, J. Song, and L. Tang, "Combined RGBD-inertial based state estimation for MAV in GPS-denied indoor environments." IEEE, Jun. 2013, pp. 1–8.
- [28] M. Orsag and S. Bog, "Influence of Forward and Descent Flight on Quadrotor Dynamics," in *Recent Advances in Aircraft Technology*, R. Agarwal, Ed. InTech, Feb. 2012.

- [29] J.-S. Pleban, R. Band, and R. Creutzburg, "Hacking and securing the AR.Drone 2.0 quadcopter: Investigations for improving the security of a toy," R. Creutzburg and D. Akopian, Eds., Feb. 2014, p. 90300L.
- [30] A. Masselli, S. Yang, K. E. Wenzel, and A. Zell, "A cross-platform comparison of visual marker based approaches for autonomous flight of quadcopters." IEEE, May 2013, pp. 685–693.
- [31] B. J. N. Guerreiro, P. Batista, C. Silvestre, and P. Oliveira, "Globally Asymptotically Stable Sensor-Based Simultaneous Localization and Mapping," *IEEE Transactions on Robotics*, vol. 29, no. 6, pp. 1380–1395, Dec. 2013.
- [32] E. Schulenburg, T. Weigel, and A. Kleiner, "Self-localization in dynamic environments based on laser and vision data," vol. 1. IEEE, 2003, pp. 998–1004.
- [33] D. Scaramuzza, A. Harati, and R. Siegwart, "Extrinsic self calibration of a camera and a 3d laser range finder from natural scenes." IEEE, Oct. 2007, pp. 4164–4169.
- [34] N. Koenig and A. Howard, "Design and use paradigms for gazebo, an open-source multi-robot simulator," vol. 3. IEEE, 2004, pp. 2149–2154.
- [35] G. A. Borges and M.-J. Aldon, "Line Extraction in 2d Range Images for Mobile Robotics," *Journal of Intelligent and Robotic Systems*, vol. 40, no. 3, pp. 267–297, Jul. 2004.
- [36] J. Perez, J. Castellanos, J. Montiel, J. Neira, and J. Tardos, "Continuous mobile robot localization: vision vs. laser," vol. 4. IEEE, 1999, pp. 2917–2923.
- [37] J. Vandorpe, H. Van Brussel, and H. Xu, "Exact dynamic map building for a mobile robot using geometrical primitives produced by a 2d range finder," vol. 1. IEEE, 1996, pp. 901–908.
- [38] R. Vazquez-Martin, P. Nunez, J. del Toro, A. Bandera, and F. Sandoval, "Simultaneous mobile robot localization and mapping using an adaptive curvature-based environment description." IEEE, May 2008, pp. 343–349.
- [39] D. Graovac, S. Juric-Kavelj, and I. Petrovic, "Mobile robot pose tracking by correlation of laser range finder scans in Hough domain." Budapest, Hungary: IEEE, Jun. 2010, pp. 273–278.
- [40] B. Giesler, R. Graf, R. Dillmann, and C. Weiman, "Fast mapping using the log-Hough transformation," vol. 3. IEEE, 1998, pp. 1702–1707.
- [41] D. Halliday, *Fundamentals of physics*, 6th ed. New York: John Wiley & Sons, 2001.

- [42] J. Sfeir, M. Saad, and H. Saliyah-Hassane, "An improved Artificial Potential Field approach to real-time mobile robot path planning in an unknown environment." *IEEE*, Sep. 2011, pp. 208–213.
- [43] A. Hussein and A. Elnagar, "Motion planning using Maxwell's equations," vol. 3. *IEEE*, 2002, pp. 2347–2352.
- [44] Xiaoping Yun and Ko-Cheng Tan, "A wall-following method for escaping local minima in potential field based motion planning." *IEEE*, 1997, pp. 421–426.
- [45] J. Borenstein and Y. Koren, "Real-time obstacle avoidance for fast mobile robots," *IEEE Transactions on Systems, Man, and Cybernetics*, vol. 19, no. 5, pp. 1179–1187, Sep. 1989.
- [46] Yang Quan Chen and Zhongmin Wang, "Formation control: a review and a new consideration." *IEEE*, 2005, pp. 3181–3186.
- [47] N. Leonard and E. Fiorelli, "Virtual leaders, artificial potentials and coordinated control of groups," vol. 3. *IEEE*, 2001, pp. 2968–2973.
- [48] Meng Ji, A. Muhammad, and M. Egerstedt, "Leader-based multi-agent coordination: controllability and optimal control." *IEEE*, 2006, p. 6 pp.
- [49] Kar-Han Tan and M. Lewis, "Virtual structures for high-precision cooperative mobile robotic control," vol. 1. *IEEE*, 1996, pp. 132–139.
- [50] R. Beard, J. Lawton, and F. Hadaegh, "A coordination architecture for spacecraft formation control," *IEEE Transactions on Control Systems Technology*, vol. 9, no. 6, pp. 777–790, Nov. 2001.
- [51] T. Balch and M. Hybinette, "Social potentials for scalable multi-robot formations," vol. 1. *IEEE*, 2000, pp. 73–80.
- [52] Yu-Cheng Chen and Yin-Tien Wang, "Dynamic role assignment algorithm for robot formation control." *IEEE*, 2007, pp. 1–6.
- [53] J. H. Reif and H. Wang, "Social potential fields: A distributed behavioral control for autonomous robots." *Robotics and Autonomous Systems*, vol. 27, no. 3, pp. 171–194, 2006.
- [54] R. Olfati-Saber, "Flocking for Multi-Agent Dynamic Systems: Algorithms and Theory," *IEEE Transactions on Automatic Control*, vol. 51, no. 3, pp. 401–420, Mar. 2006.
- [55] K. Listmann, M. Masalawala, and J. Adamy, "Consensus for formation control of nonholonomic mobile robots." *IEEE*, May 2009, pp. 3886–3891.
- [56] P.-C. Zhou and A. Liu, "A role allocation method for cooperative agents in robotic soccer games." *IEEE*, Dec. 2013, pp. 210–215.