



REFERENCES

- Ahmad, M.M., Salim-Ur-Rehman, Iqbal, Z., Anjum, F.M., Sultan, J.I., 2006. Genetic variability to essential oil composition in four citrus fruit species. *Pak. J. Bot.* 38: 319-324.
- Akao, T., Mizuki, E., Saito, H., Okumura, S., 1992. The methane fermentation of *Citrus unshu* peel pretreated with fungus enzymes. *Bioresour. technol.* 41: 35-39.
- Apriyantono, A., Nugroho, St. A., 1996. Ekstraksi dan karakterisasi minyak kulit jeruk Pontianak (*Citrus nobilis* var. *microcarpa*). *Bul. Tek. Ind. Pangan* 7: 10-15.
- Bates, R.P., Morris, J.R., Crandall, P.G., 2001. *Principles and practices of small- and medium-scale fruit juice processing*. Food and Agriculture Organization of the United Nations, Rome.
- Boluda-Aguilar, M., López-Gómez, A., 2013. Production of bioethanol by fermentation of lemon (*Citrus limon* L.) peel wastes pretreated with steam explosion. *Ind. Crop. Prod.* 41: 188-197.
- BPS, 2014. *Perkembangan beberapa indikator utama sosial-ekonomi Indonesia, Agustus 2014*. Badan Pusat Statistik, Jakarta.
- Cheong, M.W., Chong, Z.S., Liu, S.Q., Zhou, W., Curran, P., Yu, B., 2012. Characterisation of calamansi (*Citrus microcarpa*). Part I: volatiles, aromatic profiles and phenolic acids in the peel. *Food Chem.* 134: 686-695.
- Deublein, D., Steinhauser, A., 2008. *Biogas from waste and renewable resources: An introduction*. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim.
- Fischer, A., Schieberle, P., 2009. Characterisation of the key aroma compounds in the peel oil of Pontianak oranges (*Citrus nobilis* Lour. var. *microcarpa* Hassk.) by aroma reconstitution experiments. *Eur. Food Res. Technol.* 229: 319-328.
- Fisher, K., Phillips, C., 2008. Potential antimicrobial uses of essential oils in food: Is citrus the answer? *Trends Food Sci. Technol.* 19: 156-164.
- Guenther, E., 1948. *The production of essential oils: Methods of distillation, enfleurage, maceration, and extraction with volatile solvents*, in: Guenther, E. (Ed.), *The essential oils, first vol.* D. Van Nostrand Company, Inc., New York, pp. 85-226.



- Gunaseelan, V.N., 2004. Biochemical methane potential of fruits and vegetable solid waste feedstocks. *Biomass Bioenergy* 26: 389-399.
- Hansen, T.L., Schmidt, J.E., Angelidaki, I., Marca, E., Jansen, J.C., Mosbæk, H., Christensen, T.H., 2004. Method for determination of methane potentials of solid organic waste. *Waste Manag.* 24: 393-400.
- Kurniawan, A., Kurniawan, C., Indraswati, N., Mudjijati, 2008. Ekstraksi minyak kulit jeruk dengan metode distilasi, pengepresan, dan *leaching*. *Widya Tek.* 7: 15-24.
- Marín, F.R., Soler-Rivas, C., Benavente-García, O., Castillo, J., Pérez-Alvarez, J.A., 2007. By-products from different citrus processes as a source of customized functional fibres. *Food Chem.* 100: 736-741.
- Martín, M.A., Siles, J.A., Chica, A.F., Martín, A., 2010. Biomethanization of orange peel waste. *Bioresour. Technol.* 101: 8993-8999.
- Mizuki, E., Akao, T., Saruwatari, T., 1990. Inhibitory effect of *Citrus unshu* peel on anaerobic digestion. *Biol. Waste* 33: 161-168.
- Muhtadin, A.F., Wijaya, R., Prihatini, P., Mahfud, 2013. Pengambilan minyak atsiri dari kulit jeruk segar dan kering dengan menggunakan metode *steam distillation*. *J. Tek. POMITS* 2: 98-101.
- NLM (United States National Library of Medicine), 2006. Limonene, CASRN: 138-86-3. <http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~0Lj0tz:1>, accessed on November 4th, 2014.
- NLM (United States National Library of Medicine), 2009a. Alpha-Pinene, CASRN: 80-56-8. <http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~6aake6:1>, accessed on November 4th, 2014.
- NLM (United States National Library of Medicine), 2009b. Linalool, CASRN: 78-70-6. <http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~ZUvPO4:1>, accessed on November 4th, 2014.
- NLM (United States National Library of Medicine), 2012. Myrcene, CASRN: 123-35-3. <http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~RyPySh:1>, accessed on November 4th, 2014.
- Nurrihadini, O.D., 2009. Karakterisasi sampah pasar buah “Gemah Ripah” Yogyakarta sebagai bahan baku produksi biogas. *Skripsi*, Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Ruiz, B., Flotats, X., 2014. Citrus essential oils and their influence on the anaerobic digestion process: An overview. *Waste Manag.* 34: 2063-2079.



- Shahidi, F., Zhong, Y., 2005. *Citrus oils and essences*, in: Shahidi, F. (Ed.), *Bailey's industrial oil and fat products, sixth ed.* John Wiley & Sons, Inc., New York, pp. 49-66.
- Sluiter, A., Hames, B., Hyman, D., Payne, C., Ruiz, R., Scarlata, C., Sluiter, J., Templeton, D., Wolfe, J., 2008. Determination of total solids in biomass and total dissolved solids in liquid process samples: Laboratory analytical procedure. *Technical Report of National Renewable Energy Laboratory NREL/TP-510-42621*, <http://www.nrel.gov/biomass/pdfs/42621.pdf>.
- Sluiter, A., Hames, B., Ruiz, R., Scarlata, C., Sluiter, J., Templeton, D., 2005. Determination of ash in biomass: Laboratory analytical procedure. *Technical Report of National Renewable Energy Laboratory NREL/TP-510-42622*, <http://www.nrel.gov/biomass/pdfs/42622.pdf>.
- Srilatha, H.R., Nand, K., Babu, K.S., Madhukara, K., 1995. Fungal pretreatment of orange processing waste by solid-state fermentation for improved production of methane. *Process Biochem.* 30: 327-331.
- Suparlan, Supriyanto, Gultom, R.J., Mardison, 2007. Rekayasa mesin distilasi vakum untuk ekstraksi minyak kulit jeruk. *J. Enj. Pertan.* 6: 41-50.
- Thomas, A.F., Bessière, Y., 1989. Limonene. *Nat. Prod. Rep.* 6: 291-309.
- Wikandari, R., Nguyen, H., Millati, R., Niklasson, C., Taherzadeh, M.J., 2014. Improvement of biogas production from orange peel waste by leaching of limonene. *BioMed Res. Int.* 494182, <http://www.hindawi.com/journals/bmri/aa/494182/>.