

DAFTAR PUSTAKA

- ADA (2012). Diagnosis and classification of diabetes mellitus. *Diabetes care*, 35(1):64-71.
- Akpan, J.O., Wright, P.H., Dulin, W.E. (1987). A comparison of the effects of streptozotocin, N-methylnitrosourea and alloxan on isolated islets of Langerhans, *Diabetes & Metabolism*, 13(2):122-128.
- Alyaqoubi, S., Abdullah, A., Samudi, M. (2014). Effect of different factors on Goat milk antioxidant activity. *Int J ChemTech Res*, 6(5):3191-96.
- Anderson, J.W. (1999). Cardiovascular and renal benefits of dry bean and soybean intake. *Am J Clin Nutr*, 70(3):464s-474s
- Anosike, C.A., Obidoa, O., Ezeanyika L.U.S. (2008). Beneficial Effect of Soybean Diet on Serum Marker Enzymes, Lipid Profile and Relative Organ Weight of Wistar Rats. *Pakistan J of Nutr*, 7(6):817-22.
- Aristya, A.L., Legowo, A.M., Al-Baarri, A.N. (2013). Karakteristik fisik, kimia dan mikrobiologis kefir susu kambing dengan penambaha jenis dan konsentrasi gula yang berbeda. *Jurnal aplikasi teknologi pangan*, 2(3):139-43.
- Azadbakht, L. (2008). Soy protein intake, cardiorenal indices, and C-reactive protein in type 2 diabetes with nephropathy. *Diabetes care*, 31:648-54
- Azadbakht, L., Kimiagar, M., Mehrabi, Y., Esmailzadeh, A., Hu, F.B., Willet, W.C. (2007). Dietary soya intake alters plasma antioxidant status and lipid peroxidation in postmenopausal women with the metabolic syndrome. *British J of Nutr*, 98:807-13.
- Badeau, M. (2008). Genistein And 17 β -estradiol Fatty Acid Esters And The Structure related Antioxidant Activity Of Estrogens On Lipoproteins. [Dissertation]. Helsinki. The Faculty of Medicine, University of Helsinki. 57 Hlm
- Balabanova, T., Panayotov, P. (2011). Obtaining functional fermented beverages by using the kefir grain. *Procedia Food Science*, 1:1653-59.
- Barik, R., Jain, S., Qwatra, D., Joshi, A., Tripathi, G.S., Goyal, R. (2008). Antidiabetic Activity of Aqueous Root Extract of *Ichnocarpus frutescens* in

- Sterptozotocin-Nicotinamide Induced Type-II Diabetes in Rats. *Indian J Pharmacol*, 40(1):19-22.
- Batterham, R.L., Heffron, H., Kapoor, S., Chivers, J.E., Herzog, H., Le Roux, C.W., Thomas, E.L., Bell, J.D., Withers, D.J.(2006). Critical role for peptide YY in protein-mediated satiation and body-weight regulation. *Cell metab*, 4:223-33.
- Brownlee, M.(2005). The Pathobiology of Diabetic Complications: A Unifying Mechanism. *Diabetes*, 54(6):1615-25.
- Bucharest.(2008). Oxidative stress in diabetes mellitus. *Romanian J Biophys*, 18(3):225-36
- Cheng, K.C., Lin, J.T., Liu, W.H.(2011). Extracts from Fermented Black Soybean Milk Exhibit Antioxidant and Cytotoxic Activities. *Food Technol Biotechnol*, 49(1):111-17.
- Chung, S.S.M., Ho, E.C.M., Lam, K.S.L., Chung, S.K. (2003). Contribution of Polyol Pathway to Diabetes-Induced Oxidative Stress. *JASN*; 14(3): S233-S236.
- Dafriani, P.(2010). Efek suspensi bubuk kedelai pada tikus diabetes akibat diinduksi streptozotocin. Program pasca sarjana fakultas kedokteran UGM.
- Dajanta, K., Chukeatirote, E., Apichartsrangkoon, A., Frazier, R.A.(2009). Enhanced Aglycone Production of Fermented Soybean Products by Bacillus Species. *Acta Biologica Szegediensis*,53(2):93-98.
- Deshpade, A.D., Hayes, M.H., Schootman, M.(2008). Epidemiology of Diabetes and Diabetes-Related Complication. *J of the American physical therapy Association*, 88(11):1254-64.
- Dixit, A.K., Antony, J.L.X., Sharma, N.K., Tiwari, R.K.(2011). Soybean constituents and their functional benefits. Opportunity, Challenge and Scope of Natural Products in Medical Chemistry. Research Signpost, India.
- Edyson.(2003). The Effect of vitamin C Supplementation Combined with Vitamin E on Malondialdehyde (MDA) Levels of Rats Erythrocytes, in L-Thyroxine Administration. *JBP*, 5(3):92-93.
- Etjahed, H.S., Nia J.M., Rad A.H., Niafar, M., Jafarabadi, A., Mofid, V.(2012). Probiotic yogurt improves antioxidant status in type 2 diabetic patients. *Nutrition*, 28:539-43

- Fanti, P., Asmis, R., Stephenson, T.J., Sawaya, B.P., Frankee, A.A. (2006). Positive Effect of Dietary Soy in ESRD Patients with Systemic Inflammation- Correlation Between Blood Levels of The Soy Isoflavones and The Acute-Phase Reactants. *Nephrol Dial Transplant*, 21(8):2239-46.
- Farnworth, E.R. (2005). Kefir-a complex probiotic. *Food Sci Technol Bull*, 2(1):1-17
- Filiberto, A.C., Mumford, S.L., Pollack, A.Z., Zhang, C., Yeung, E.H., Perkins, N.J., et al. (2013). Habitual Dietary Isoflavone Intake Is Associated with Decreased C-Reactive Protein Concentrations Among Healthy Premenopausal Women. *J Nutr*, 143(6):900-6.
- Fowler, M.J. (2008). Microvascular and Macrovascular Complications of Diabetes. *Clinical Diabetes*, 26(2):77-82.
- Ginter, E. & Simko, V. (2012). Global prevalence and future of diabetes mellitus. *Adv Exp Med Biol*, 771:35-41.
- Guven, A. (2003). The effect of kefir on the activities of GSH-Px, GST, CAT, GSH and LPO level in carbon tetrachloride-induced mice tissue. *J Vet Med*, 50(8):412-16
- Haenlein, G.F.W. (2004). Goat milk in human nutrition. *Small Ruminant Research*, 51:155-63.
- Handayani, w., Rudijanto, A., Indra, M.R. (2009). Susu Kedelai Menurunkan Resistensi Insulin pada Model Diabetes Melitus Tipe 2. *Jurnal kedokteran brawijaya*, 24(2):60-66
- Harisa, G.I., Taha, E.I., Khalil, A.F., Salem, M.M. (2009). Oral administration of lactobacillus acidophilus restores nitric oxide level in diabetic rats. *Aust J Basic Appl Sci*, 3:2963-69
- Hu, F.B., Van Dam, R.M. and Liu, S. (2001). Diet and risk of type II diabetes, The role of types of Fat and Carbohydrate. *Diabetologia*, 44(7):805-17
- Kalaivanam, K.N., Dharmalingam, M., Marcus, S.R. (2006). Lipid peroxidation in type 2 diabetes mellitus. *Int J Diab Dev Ctries*, 30-31.
- Kano, M., Takayanagi, T., Harada, K., Sawada, S., Ishikawa, F. (2006). Bioavailability of isoflavones after ingestion of soy beverages in healthy adults. *J. Nutr*, 136:2291-2296.

- Karunakaran, U. dan Park, K-G. (2013). A Systematic Review of Oxidative Stress and Safety of Antioxidants in Diabetes: Focus on Islets and Their Defense. *Diabetes Metab J*, 37(2):106-12.
- Kasenkas, H., Dinkci, N., Seckin, K., Kinik, O., Gonc, S. (2011). Antioxidant Properties of Kefir Produced from Different Cow and Soy Milk Mixtures. *J Agric Sci*, 17:253-59.
- Kullisaar, T., Songiseep, E., Mikelsaar, M., Zilmer, K., Vihalemm, T., Zilmer, M. (2003). Antioxidative probiotic fermented goats' milk decreases oxidative stress-mediated atherogenicity in human subjects. *Brit J Nutr*, 90:449-56.
- Kumawat, M., Singh, I., Singh, N., Singh, V., Kharb, S. (2012). Lipid Peroxidation and Lipid Profile in Type II Diabetes Mellitus. *WebmedCentral Biochemistry*, 3(3):1-9
- Lavigne, C., Marette, A. and Jacques, H. (2000). Cod and Soy proteins compared with casein improve glucose tolerance and Insulin sensitivity in Rats. *American journal physiology endocrinology Metabolism*, 278(3):491-500
- Leite, A.M.O., Miguel, M.A.L., Peixoto, R.S., Rosado, A.S., Silva, J.T., Paschoalin, V.M.P. (2012). Microbiological, technological and therapeutic properties of kefir: a natural probiotic beverage. *Brazilian J of Microbiologi*, 44(2):341-49.
- Liu, J.R., Lin, Y.Y., Chen, M.J., Chen, L.J., Lin, C.W. (2005). Antioxidative activities of kefir. *Departement of animal science, national Taiwan University*, 18(4):567-73.
- Liu, Z.M., Chen, Y.M., Ho, S.C. (2011). Effects of soy intake on glycemic control: a meta-analysis of randomized controlled trials. *Am J Clin Nutr*. 93:1092-101.
- McCue, P.P., Shetty, K. (2004). Phenolic antioxidant mobilization during yogurt production from soymilk using Kefir cultures. *Process Biochemistry*, 40:1791-97.
- Mezei, O., Banz, W.J., Steger, R.W., Peluso, M.R., Winter, T.A. and Shay, N. (2003). Soy isoflavones exert antidiabetic and hypolipidemic effects through

- the ppar pathways in obese Zucker rats and murine
RAW 264.7 cells. *J Nutr.* 133(5):1238-43.
- Miraghajani MS, Esmailzadeh A, Najafabadi MM, Mirlohi M,
Azadbakht L. (2012). Soy milk consumption,
inflammation, coagulation, and oxidative stress
among type 2 diabetic patients with nephropathy.
Care Diabetes Journals, 35:1981-85
- Nakajima, N., Nozaki, N., Ishihara, K., Ishikawa, A.,
Tsuji, K. (2005). Analysis of isoflavone content in
tempeh, a fermented soybean, and preparation of a
new isoflavone-enriched tempeh. *Journal of
Bioscience and Bioengineering*. 100(6):685-87.
- Nanri, A., Moore, M.A., Kono, S. (2007). Impact of C-
reactive protein on disease risk and its relation to
dietary factors. *Asian Pac J Cancer Prev*, 8(2):167-
77.
- Nielsen, F., Mikkelsen, B.B., Nielsen, J.B., Andersen,
H.R., Grandjean, P. (1997). Plasma Malondialdehyde as
biomarker for oxidative stress: reference interval
and effects of life-style factors. *Clin Chem*,
43(7):1209-14.
- Nieuwenhuis, R., dan Nieuweik, J. (2005). Soya in the
Daily Diet. In: *Cultivating of Soya and Other
Legumes*. Aromisa Foundation, Wageningen,
Netherlands, 40-9
- Oliveira, E.A., Cheim, L.M.G., Veloso, R.V., Arantes,
V.C., Reis, M.A.B., Carneiro, E.M., Boschero, A.C.,
Latorraca, M.Q. (2008). Nutritional recovery with a
soybean flour diet improves the insulin response to
a glucose load without modifying glucose
homeostasis. *Nutrition*, 24(1):76-83
- Otles, S., dan Cangindi, O. (2003). Kefir: A Probiotic
Dairy-Composition, Nutritional and Therapeutic
Aspect. *Pakistan J Nutr*, 2(2):54-59.
- Padaga, M., Savitry, M.E., Murwani, S. (2009). Potensi
Protein Spesifik susu kambing sebagai
Immunomodulator dan Immunogen : Upaya Pengembangan
Pangan Nutrasetika : Laporan Penelitian. Fakultas
Peternakan Universitas Brawijaya.
- Pihlanto, A. (2006). Antioxidative peptide derived from
milk protein. *International Dairy Journal*, 16:1306-
14

- Pogacic, T., Sinko, S., Zamberlin, S., Samarzija, D. (2013). Microbiota of kefir grain. *Pljekarstvo*, 63(1):3-14.
- Popovic, B.M., Stajner, D., Mandic, A., Brunel, J.C., Kevresan, S. (2013). Enhancement of Antioxidant and Isoflavones Concentration in Gamma Irradiated Soybean. *Scientific World Journal*.
- Powers, A.C. (2006). Diabetes Melitus. In : Jameson, L.J., ed. *Harisson's Endocrinology*. USA: The McGraw-Hill Companies, 314-17.
- Pratama, SE., dan Probosari, E. (2012). Pengaruh Pemberian Kefir Susu Sapi terhadap Kadar Kolesterol LDL Tikus Jantan *Sparague Dawley* Hiperkolesterolemia. *J Nutr Colleague*, 1(1):358-64.
- Pusparini., Dharma, R., Suyatna, F.D., Mansyur, M., Hidajat, A. (2013). Effect of soy isoflavone supplementation on vascular endothelial function and oxidative stress in postmenopausal women: a community randomized controlled trial. *Asia Pac J Clin Nutr*, 22(3):357-64.
- Radiyah, T. (1992). Pengolahan Kedelai. Subang : BPTTG
- Reeves, .PG., Neilsen, F.H., Fahey, J.R. (1993). AIN-93 Purified Diets for Laboratory Rodents: Final Report of the American Institute of Nutrition Ad Hoc Writing Committee on the Formulation of the AIN-76A Rodent Diet. *J Nutr*, 123(11):1939-51.
- Rival, S.G., Boeriu, C.G., and Wichers, H.J. (2001). Caseins and Casein Hydrolysates. 2. Antioxidative Properties and Relevance to Lipoxygenase Inhibition. *J of Agriculture Food Chemistry*, 49:295-302.
- Rodrigues, R., Soares, J., Garcia, H., Nascimento, C., Medeiros, M., Bomfim, M., Medeiros, M.C., Queiroga, R. (2014). Goat milk naturally enriched with conjugated linoleic acid and reduced triacylglycerol in rats. *Molecules*, 19:3820-831
- Roncada, P., Gaviraghi, A., Liberatori, S., Bini, L., Greppi, F.F. (2002). Identification of casein in goat milk. *Proteomics*, 2:723-26
- Roseta, M., Padaga, M.C., Indrati, R. (2012). Efek Terapi Kasein Yogurt Susu Kambing Terhadap Kadar MDA (Malondialdehyde) dan Histopatologi Aorta Abdominal Tikus (*Rattus norvegicus*) Model Hipertensi yang

- diinduksi Garam-DOCA (Deoxycorticosterone acetate).
Program kedokteran hewan universitas brawijaya
- Shilpa, V., Hati, S., Yadav, D. (2011). Biofunctionality of probiotic soy yogurt. *FNS*, 2(5):223-50.
- Slatter, D.A., Bolton, C.H., Bailey, A.J. (2000). The importance of lipid derived malondialdehyde in diabetes mellitus. *Diabetologia*, 43:550-57.
- Slatter, D.A., Murray, M., Bailey, A.J. (1998). Formation of a dihydropyridine derivatives as a potential cross-link from malondialdehyde in physiological systems. *FEBS lett*, 421(3):180-84.
- Songisepp, E., Kals, J., Kullisaar, T., Mandar, R., Hutt, P., Zilmer, M., Mikelsaar, M. (2005). Evaluation of the functional efficacy of an antioxidative probiotic in healthy volunteers. *Nutr Jour*, 4:22-32
- Suarsana, I.N., Astawa I.N.M., Kardena, I.M. (2014). Role of isoflavones on lipid peroxidation, superoxide dismutase in lymphocytes under oxidative stress condition. *Journal of Biology, Agriculture and Healthcare*, 12:1-7.
- Szkudelski, T. (2001). The Mechanism Of Alloxan And Streptozotocin Action In β Cells Of The Rat Pancreas, *Physiology Research*, 50:536-54.
- Tangvarasittichai, S., Poonsub, P., Tangvarasittichai, O., Sirigulsatein, V. (2009). Serum Level of Malondialdehyd in Type 2 Diabetes Mellitus Thai Subjects. *Siriraj Medical Journal*, 61:21-23.
- Valko, M., Leibfritz, D., Moncol, J., Cronin, M.T.D., Mazur, M., and Telser, J. (2007). Review: Free radicals and antioxidants in normal physiological functions and human disease. *Inter J Biochem & Cell Biol*, 39:44-84.
- Vikramadithyan RK, Hu Y, Noh HL, Liang CP, Hallam K, Tall AR, Ramasamy R, Goldberg IJ. (2005). Human aldose reductase expression accelerates diabetic atherosclerosis in transgenic mice. *J Clin Invest.*; 115(9):2434-43.
- Wagner, J.D., Zhang, L., Shadoan, M.K., Kavanagh, K., Chen, H., Tresnasari, K., Kaplan, J.R., Adams, M.R. (2008). Effects of soy protein and isoflavones on insulin resistance and adiponectin in male monkeys. *Metabolism*, 57:24-31.

- Watkins, P.J. (2003). *ABC of diabetes*, edn 5. *British Medical Journal*, London.
- WHO, 2013. *Fact Sheet: Diabetes*. [Online] Available at: www.who.int [Accessed 26 Juni 2013]
- Wild, S., Roglic, G., Green, A., Sicree, R., King, H. (2004). Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetes Care*, 27:1047-53.
- Wong, C.W., Watson, D.L. (1995). Immunomodulatory effect of dietary whey proteins in mice. *J dairy Res*, 62(2):359-68.