

DAFTAR PUSTAKA

- Aaronson, N., Alonso, J., Burnam, A., Monica, S., Lohr, K.N., Patrick, D.L., Perrin, E., Stein, R.E.K., 2002, Assessing Health Status and Quality-of-life Instruments : Attributes and Review Criteria, *Quality of Life Research*, **11**, 193 – 205.
- Agborsangaya, C.B., Lahtinen, M., Cooke, T., Johnson, J.A., 2014, Comparing the EQ-5D 3L and 5L: Measurement Properties And Association with Chronic Condition and Multimorbidity in the General Population, *Health and Quality of Life Outcomes*, **12**, 74.
- Annisa, W.R., 2013, Penilaian Kualitas Hidup pada Usia Lanjut Dengan EQ-5D Di Klub Jantung Sehat Kelurahan Pondok Kelapa dan Faktor-Faktor yang Mempengaruhi, *Tesis*, Program Studi Ilmu Kedokteran Fisik dan Rehabilitasi Universitas Indonesia, Jakarta.
- Anonim, 2013, Guide to the Methods of Technology Appraisal 2013, <https://www.nice.org.uk/process/pmg9/chapter/foreword>, 18 November 2016.
- Anonim, 2013, *Pedoman Penerapan Kajian Farmakoekonomi*, Kementerian Kesehatan Republik Indonesia, Jakarta.
- Anonim, 2016, Headache Disorder, <http://www.who.int/mediacentre/factsheets/fs277/en/>, 18 November 2016.
- Arnold, D., Girling, A., Stevens, A., Lilford, R., 2009, Comparison of Direct and Indirect Methods of Estimating Health State Utilities for Resource Allocation : A Review and Empirical Analysis, *BMJ*, **339** : b2688.
- Ayzenberg, I., Katsarava, Z., Sborowski, A., Chernysh, M., Osipova, V., Tabeeva, G., Yakhno, N., Steiner, T.J., 2012, The Prevalence of Primary Headache Disorders in Rusia : A Countrywide Survey, *Cephalalgia*, **32** (5), 373-381.
- Azwar, S., 2011, *Validitas dan Reliabilitas*, Edisi 4, 2, Pustaka Pelajar, Yogyakarta.
- Bahrami, P., Zebardast, H., Zibaei, M., Mohammadzadeh, M., Zabandan, N., 2012, Prevalence and Characteristic of Headache in Khoramabad, Iran, *Pain Physician Journal*, **15**, 372 – 332.
- Bakar, N.A., Tanprawate, S., Lambru, G., Torkamani, M., Jahanshahi, M., Matharu, M., 2016, Quality of Life in primary Headache Disorders : A Review, *Cephalalgia*, **36** (1), 67 – 91.
- Brazier, J., Czoski-Murray, C., Roberts, J., Brown, M., Symonds, T., Kelleher, C., 2008, Estimation of A Preference-Based Index from a Condition-Specific Measure : The King's Health Questionnaire, *Med Decis Making*, **28**, 113 – 126.

- Brazier, J.E., Roberts, J., Deverill, M., 2002, The Estimation of A Preference-based Measures of Health from the SF-36, *Journal of Health Economics*, **21** (2), 271-292.
- Buchholz, I., Thielker, K., Feng, Y., Kupatz, P., Kohlmann, T., 2015, Measuring Changes in Health Over Time Using the EQ-5D-3L and 5L: A Head-to-head Comparison of Measurement Properties and Sensitivity to Change in a German Inpatient Rehabilitation Sample, *Qual Life Res*, **24**, 829-835.
- Cheng, Y., Raisch, D.W., Borrego, M.E., Gupchup, G.V., 2013, Economic, Clinical, and Humanistic Outcomes (ECHO) of Pharmaceutical Care Services for Minority Patients : A Literature Review, *Research in Social and Administrative Pharmacy*, **9**, 311 – 329.
- Conner-Spady, B.L., Marshall, D.A., Bohm, E., Dunbar, M.J., Loucks, L., Khudairy, A.A., Noseworthy, T.W., 2015, Reliability and Validity of the EQ-5D-5L Compared to the EQ-5D-3L in Patients with Osteoarthritis Referred for Hip and Knee Replacement, *Qual Life Res*, **24**, 1775-1784.
- Crichton, N., 2001, Visual Analogue Scale, *Journal of Clinical Nursing*, **10**, 706.
- Devlin, N.J., dan Krabbe, P.F.M., 2013, The Development of New Research Methods for the Valuation of EQ-5D-5L, *Eur J Health Econ*, **14**, 1 – 3.
- Dolan, P., 1997, Modelling Valuation for EuroQol Health States, *Medical Care*, **35** (11), 1095-1108.
- Drummond M.F., Sculpher M.J., Torrance G.W., O'Brien B.J., Stoddart G.L., 2005, *Methods for the Evaluation of Health Care Programmes*, Third Ed, Oxford University Press, New York.
- Endarti, D., Riewpaiboon, A., Thavorncharoensap, M., Praditsithikorn, N., Hutubessy, R., Kristina, S.A., 2015, Evaluation of Health-Related Quality of Life among Patients with Cervical Cancer in Indonesia, *Asian Pac J Prev*, **16** (8), 3345 – 3350.
- EuroQol Group, 2016, How to Obtain EQ-5D, <http://www.euroqol.org/eq-5d-products/how-to-obtain-eq-5d.html#>, 18 November 2016.
- Gafni, A., 1994, Standard Gamble Method : What Is Being Measured and How It Is Interpreted, *Health Services Research*, **29** (2), 207 – 224.
- Golicki, D., Niewada, M., Buczek, J., Karlinska, A., Kobayasi, A., Janssen, M.F., Pickard, A.S., 2015, Validity of EQ-5D-5L in Stroke, *Qual Life Res*, **24**, 845-850.
- Gudex, C., 1994, Time Trade-off User Manual: Props and Self Completion Methods, <https://www.york.ac.uk/che/pdf/op20.pdf>, 18 November 2016.
- Gunter, M.J., 1999, The Role of the ECHO Model in Outcomes Research and Clinical Practice Improvement, *The American Journal of Managed Care*, **5** (4), 217 – 224.

- Hanmer, J., Feeny, D., Fischhoff, B., Hays, R.D., Hess, R., Pilkonis, P.A., Revicki, D.A., Roberts, M.S., Tsevat, J., Yu, L., 2015, *Health and Quality of Life Outcomes*, **13**, 122 – 125.
- Hellstrom, B., Lundberg, U., 2000, Pain Perception to the Cold Pressor Test During the Menstrual Cycle in Relation to Estrogen Levels and A Comparison with Man, *Integr Physiol Behav Sci*, **35** (2), 132 – 141.
- Hilditch, J.R., Lewis, J., Peter, A., van Maris, B., Ross, A., Franssen, E., Guyatt, G.H., Norton, P.G., Dunn, E., 1996, A Menopause-specific Quality of Life Questionnaire : Development and Psychometric Properties, *Maturitas*, **24** (3), 161 – 175.
- Horsman, J., Furlong, W., Feeny, D., Torrance, G., 2003, The Health Utilities Index (HUI®) : Concepts, Measurement Properties, and Applications, *Health and Quality of Life Outcomes*, **1** (54), 1-13.
- IHS, 2013, The International Classification of Headache Disorders, 3rd Edition (Beta Version), *Cephalalgia*, **33**(9), 629-808.
- Janssen, M.F., Birnie, E., Bonsel, G.J., 2007, Evaluating the Discriminatory Power of EQ-5D, HUI2 and HUI3 in a US General Population Survey Using Shannon's Indices, *Qual Life Res*, **16**, 895 – 904.
- Janssen, M.F., Birnie, E., Haagsma, J.A., Bonsel, G.J., 2008, Comparing the Standard EQ-5D Three-Level System with Five-Level Version, *Value in Health*, **11** (2), 275-284.
- Janssen, M.F., Pickard, A.S., Golicki, D., Gudex, C., Niewada, M., Scalone, L., Swinburn, P., dan Busschbach, J., 2012, Measurement Properties of the EQ-5D-5L Compared to the EQ-5D-3L Across Eight Patient Groups: A Multi-country Study, *Qual Life Res*, **22**(7), 1717-1727.
- Jensen, R., 2003, Diagnosis, Epidemiology, and Impact of Tension-type Headache, *Current Headache Reports*, **2**, 455-459.
- Jhingran, P., Davis, S.M., LaVange, L.M., Miller, D.W., Helms, R.W., 1998, MSQ: Migraine-Specific Quality-of-Life Questionnaire. Further Investigation of the Factor Structure, *Pharmacoeconomics*, **13** (6), 707 – 717.
- Jia, X.Y., Cui, F.Q., Li, L., Zhang, D.I., Zhang, G.M., Wang, F.Z., Gong, X.H., Zheng, H., Wu, Z.H., Miao, N., Sun, X.J., Zhang, L., Lv, J.J., Yang, F., 2014, Comparison Between the EQ-5D-5L and the EQ-5D-3L in Patients with Hepatitis B, *Qual Life Res*, **23**, 2355-2363.
- Keszei, A.P., Novak, M., Streiner, D.L., 2010, Introduction to Health Measurement Scales, *Journal of Psychosomatic Research*, **68**, 319 – 323.
- Khan, I., Morris, S., Pashayan, N., Matata, B., Bashir, Z., Maguirre, J., 2016, Comparing the Mapping Between EQ-5D-5L, EQ-5D-3L, and the EORTC-

QLQ-C30 in non-small Cell Lung Cancer Patients, *Health and Quality of Life Outcomes*, **14**, 1 – 15.

- Kim, S.H., Kim, H.J., Lee, S., 2012, Comparing the Psychometric Properties of the EQ-5D-3L and EQ-5D-5L in Cancer patients in Korea, *Qual Life Res*, **21**, 1065 – 1073.
- Kozma, C.M., Reeder, C.E., Schulz, R.M., 1993, Economic, Clinical, and Humanistic Outcomes : A Planning Model for Pharmacoeconomic Research, *Clin Ther*, **15** (6), 1121 – 1132.
- Lee, L., Elfassy, N., Li, C., Latimer, E., Liberman, S.A., Charlebois, P., Stein, B., Carli, F., Fried, G.M., Feldman, L.S., 2013, Valuing Prostoperative Recovery : Validation of the SF-6D Health-State Utility, *Journal of Surgical Research*, **184**, 108 – 114.
- Legato, M.J., 2004, *Principles of Gender-Spesific Medicine*, 129 – 135, Elsevier Academic Press, California.
- Lemeshow, S., Hosmer, Jr., D.W., Klar, J., Lwanga, S.K., 1997, *Adequacy of Sample Size in Health Studies*, John Wiley and Sons, West Sussex.
- MacGregor, A., Rosenberg, J.D., Kurth, T., 2011, Sex-Related Differences in Epidemiological and Clinical-Based Headache Studies, *Headache*, **51**, 843 – 859.
- Manhalter, N., Bozsik, G., Palasti, A., Csepany, E., dan Ertsey, C., 2012, The Validation of a New Comprehensive Headache-spesific Quality of Life Questionnaire, *Cephalalgia*, **32**(9), 668-682.
- McDowell, I., 2006, *Measuring Health : A Guide to Rating Scales and Questionnaires*, Oxford University Press, New York.
- Michael P., Dartigues, J.F., Lindoulsi, A., Henry, P., 1997, Loss of Productivity and Quality of Life in Migraine Sufferers Among French Workers : Results from the GAZEL Cohort, *Headache*, **37** (2), 71 – 78.
- Neri, I., Granella, F., Nappi, R., Manzoni, G.C., Facchinetti, F., Genazzani, A.R., 1993, Characteristics of Headache at Menopause : A Clinico-epidemiologic Study, *Maturitas*, **17**, 31 – 37.
- Pattanaphesaj, J., 2014, Health-Related Quality of Life Measure (EQ-5D-5L) Measurement Property Testing and Its Preference-based Score in Thai Population, *Tesis*, Faculty of Graduate Studies Mahidol University, Salaya.
- Pattanaphesaj, J., dan Thavorncharoensap, M., 2015, Measurement Properties of the EQ-5D-5L Compared to EQ-5D-3L in the Thai Diabetes Patients, *Quality of Life Outcomes*, **13**, 14.
- Pickard, A.S., Leon, M.C., Kohlmann, T., Cella, D., Rosenbloom, S., 2007, Psychometric Comparison of the Standard EQ-5D to a 5 Level Version in Cancer Patients, *Medical Care*, **45** (3), 259 – 263.

- Pringsheim, T., Gooren, L., 2004, Migraine Prevalence in Male to Female Transsexuals on Hormone Therapy, *Neurology*, **63**, 593 – 594.
- Purba, F.D., Hunfeld, J., Iskandarsyah, A., Fitriana, T.S., Sadarjoen, S.S., Passchier, J., van Busschbach, J., 2016, The First Indonesian Health-related Quality of Life valuation Study, *Value in Health*, **19** (7), A820.
- Rabin, R. dan Charro, F., 2001, EQ-5D: A Measure of Health Status from the EuroQoL Group, *Ann Med*, **33** (5), 337 – 343.
- Reenen, M., dan Janssen, B., 2015, *EQ-5D-5L User Guide: Basic Information on How to Use EQ-5D-5L Instrument*, EuroQoL Group, Rotterdam.
- Reenen, M., dan Oppe, M., 2015, *EQ-5D-3L User Guide: Basic Information on How to Use EQ-5D-3L Instrument*, EuroQoL Group, Rotterdam.
- Rowen, D., Brazier, J., Young, T., Gaugris, S., King, M.T., Craig, B., Velikova, G., 2011, Deriving a Preference-based Measure for Cancer Using the EORTC QLQ-C30, *Value Health*, **14** (5), 1 – 25.
- Sari, A., Lestari, N.Y., Perwitasari, D.A., 2015, Validasi *ST European Quality of Life-5 Dimensions* (EQ-5D) Versi Indonesia pada Pasien Hipertensi di Puskesmas Kotagede II Yogyakarta, *Pharmaciana*, **5** (2), 131 – 138.
- Scalone, L., Ciampichini, R., Fagioli, S., Gardini, I., Fusco, F., Gaeta, L., Prete, A.D., Cesana, G., Mantovani, L.G., 2013, Comparing Performance of Standard EQ-5D-3L with the New Version EQ-5D-5L in Patients with Chronic Hepatic Disease, *Quality of Life Research*, **22** (7), 1707 – 1716.
- Shannon, C.E., 1948, A Mathematical Theory of Communication, *The Bell System Technical Journal*, **27**, pp, 379 – 423.
- Shiroiwa, T., Fukuda, T., Ikeda, S., Igarashi, A., Noto, S., Saito, S., Shimozuma, K., 2016, Japanese Population Norms for Preference-based Measures: EQ-5D-3L, EQ-5D-5L, and SF-6D, *Qual Life Res*, **25**, 707 – 719.
- Sjahrir, 2004, *Nyeri Kepala*, USU Press, Medan.
- Stovner, L.J., Hagen, K., Jensen, R., Katsarava, Z., Lipton, R.B., Scher, A.I., Steiner, T.J., Zwart, J-A., 2007, The Global Burden of Headache: A Documentation of Headache Prevalence and Disability Worldwide, *Cephalalgia*, **27**, 193-210.
- Teixeira-Salmela L.F., Magalhães L.C., Souza A.C., Lima M.C., Lima R.C.M., Goulart F., 2004, Adaptação do Perfil de Saúde de Nottingham: Um Instrumento Simples de Avaliação da Qualidade de Vida, *Cad Saúde Pública*, **20** (4), 905 - 914.
- Terwee, C.B., Bot, S.D.M., Boer, M.R., Windt, D.A.W.M., Knol, D.L., Dekker, J., Bouter, L.M., Vet, H.C.W., 2007, Quality Criteria Were Proposed for Measurement Properties of Health Status Questionnaire, *Journal of Clinical Epidemiology*, **60**, 34 – 42.

- Varni, J.W., Seid, M., Kurtin, P.S., 1999, Pediatric Health-Related Quality of life Measurement Technology : A Guide for Health Care Decision Makers, *JCOM*, **6** (4), 33 – 40.
- Victor, T.W., Hu, X., Campbell, J.C., Buse, D.C., Lipton, R.B., 2010, Migraine Prevalence by Age and Sex in the United States: A life-span Study, *Cephalalgia*, **30** (9), 1065 – 1072.
- Walters, S.J., 2009, *Quality of Life Outcomes in Clinical Trials and Health-care Evaluation*, John Wiley & Sons, West Sussex.
- Wang, P., Luo, N., Tai, E.S., Thumboo, J., 2015, The EQ-5D-5L is More Discriminative Than the EQ-5D-3L in Patients with Diabetes in Singapore, *Value in Health Regional Issues*, **9C**, 57-62.
- Wang, S., 2003, Epidemiology of Migraine and Other Types of Headache in Asia, *Current Neurology and Neuroscience Reports*, **3**, 104-108.
- Wang, S.J., Fuh, J.L., Lu, S.R., Juang, K.D., Wang, P.H., 2003, Migraine Prevalence During Menopausal Transition, *Headache*, **43**, 470 – 478.
- Ware, J.E Jr. dan Sherbourne, C.D., 1992, The MOS 36-Item Short-Form Survey (SF-36) : I. Conceptual Framework and Item Selection, *Medical Care*, **30** (6), 473-483.
- Whitehead, S.J., Ali, S., 2010, Health Outcomes in Economic Evaluation : The QALY and Utilities, *British Medical Bulletin*, **96**, 5 – 21.
- Wolowacz, S.E., Briggs, A., Belozeroff, V., Clarke, P., Doward, L., Goeree, R., Lloyd, A., Norman, R., 2016, Estimating Health-State Utility for Economic Models in Clinical Studies: An ISPOR Good Research Practice Task Force, *Value in Health*, **19**, 704 – 719.
- Yfantopoulos, J., Chantzaras, A., 2016, Validation and Comparison of the Psychometric Properties of the EQ-5D-3L and EQ-5D-5L Instrument in Greece, *The European Journal of Health Economics*, pp, 1 – 13.