DAFTAR PUSTAKA

Adkins, S., W. M. Wintermantel, T. Momol and J. E. Polston. 2012. Management of Important Viral Disease. In: Davis, R.M., K. Pernezny, and J.C. Broome. Tomato Health Management. The American Phytopathological Society, USA. pp : 113-125.

Agrios, G. N. 2005. Plant Pathology. Fifth Edition. Elsevier Academic Press. USA.

Aidawati, N., S. H. Hidayat, P. Hidayat, R. Suseno, dan S. Sujiprihati. 2007. Responsse of various tomato genotypes to *Begomovirus* infection and its improved diagnostic. HAYATI journal of Biosciences. 14: 93-97.

Anonim. 2016a. Luas Panen Tomat Menurut Provinsi, 2011-2015.<www.pertanian.go. id/Data5tahun/pdf-HORTI2016/1.1-LPanen Tomat.pdf>. Diakses 14 September 2016.

Anonim.2016b. Produksi Tomat Menurut Provinsi, 2011-2015.<www.pertanian.go.id/ Data5tahun/pdf-HORTI2016/2.2-Produksi Tomat.pdf>. Diakses 14 September 2016.

Arwiyanto, T., S. D. Nurcahyanti, D. Indradewa and J. Widada. 2015. Grafting local comercia tomat cultivars with H-7996 and Eg-203 to suppress bacterial wilt (*Ralstonia solanacearum*) in Indonesia. In: Paret, M.l., G.E. Vallad, S. Zhang and J.B Jones. Proceedings of the IVth International Symposium on Tomato Diseases, Florida, USA, pp : 173-178.

Ashari, S. 1995. Hortikultura Aspek Budidaya. Universitas Indonesisa, Jakarta.

Bawden, F.C. 1964. Plant Viruses and Virus Diseases.Fourth Edition. The Ronald Press Company, New York.

Black, L. L., D. L. Wu, J. F. Wang, T. Kalb, D. Abbass and J.H. Chen. 2003. Grafting Tomatoes for Production in the Hot-Wet Season. Asian Vegetable Research and Development Center.1-6.

Bocsanczy, A.M., D.J. Norman, J.C. Huguet-Tapia, U. Achenbach and A. Mangravita – Novo. 2015. Using proteomics and genomics to search for low temperature virulence factors in *Ralstonia solanacearum*. In: Paret, M.l., G.E. Vallad, S. Zhang and J.B Jones. Proceedings of the IVth International Symposium on Tomato Diseases, Florida, USA, pp : 33-38.

Bos, L. 1994. Introduction of Plant Virology (Pengantar Virologi Tumbuhan, alih bahasa : Triharso). Edisi ke-2. Gadjah Mada University Press, Yogyakarta.

Dalmon A, Bouyer S, Cailly M, Girard M, Lecoq H, Desbiez C, Jacquemond M. 2005. First report of *Tomato chlorosis virus* and *Tomato infectious chlorosis virus* in tomato crops in France. Plant Dis. 89: 1243.

Fajarfika, R., S. Hartono, S. Sulandari, dan S. Somowiyarjo. 2015. Deteksi molekuler penyebab penyakit kuning (*Tomato chlorosis virus* dan *Tomato infectious chlorosis virus*) pada tanaman tomat. Jurnal Perlindungan Tanaman Indonesia 19: 80-88.

Fitriasari, E. D. 2010. Keefektifan Kutu Kebul dalam Menularkan Virus Penyebab Penyakit Kuning pada Tanaman Tomat.Institut Pertanian Bogor.Tesis.

Friedmann, M., M. Lapidot, S. Cohen, and M. Pilowsky.A novel source of resistance to Tomato Yellow Leaf Curl Virus Exhibiting a Symptomless Reaction to Viral Infection. J. AMER. SOC. HORT. SCI. 123: 1004-1007.

Funayama-Noguchi, S and I. Terashima. 2006. Effect of Eupatorium yellow vein virus infection on photosynthetic rate, chlorophyl content and chloroplaast structure in leaves of *Euphatorium makinoi* durng leaf development. Functional Plant Biology. 33: 165-175.

Goffreda, J. C., E. J. Szymkowiak, I. M. Sussex, and M. A. Mutschler. 1990. Chimeric tomato plants show that aphid resistance and triacylglucose production are epidermal autonomous characters. The Plant Cell. 2: 643-649.

Gunaeni, N., R. Gaswanto, dan A. S. Duriat. 2011. Hubungan morfologi tanaman tomat dengan preferensi *Bemicia tabaci* sebagai bentuk ketahanan pasif terhadap virus kuning. Jurnal Fitomedika, 7: 145-149.

Hartono, S., T. Natsuaki, H. Sayama, H. Atarashi, & S. Okuda. 2003. Yellowing Disease of Tomatoes Caused by Tomato infectious chlorosis virus Newly Recognized in Japan. Journal of General Plant Pathology 69: 61−64.

Hirota, T., T. Natsuaki, T. Murai, H. Nishigawa, K.Niibori, K. Goto, S. Hartono, G. Suastika, & S. Okuda.2010. Yellowing Disease of Tomato Caused by Tomato chlorosis virus Newly Recognized in Japan. Journal of General Plant Pathology 76:168–171.

Hull, R. 2002. Matthews Plant Virology. Academic Press, San Diego.

Inoue-Nagata A. K; Lima, M. F., Gilbertson R. L. 2016. A review of geminivirus (*Begomovirus*) diseases in vegetables and other crops in Brazil: current status and approaches for management. *Horticultura Brasileira* 34: 008-018.

Jones, J. B. 2008. Tomato Plant Culture in the Field, Greenhouse, and Home Garden. Second Edition. Taylor & Francis Group.

King, A. M. Q., M. J. Adams, E. B. Carstens, and E. J. Lefkowitz. 2012. Virus Taxonomy Classification and Nomenclature of Viruses. Elsevier, London.

Kusumaningrum, F. 2009. Seleksi *Begomovirus* Isolat Lemah pada Tanaman Cabai dan Tomat. Fakultas Pertanian. Universitas Gadjah Mada. Tesis.

Kusumaningrum, F., S. Hartono, S. Sulandari, dan S. Somowiyarjo. 2015. Infeksi ganda *Begomovirus* dan *Crinivirus* pada tanaman tomat di kabupaten Megelang, Jawa Tengah. Jurnal Perlindungan Tanaman Indonesia 19 : 60-64.

Lahoz, E., R. Carrieri, A. Crescenzi and A. Fanigliulo. 2015. Viral and fungal disease of processing and fresh tomato in the Mediterranean Basin. In: Paret, M.l., G.E. Vallad, S. Zhang and J.B Jones. Proceedings of the IVth International Symposium on Tomato Diseases, Florida, USA, pp : 99-105.

Lapidot, M. 2007. Screening for TYLCV-resistant plants using whitefly-mediated inoculation. *Tomato Yellow Leaf Curl Disease*.329-342.

Martinez-Ballesta, M.C., C. Alcaraz-lopez, B. Muries, C. Mota-Cadenas and M. Carvajal. 2010. Physiological aspects of rootstock-scion interactions. Scientia Horticulturae 127: 112-118.

Martinez-Ramirez, J.L., E.R. Guzman, C.M. Duran-Martinez, J.V. Navarro, E.L Alocer and G.C. Abascal. 2015. Selection for resistance to *Sclerotium rolfsii* in accessions of *Solanum lycopersicum* var. *cerasiforme* in Western Mexico.In: Paret, M.l., G.E. Vallad, S. Zhang and J.B Jones. Proceedings of the IVth International Symposium on Tomato Diseases, Florida, USA, pp :71-76.

Mathis, R., C. Fricot, M. Larenaudie, A. Quillevere, M. Rolland, V. Grimault, V. Olivier, C. Dousset, P. Gentit, R. Germain and T. Baldwin. 2015. *Clavibacter michiganensis* subsp. *michiganensis* : Optimization of detection in seed and effect of seed treatment on efficiency of detection methods. In: Paret, M.l., G.E. Vallad, S. Zhang and J.B Jones. Proceedings of the IVth International Symposium on Tomato Diseases, Florida, USA, pp : 113-118.

Matthews, REF. 1992. Fundamental of Plant Virology.Academic Press Inc. Sandiego.

Navas-Castillo, J., E. Fiallo-Olive, and S. Sanchez-Campos. 2011. Emerging Virus Diseases Transmitted by Whiteflies. Annu. Rev. Phytopathol. 49 : 219-248.

Nurita, N. Fauziati, E. Maftu'ah dan R. S. Simatupang.2004. Pengaruh Olah Tanah Konservasi Terhadap Hasil Varietas Tomat di Lahan Lebak. Balai Penelitian Pertanian Lahan Rawa. http://www.balittra.litbang.deptan.go.id. Diakses tanggal 27 Noember 2016.

Nurulita, S., dan G. Suastika. 2013. Identifikasi *Tomato infectious chlorosis virus* dan *Tomato chlorosis virus* melalui *Reserve Transcription Polymerase Chain Reaction* dan analisis sikuen nukleotida. Jurnal Fitopatologi Indonesia.9 : 107-115.

Pérez-Alfocea, F. 2015. Why should we investigate vegetable grafting?. In : Zhilong B., Yuan H., M. A. Naawaz. Proceeding of the First International Symposium on Vegetable Grafting. Acta Horticulturae 1086, ISHS : 21-29.

Pico, B., M. J. Diez, and F. Nuez. 1999. Improved diagnostic techniques for Tomato Yellow Leaf Curl Virus in tomato breeding programs. Plant Disease 83 :1006-1012.

Polston, J. E. 2014. Begomoviruses. In: Jones, J. B., T. A. Zitter, T. M. Momol, and S. A. Miller. Compendium of Tomato Disease and Pest, Second Edition. The American Phytopathological Society, USA, pp : 79.

Polston, J. E. & Anderson, P. K. 1997.The emergence of whitefly-transmitted geminiviruses in tomato in the western hemisphere. Plant Disease 81: 1358-1369.

Pusat Data dan Sistem Informasi Pertanian. 2014. Outlook Komoditi Tomat. Sekretariat Jenderal Kementerian Pertanian. <http://pusdatin.setjen.pertanian.go.id.>. Diakses tanggal 18 November 2016.

Revill, P. A., C. V. Ha, S. C. Porchum, M. T. Vu, and J. L. Dale. 2003. The complete nucleotide sequence of two distinct geminiviruses infrcting cucurbits in Vietnam. Arch Virol 148: 1523-1541.

Rivard. C., and F. Louws. 2011. Grafting for Disease Resistance in Heirloom Tomatoes. North Carolina Cooperative Extension Service, U.S.

Robert, I. M, Robinson, D. J, Harrison, B. D. 1984. Serological relationship and genome homologies among

Rojas, M. R., R. L. Gilbertson, D. R. Russel, D. P. Maxwell. 1993. Use of degenerate primers in the polymerase chain reaction to detect whitefly-transmitted *Geminivirus*. Plant Dis. 77: 340-347.

Rukmana, R. 2012. Tomat dan Cherry. Kanisius, Yogyakarta.

Sitompul, S. M. dan B. Guritno. 1995. Analisis Pertumbuhan Tanaman. Gadjah Mada University Press, Yogyakarta.

Stevens, M.A. 2012. Introduction. In: Davis, R.M., K. Pernezny, and J.C. Broome. Tomato Health Management. The American Phytopathological Society, USA. pp : 1-11.

Suhard, P.C., P. Gentit and F. Poliakoff. 2015. Comparison and evaluation of methods for detection of *Tomato infectious chlorosis virus* (TICV) *Tomato chlorosis virus* (ToCV). In: Paret, M.l., G.E. Vallad, S. Zhang and J.B Jones. Proceedings of the IVth International Symposium on Tomato Diseases, Florida, USA, pp : 119-126.

Taufiq M., S. H. Hidayat, S. Sujiprihati, G. Suastika dan S. M. Sumaraw. 2007. Ketahanan beberapa kultivar cabai terhadap *Cucumber mosaic virus* dan *Chili veinal mottle virus.* Jurnal HPT Tropika 7 : 130-139.

Timilsina, S., J.B. Jones, N. Potnis, E. Goss, G.V. Minsavage, J.C. Hong, G.E. Vallad and M. Kebede. 2015. Multilocus sequence analysis of a worldwide collection of *Xanthomonas* strains, causing bacterial leaf spot. In: Paret, M.l., G.E. Vallad, S. Zhang and J.B Jones. Proceedings of the IVth International Symposium on Tomato Diseases, Florida, USA, pp : 27-32.

Tsai, W. S., Shih, S. L., Green, S. K., Akkermans, D., Jan, F. J., 2006. Molecular character-ization of a distinct tomato-infecting *Begomovirus* associated with yellow leafcurl diseased tomato in Lembang, Java Island of Indonesia. Plant Disease 90 : 831.

Tzanetakis, I. E., R. R. Martin, and W. M. Wintermantel. 2013. Epidemiology of *Crinivirus* : an emerging problem in world agriculture. Frontiers in Microbiology, USA.

Wintermantel, W. M., G. C. Wisler, A. G. Anchieta, H-Y.Liu, A.V. Karasev, and I. E. Tzanetakis. 2005. The complete nucleotide sequence and genome organization of tomato chlorosis virus. Arch Virol 150 : 2287-2298.

Wintermantel, W. M., and Wisler, G. C. 2006.Vector specificity, host range, and genetic diversity of *Tomato chlorosis virus*. Plant Dis. 90:814-819.

Wisler, G. C., H. Y. Liu, V. A. Klaassen, J. E. Duffus, and B. W. Falk. 1996. Tomato infectious chlorosis virus has a bipartite genome and induces phloem-limited inclusions characteristic of the closteroviruses. Phytopathology, 86:622-626.

Wisler,G. C., J. E. Duffus, H.-Y. Liu, and R. H. Li . 1998a. Ecology and epidemiology of whitefly-trasmitted Closteroviruses. Plant Disease 82(3) : 270-280 geminiviruses. *J. gen. Virol.*65 : 1723-1730

Wisler, G. C., R. H. Li, H. Y. Liu, D. S. Lowry, and J. E. Duffus. 1998b. Tomato chlorosis virus : a new whitefly-transmitted, phloem-limited, bipartite closterovirus of tomato. Phytopathology 88 : 402-409.