

DAFTAR PUSTAKA

- Alexander, 2001. *Teknik Alexander: Konsep dan Filosofi Kontemporer*, EGC, Jakarta, pp.141-148
- Andreasen, G.F., and Bishara, S., 1970, Comparison of Time Related Force Between Plastic Alastiks and Latex Elastic, *Angle Orthod.*, 40(4):319-28
- Anusavice, J.K., 2004. *Ilmu Bahan Kedokteran Gigi*, EGC, Jakarta, p. 50
- Ardhana, W. 201. Identifikasi Perawatan Orthodontik Spesialistik dan Umum, *Maj Ked Gi.*, 20(1):1-8
- Beattie, S., Monaghan, P., 2004. An Invitro Study Simulating Effect of Daily Diet and Patient Elastic Band Change Compliance on Orthodontic Latex Elastic, *Angle Orthod.*, 74(2):234-9
- Bhalajhi, S.I., 2004, *Othodontic the Art and Science*, 3rd ed., Arya Publishing House, New Delhi, pp.1-5
- Bramantio, 1999 *Pengaruh Lama dan Jarak Peregangan terhadap Besar Gaya Elastik Karet Ortodonti*, FKG UI, p.44
- Combe, E.C., 1992, *Sari Dental Material (terj.)*, Balai Pustaka Jakarta, p. 41
- deAlmeida, P.D.V., Gregio, A.M., Machado, M.A.N., deLima, A.A.S., and Azevedo, L.R., 2008, Saliva Composition and Functions: A Comperhensive Review, *J Contemp Dent Pract.*, 9(3):1-11
- dosSantosa, P.M.M., and Romanosc, M.T., 2012, The influence of pH levels on mechanical and biological properties of nonlatex and latex elastics, *Angle Orthod.*, 82(4):709–14
- deQueiroz, G. M. O., Silva, L. F., Ferreira, J. T. L., Gomes, J. A. D., and Sathler, L., 2007, Electrochemical Behavior and pH Stability of Artificial Salivas for Corrosion Test, *Braz Oral Res.*, 21(3):209-15
- Everson, M.B., 2012, A Comparison of the Force Degradation of Marketed Latex Elastics in Varying Normal Resting pHs, *Thesis*, University of Illinois, Chicago, pp.17-51
- Ferriter, J.P., Meyears, C.E., and Lorton, L., 1990, Effect of Hydrogen in Concentration on The Force Degradation Rate of Orthodontic, *Am J Orthod Dentofacial Orthop.*, 198(4) : 404-10
- Foster, T. D., 1997. *A Text Book of Orthodontics* 3rd Ed., Willey, New York, p.281
- Gioka, C., Zinelis S., Eliades, T. and Eliades, G., 2005. Orthodontic latex elastis: A Force Relaxation Study. *Angle Orthod.*, 76(3):475-9

- Graber, T., Rakosi, and Perovic, A., 1985, *Dentofacial Orthopedics with Functional Appliances*, C.V.Mosby Co., St louis, pp.34-45
- Jastrzebski, Z.D., 1987, *The Nature and Propertise of Engineering Materials 3rd ed.*, John Wiley and Sons, New York, p.372
- Jeffries, C.L., and Von Fraunhofer, J.A., 1991, The Effect of 2% Alkaline Gluteraldehyde Solution on the Elastic Propeties of Elastomeric Chain, *Angle Orthod.*, 61 (1) : 25-30
- Kanchana, P. and Godfrey, K., 2001, Calibration of Force Extension and Force Degradation Characteristic of Orthodontic Latex Elastic, *Am J Orthod Dentofacial Orthop.*, 118(3) : 280-7
- Kersey, M.L., Glover, K.E., Heo, G., Raboud,D. and Major, P.W., 2003. A Comparasion of Dynamic and Static Testing of Latex and non Latex Orthodontic Elastic. *Angle Orthod.*, 73(2) : 181-6
- Langlade, M., 2000, *Optimization of Ortodontic Elastics*, GAC International, New York, pp.15-22.
- Lara-Carillo, E., Montiel-Bastida N., Sanchez-Perez L., and Alanis-Tavira J. 2010. Effect of Orthodontic Treatment on Saliva, Plaque and the Levels of Streptococcus mutans and Lactobacillus. *Med Oral Patol Oral Cil Bucal.* 15(6):924-9.
- Lopez, N., Vicente, A., Bravo, L.A., Calvo, J.L., and Canteras, M., 2011, In vitro study of force decay of latex and non-latex orthodontic elastics, *Eur J Orthod.*, 21 : 1-6
- Maher, B., 2013, Biodegradation of Dental Resin Composites and Adhesives by Streptococcus mutans: An in vitro Study, *J Dent*, 2(1):1-6
- Mantiry S. C., Wowor V. N. S., dan Anindita P. S. 2013. Status Kebersihan Mulut dan Status Karies Gigi Mahasiswa Pengguna Alat Ortodontik Cekat. *Jurnal e-Gigi (eG)*. 1(1):1-7.
- Mathew, M. T., Abbey, S., Hallab, N. J., Hall, D. J., Sukotjo, C., and Wimmer, M. A., 2012, Influence of pH on the TribocorrSION Behavior of CpTi in the Oral Enviroment: Synergistic Interaction of Wear and Corrosion, *J Biomed Mater Res B: Applied Biomaterial*, 100(1):1662-71
- Pederson, A.M., Bardow, A., Jensen, S.B., and Nauntofte, B., 2002. Saliva and Gastrointestinal Function of Taste, Mastication, Swallowing, and Digestion. *Oral Dis* 8. 117-129.
- Preetha, A., and Banerjee, R., 2005, Comparision of Artificial Saliva Substitiutes, *Trends in Biomaterials and Artificial Organs.*, 18(2):178-186

- Russeli, K.A., Milne, A.D., Khanna, R.A. and Lee, J.M., 2001. In Vitro Assesment of The Mechanical Propeties of Latex and Non Latex Orthodontic Elastic. *Am J Orthod Dentofacial Orthop.*, 120(1):36-44
- Sauget, P.S., Stewart, K.T., and Katona, T.R., 2011, The effect of pH levels on nonlatex vs latex interarch elastics, *Angle Orthod.*, 81:1070–74
- Sianita, P.P., dan Iswari, H., 2011, Alergi Pada Alat Ortodonti Cekat (Fixed Aplliance), *Kedokteran.*, 28(310):56-59
- Singh, G., 2007, *Textbook of Orthodontic*, 2nd ed., Ajanta Offset and Packing Ltd, New Delhi, pp.225-9, 452-4
- Stevenson, J.S., and Kusy, R.P., 1994, Force Appliance and Decay Characteristics of Untreated and Treated Polyurethane Elastomeric Chain, *Angle Orthod.*, 64(6):455-67
- Suryono, 2004, *Bedah Dasar Periodonsia*, Deepublish, Yogyakarta, h. 51.
- Tarigan, A.S., 2005, Penggunaan Elastik Pada Perawatan Ortodonti, *Skripsi*, Universitas Sumatera Utara, Medan, h.1-9
- Vieira, C.I., Oliveira, C.B., Ribeiro, A.A., Caldas, S.G., Martins, L.P., Gandini Jr., L.G., and Santos-Pinto, A., 2013, In vitro comparison of the force degradation of orthodontic intraoral elastics from different compositions, *J RSBO.*, 10(1) : 40-8
- Wang, T., Zhou, G., Tan, X., and Dong, Y., 2007, Evaluation of Force Degradation Characteristic of Orthodontic Latex Elastic in Vitro and in Vivo, *Angle Orthod.*, 77(4):688-93
- Wong, A.K., 1976, Orthodontic Elastic Materials, *Angle Orthod.*, 46(2):196-205
- Williams, J. K. 2000. *An Introduction to Fixed Appliance*. Jakarta: EGC. pp.23-5.
- William A.B., and Theodore, E., 2001, *Orthodontic Materials Scientific and Clinical Aspect*, New York: Thieme. p.83