

DAFTAR PUSTAKA

- Anderson, J.E., Goetz, C. M., McLaughlin, J.L., and Suffness, M., 1991, A Blind Comparison of Simple Bench-top Bioassays and Human Tumor Cell Cytotoxicities as Antitumor Prescreens, *J. Clin. Chem.*, 53, 1827-1834.
- Baelsman, R., Deharo, E., Munoz, V., Sauvain, M., Ginsburg, H., 2000, Experimental Conditions for Testing the Inhibitory Activity of Chloroquine on the Formation of β -hematin, *Exp. Parasitol.*, 96, 243-248.
- Basilico, N., Pagani, E., Monti, D., Olliaro, P., and Taramelli, D., 1998, A microtitre based method for measuring the haem polymerization inhibitory activity (HPIA) of antimalaria drugs, *J. Antimicrob. Agents. Ch.*, 42, 55-60.
- Berquist, P.R., 1978, *Classification of Sponges*, Hutchison, London
- Breman, J.G., Alilio, M.S., and A. Mills., 2004, Conquering the Intolerable Burden of Malaria: What's New, What's Needed: A Summary, *Am. J. Trop. Med. Hyg.*, 71, 1-15.
- Bugni, T., Singh, M., Chen, L., Arias, D., Harper, M., Greenstein, M., Maiese, W., Concepcion, G., Mangalindan, G., and Ireland, C., Kalihinol from 56 two *Acanthella cavernosa* sponges: inhibitor of bacterial folate biosynthesis, *Tetrahedron*, 60, 6981-6988.
- Campbell, N., and Reece, J., 2002, *Biology 6th ed*, Toronto: Pearson Education
- Carballo, J.L., Hernandez-India, Z.L., Perez, P., and Garcia-Gravalos, M.D., 2002, A Comparison Between Two Brine Shrimp Assays to detect in vitro toxicity in Marine Natural Product, *J. BMC Biotechnol.*, 2, 17
- Chen, K.H., Dai, C.F., Hwang, T.L., Chen, C.Y., Li, J.J., Chen, J.J., Wu, Y.C., Sheu, J.H., Wang, W.H., and Sung, P.J., 2014, Discovery of novel diterpenoids from *Sinularia arborea*, *Mar. Drugs*, 12(1), 385-393.
- Clark, R.J., Stapleton, B.L., and Garson, M.J., 2000, New Isocyanato Terpene Metabolites from the Tropical Marine Sponge *Acanthella cavernosa*, *Tetrahedron*, 56, 3071-3076.
- Dash, M.C., and Dash S.P., 2009, *Fundamental of Ecology 3rd Edition*, Graw Hill.

- Dellicour, S., Tatem, A.J., Guerra, C.A., Snow, R.W., and Kuile, F.O., 2010, Quantifying the Number of Pregnancies at Risk of Malaria in 2007: A Demographic Study, *PLoS Med*, 7, 1
- Durham, W.F., 1975, *Dangerous Properties of Industrial materials*, Van Nostrand Reinhold Co, New York.
- Elyzar, I.R.F., Hay, S.I., and Baird, J.K., 2011, Malaria Distribution, Prevalence, Drug Resistance and Control in Indonesia, *AdvParasitol.*, 74, 41–175.
- Fakhri, M., Hariati, A.M., Prajitno, A., 2013, In Vitro Antibacterial Activity of Sponge *Acanthella cavernosa* Against *Vibrio harveyi*, *J. Appl. Environ. Biol. Sci.*, 3(3), 1-5.
- Finney, D., 1971, *Probit analysis, 2nd edition*.Cambridge University Press.
- Fusetani, N., Yasumuro, K., Kawai, H., Natori, T., Brinen, L., and Clardy, J., 1990, Kalihinene and Isokalihinol B, Cytotoxic Diterpena Isonitriles From The Marine Sponge *Acanthella klethra*, *Tetrahedron*, 31(25), 3599-3602.
- Guetzoyan, L., Yu, X., Ramiandrasoa, F., Pethe, S., Rogier, C., Pradines, B., Cresteil, T., Perrée-Fauvet, M., and Mahy, J., 2009, Antimalarial Acridines: Synthesis, In Vitro Activity Against *P. falciparum* and Interaction with Hematin, *Bioorg. Med. Chem.*, 17, 8032-8039.
- Harijanto, P. N., Nugroho, A., dan Gunawan, C.A., 2009, *Malaria dari Molekular ke Klinis*, Penerbit Buku Kedokteran EGC, Jakarta.
- Hay, S.I., Guerra, C.A., Gething, P.W., Patil, A.P., Tatem, A.J., Noor, A.M., Kabaria, C.W., Manh, B.H., Iqbal, Brooker, S., Smith, D.L., Moyeed, R.A., and Snow, R.W., 2009, A World Malaria Map: *Plasmodium falciparum* Endemicity in 2007, *PLoS Med.*, 6(3), 0286-0302
- Hay, S.I., Rogers, D.J., Toomer, J.F., and Snow, R.W., 2004, Annual *Plasmodium falciparum* entomological inoculation rates (EIR) across Africa: literature survey, Internet access and review, *Transactio.*, 94(2), 113-27.
- Hooper, J.N.A., 2000, *Guide to Sponge Collection and Identification, Version March*, Queensland Museum South Brisbane, Queensland.
- Hyde, J. E., 2007, Drug-resistant Malaria - an Insight, *FEBS J.* , 274(18), 4688–4698.
- Jumaryatno, P., Stapleton, B.L.,Hooper, J.N.A., Brecknell, D.J., Blanchfield, J.T., and Garson, M.J., 2007, A Comparison of Sesquiterpene Scaffolds Across Different Populations of The Tropical Marine Sponge *Acanthella cavernosa*, *J. Nat. Prod.*, 70(11), 1725-1730.

- Levine, Norman D., 1995, *Protozoologi Veteriner*, UGM Press, Yogyakarta.
- Loomis, T.A., 1978, *Toksikologi dasar*, Diterjemahkan oleh Donatus, Jilid IA, Edisi III, IKIP Semarang Press, Semarang.
- Maude, R.J., Pontavornpinyo, W., Saralamba, S., Aguas, R., Yeung, S., Dondorp, A.M., Day, N.P.J., White, N.J., and White, L.J., 2009, The last man standing is the most resistant: eliminating artemisinin-resistant malaria in Cambodia, *Malar. J.*, 8, 31
- Meyer, B.N., Ferrigni, N.R., Putnam, J.E., Jacobsen, L.B., Nichols, D.E., dan McLaughlin, J.L., 1982, Brine shrimp: A Convenient General Bioassay for Active Plant Constituents, *J. Planta. Med.*, 45, 31–34.
- Miyaoka, H., Shimomura, M., Kimura, H., and Yamada, Y., 1998, Antimalaria Activity of Kalihinol A and New Relative Diterpenoids from the kinawa Sponge, *Acanthella sp.*, *Tetrahedron*, 54, 13467-13474.
- Munifah, I., Wikanta T., dan Nursid M., 2008. Sponge:Biota Laut Penghasil Senyawa Bioaktif yang Potensial. *Warta Penelitian Perikanan Indonesia*, 10(7), 12-16
- Murniasih, T., dan Satari, R.R., 1999, Isolasi Substansi Bioaktif Antimikroba dari Spons Asal Pulau Pari Kepulauan Seribu, *Prosiding Seminar Bioteknologi Kelautan Indonesia I*, 151-158.
- Nguyen, H. H., and Widodo, S.H., 1999, *Momordica L*, in: *Plant Resources of South East Asia: Medical and Poisonous Plant I*, Pudoc Scientific Publisher, Wageningen.
- Oberlies, N.H., 1998, Cytotoxic and Insecticidal Constituents of the Unripe Fruit of *Persea Americana*, *J. Nat. Prod.*, 61, 781-785.
- Pérez, H., Díaz, F., and Medina, J.D. 1997. Chemical Investigation and In Vitro Antimalarial Activity of *Tabebuia ochracea sp. neochrysantha*. *Int. J. Pharmacogn.*, 35, 227-231.
- Pisciotta, J., and Sullivan, D., 2008, Hemozoin: oil versus water, *J. Int. Parasitol.*, 57, 89-96.
- Proksh, P., 1998, Pharmacologically Active Natural Product from Marine Invertebrates and Associated Microorganism. *Prosiding Seminar Bioteknologi I*, Ed. Rachmaniar dkk., Puslit Oseanologi LIPI, Jakarta.
- Pronzato, R., Bavestrello, G., Cerrano, C., Magnino, G., Manconi, R., Pantelis, J., Sara, and Sidri, M., 1999, Sponge Farming in the Mediterranean Sea: New Perspectives, *Mem. Queensl. Mus.*, 44, 485 – 491.

- Qiu, Y., Deng, Z.W., Xu, M., Li, Q. and Lin, W.H, 2008, New A-nor steroids and Their Antifouling Activity From the Chinese Marine Sponge *Acanthella cavernosa*, *Steroid*, 73(14), 1500-1504.
- Rachmat, R., 2007, Spons Indonesia Kawasan Timur, *J. Oseanologi dan Limnologi di Indonesia*, 33, 123-138
- Radjasa, O.K., Sabdono A., Junaidi and Zocchi, E., 2007, Richness of Secondary Metabolite-Producing Marine Bacteria Associated with Sponge *Haliclona sp.*, *Int. J. Pharmacol.*, 3(3), 275-279.
- Romimohtarto, K., dan Juwana, S., 1999, *Biologi Laut, Pusat Penelitian dan Pengembangan Oseanologi*. LIPI, Jakarta.
- Shanmugaraju, V., Arunl, P., Rengaramanujam, J., and Senthilprabhu S., 2013, Isolation of Bacteria From Seacoasts and Screening For It's Antibacterial Substancproduction, *Int. J. Curr. Microbiol. App. Sci.*, 2(8), 347-358
- Simamora, D., Fitri, L.E., 2007, Resistensi Obat Malaria : Mekanisme dan Peran Obat Kombinasi Obat Antimalaria, *Jurnal Kedokteran Brawijaya*, 23(2), 82-91.
- Siqueira, J.M., 2001, Estudo Fitoquímico das Cascas do Caule de *Duguetia glabriuscula*–Annonaceae, Biomonitorado Pelo Ensaio de Toxicidade Frente a *Artemia salina* Leach. *Quimica Nova*, 24,185-187.
- Sjögren, M., Johnson, A.L., Hedner, E., Dahlström, M., Göransson, U., Shirani, H., Bergman, J., Jonsson, P.R., Bohlin, L., 2006, Antifouling Activity of Synthesized Peptide Analogs of the Sponge Metabolite Baretin, *Peptides*, 27(9), 2058-2064.
- Talisuna A.O., Bloland, P., and Alessandro, A.B., 2004, History, Dynamics, and Public Health Importance of Malaria Parasite Resistance, *Am. Soc. For Micro.*, 17(1), 235–254.
- van Soest, R., 2007, *Acanthella cavernosa* Dendy, 1922, In: Van Soest, R.W.M; Boury-Esnault, N.; Hooper, J.N.A.; Rützler, K.; de Voogd, N.J.; Alvarez de Glasby, B.; Hajdu, E.; Pisera, A.B.; Manconi, R.; Schoenberg, C.; Klautau, M.; Picton, B.; Kelly, M.; Vacelet, J.; Dohrmann, M.; Díaz, M.-C.; Cárdenas, P.; Carballo, J. L. (2017). World Porifera database, <http://www.marinespecies.org/porifera/porifera.php?p=taxdetails&id=165651> (diakses 20 November 2016).
- Voight, R., 1994, *Encyclopedia of Marine Invertebrates*, THF Publications, New York.
- Wellem, T.E., and C.V., Plowe, 2001, Chloroquine Resistant Malaria. *J. Infect. Dis.*, 184, 770-776.

World Health Organization, 2016,
<http://www.who.int/mediacentre/factsheets/fs094/en/> (diakses 20
Desember 2016).

Xu, Y., Lang, J.H., Jiao, W.H., Wang, R.P., Peng, Y., Song, S.J., Zhang, B.H. and
Lin, H.W., 2012, Formamido-diterpenes From the South China sea sponge
Acanthella cavernosa, *Mar. Drugs*, 10(7), 1445-1458.