

DAFTAR PUSTAKA

- Angga Tripamungkas, 2015. Pengaruh Penambahan Carboxy methylcellulose (CMC) Terhadap Sifat dan Kesukaan Minuman Sari Kacang Hijau (*Phaseolus radiatus* L.). Skripsi Teknologi Pangan dan Hasil Pertanian. UGM. Yogyakarta.
- Anonim. 2013. Produksi Kacang Hijau Tahun 2013.
http://www.bps.go.id/tmn_pgn.php?kat=3&id_subyek=53¬ab=0.
Diakses 24 Februari 2015
- Adebowale, K. O., Afolabi, T. A., & Lawal, O. S. (2005). Isolation, chemical modification and physicochemical characterisation of bambarra groundnut (*Voandzeia subterranean*) starch and flour. *Food Chem*, 78, 305–311.
- Adsule, R.N., Kadam, S.S. and Salunkhe, D.K. 1989. Green gram. In Salunke, D.K. and Kadam, S.S. (eds.) CRC Handbook of World Food Legumes: Nutritional Chemistry, Processing Technology and Utilization. Vol. II. CRC Press, Inc. Boca Raton. Florida. .65–89.
- Ahmad, F.B., Williams, P.A., Doublier, J.L., Durand, S., and Buleon, A. 1999. Physico-chemical Characterization of sago starch. *Carbohydr Polym*, 38, 361-370.
- AOAC (Analysis of The ASSOCIATION OF Official Agriculture Chemistry). 1995. Official Methods of Analysis, 16 Edition Gaithersburg, Maryland : AOAC International.
- Aryee, F.N.A., Oduro, I., Ellis, W.O., and Afuakwa, J.J. 2006. The Physicochemical Properties of Flour Samples from the Roots of the 31 Varieties of Cassava. *Food Control*, 17, 916-922.
- Badan Pusat Statistik Jakarta Pusat, 2013. Statistik Indonesia Tahun 2013. Jakarta Pusat : Badan Pusat Statistik
- BALITKABI. 2005. Deskripsi varietas unggul kacang-kacangan dan umbi-umbian. Balitkabi. Malang. 154 hal.
- Banks, W dan C.T. Greenwood. 1975. Starch Its Components. Halsted Press, John Wiley and Sons, N.Y.
- Belitz, H.D. dan Grouch. 2004. Food Chemistry. Verlag Springer : Berlin Bennion, M. 1980. The Science of Food. John Wiley and Sons. USA. 314-316
- Bennion, M. 1980. The Science of Food. John Wiley and Sons. USA. 314-316

- Chen Z., Sagis L., Legger A., Linssen J.P.H., Schols H.A., and Voragen A.G.J., 2002. Evaluation of Starch Noodles Made from Three Typical Chinese Sweet Potato Starches. *Journal of Food Science*, 6, 9, 3342-3347.
- Copeland, L., Blazek, J., Selman, H., & Tang, C. M. (2009). Form and functionality of starch. *Food Hydrocolloids*, 23(6), 1527–1534
- Ginting, E. Y. Widodo, S. A. Rahayuningsih dan M. Jusuf. 2005. Karakteristik pati dari beberapa varietas ubijalar. *Jurnal Penelitian Tanaman Pangan* 24(1):8–18.
- Griyaningsih.2010. Karakterisasi Pati Ganyong (*Canna edulis* Ker) dan Pemanfaatannya sebagai Bahan Pembuatan Beberapa Produk Olahan.Skripsi. Fakultas Teknologi Pertanian, Universitas Gadjah Mada : Yogyakarta
- Haryadi. 1993. Dasar-dasar dan Pemanfaatan Ilmu dan Teknologi Pati. *Agritech* 13(3): 37-42
- Hendrarsono, A.. 1984. Produktifitas dan Sifat Fisiko Kimia Pati Kacang merah (Kacang merahga *Pinnata* Merr) di Pengolah Kedung Halang Kabupaten Bogor. Skripsi. Jurusan Teknologi Pangan dan Gizi, Fafeta, IPB.
- Hermansson A.M., Svegmarm,K.1996. Developments in the Understanding of Starch Functionally-review Trends in *Food Science and Technology* 7: 345-353
- Jane, J., Chen, Y. Y., Lee, L. F., McPherson, A. E., Wong, K. S., Radosavljevic, M., et al. (1999). Effects of amylopectin branch chain length and amylose content on the gelatinization and pasting properties of starch. *Cereal Chemistry*, 76(5), 629–637.
- Jang,K. Hyun,J.H., Kwang,Y.L., In,Y.B., Ji Yeon.L.,Mi Kyung,K., and Hyeon,G.L. 2009. Physicochemical Properties of Mung Bean Starch Paste, a Main Ingredient of Omija-eui. *Food Science Biotechnology* Vol 18, No.4,pp.991-995.
- Juliano, B.O., 1994. Criteria and Test for Rice Grain Quality in Rice : Chemistry and Technology. *American Association of Cereal Chemists*, St. Paul,Minnesota.
- Khalil.1999. Pengaruh Kandungan Air dan Ukuran Partikel terhadap Sifat Fisik Pangan Lokal. *Media peternakan* Vol 22 No 1-11.

- Kim, Y.S., Dennis, P.W., James, H.L., and Patrizia, B., 1996. Suitability of Edible Bean and Potato Starches for Starch Noodles. *Cereal Chemistry*, 73, 3, 302-308.
- Leach, H. W., Mc Cown, L. D., & Schoch, T. J. (1959). Structure of the starch granule I. Swelling and solubility patterns of various starches and flours. *Cereal Chemistry*, 36, 535–545.
- Liu, W. and Qun, S. 2007. Structure Analysis of Mung Bean Starch from Sour Liquid Processing and Centrifugation. *Journal of Food Engineering* 78, 1310-1314 : Beijing.
- Marsono, Y. 1998. Resistant Starch : Pembentukan, Metabolisme dan Aspek Gizinya. *Agritech* 18 (2) :29-35.
- Meyer. 1973. Food Chemistry. Affiliated East West Press. P..V.T. New Delhi, India.
- Moorthy, S.N. 2004. Tropical sources of starch. Di dalam: Ann Charlotte.
- Mubarak, A.E. 2005. Nutritional composition and antinutritional factors of mung bean seeds (*Phaseolus aureus*) as affected by some home traditional processes. *Food Chemistry* 89 (2005) 489–495.
- Moch Abdullah Al' Afif, 2015. Karakterisasi Pati Kacang Hijau (*Phaseolus radiatus* L.) dan Pemanfaatannya Sebagai Bahan Pembuatan Susu. Skripsi Teknologi Pangan dan Hasil Pertanian. UGM. Yogyakarta.
- Nur Alam, 2006. Potensi Batang Kacang merah Sebagai Sumber Pati Untuk Instant Starch Noodle. Fakultas Teknologi Pertanian UNTAD.
- Pangestuti, B.D. 2010. Karakterisasi Tapioka dari Beberapa Varietas Ubi Kayu (*Manihot esculanta* Crantz). Skripsi. Fakultas Teknologi Pertanian, Institut Pertanian Bogor : Bogor
- Parker, R. (2003). Introduction to Food Science. United States of America: Delmar, Thomson Learning.
- Purwono, MS dan Rudi Hartono. (2012). Kacang Hijau. Jakarta : Penebar Swadaya
- Radley, J.A., 1954. *Starch and It's Derivatives*. John Willey and Sons Inc., New York
- Rahajeng Arumdinari, 2012. Pengaruh Substitusi Tepung Singkong pada Pembuatan Sohun Pati Aren terhadap Sifat Produk. Skripsi Teknologi Pangan dan Hasil Pertanian. UGM. Yogyakarta

- Rahman, T dan Agustina, W. (2010). Pengaruh Konsentrasi Dan Jenis Gula Terhadap Sifat Fisiko Kimia Susu Kental Manis Kacang Hijau. Makalah dipresentasikan dalam Seminar Teknik Kimia, Jurusan Teknik Kimia, Universitas Parahyangan : Bandung
- Retnaningsih, Ch., Nina sarwono., Laksmi Hartayanie. 2012. Evaluasi Fisikokimia dan Sensori dari Puff Pastry yang Disubstitusi dengan Tepung Kacang Hijau. *Jurnal teknologi Pangan dan Hasil pertanian*. Vol. 3 No. 2 Halaman 87-96.
- Richana, N., L. Sukarno, A. Thontowi, L. Hakim. 2000. Evaluasi sifat fisiko-kimia dan bio kimia beberapa varietas dan galur kacang hijau. *Jurnal Penelitian Tanaman Pangan* 19(3):98- 106.
- Sajilata, M. G., Singhal, R. S., dan Klukarni, P. R. 206. Resistant Starch – A Review. *Comprehensive Reviews in Fod Science and Food Safety* 5 (1): 1-17.
- Santosa, S.B.A., Widowati,S., Soeprapto,R.H., dan Saifudin. 2002. Ekstraksi, Isolasi dan Hasil Olah Kacang Tunggak (*Vigna unguiculata* L.,Walp). *Penelitian Pertanian Tanaman Pangan* Vol.21, No. 1
- Sasaki, T., dan Matsuki, J. 1998. Effect of wheat starch structure on swelling power. Di dalam: Li, J.Y., dan Yeh, A.I. 2001. Relationship between 67 thermal, rheological characteristics, and swelling power for various starches. *J. Food Engineering* Vol.50 : 141-148.
- Schoch, T.J., and Eileen,C.M. 1968. Preparation and Properties of Various Legume Starch. Moffet Technical°Center,Corn Products°Company,Argo : New York.
- Shimelis, E.A. Mersha,M., and Sudip, K.R. 2006. Physicochemical Properties, Pating Behavior and Functional°Characteristics of Flours and Starches from Improved Bean (*Phaseolus vulgaris* L.) Varieties Grown in East Africa.
- Singh, N., Singh, J., Kaur, L., Sodhi, N. S., & Gill, B. S. (2003). Morphological, thermal and rheological properties of starches from different botanical sources. *Food Chemistry*, 81, 219–231.
- Smith, P.S. 1982. Starch Derivatives and Their Use in Foods. In : Lineback, D.R. dan Paschall, G.E. 1982. *Food Carbohydrates*. (eds) avi Publishing Company. Inc. Westport. Connecticut.

- Suryani, C.L., 1999. Pemutihan dan Pengikatan Silang Pati Sagu untuk Substitusi Beras pada Pembuatan Bihun. Tesis. Sekolah Pascasarjana Universitas Gadjah Mada. Yogyakarta.
- Syamsir, E., Hariyadi, P., Fardiaz, D., Andarwulan, N. dan Kusnandar, F. 2010. Pengaruh Proses Heat-Moisture Treatment (HMT) Terhadap Karakteristik Fisikokimia Pati. Fakultas Teknologi Pertanian IPB : Bogor
- Tam, L. M., Harold, C., Wilson, T.T., Jiansheng, L., and Lilia, S.C., 2004. Production of Bihon-type Noodles from Maize Starch Differing in Amylose Content. *Cereal Chemistry*, 81, 4, 475–480.
- Tan, H.Z., Li, Z.G., and Tan, B., 2009. Starch Noodles: History, Classification, Materials, Processing, Structure, Nutrition, Quality Evaluating and Improving. *Food Research International*, 42, 551–576.
- Tester, R.F., Karkalas, J. and Qi, X.J. 2004. *Starch-composition, fine structure and architecture*. *Journal of Cereal Science*, 39, 151–165.
- Uthumporn, U., Zaidul, I.S.M., and Karim, A.A. Hydrolysis of Granular Starch at Sub-Gelatinization Using a Mixture of Amylolytic Enzymes. *Food and Bioproducts Processing* : 88, 47-54
- Winarno, F.G. 2012. Kimia Pangan dan Gizi. Gramedia Pustaka Utama. Jakarta.
- Winda Haliza, Endang Y. Purwani, dan Ridwan Thahir (2007). Pemanfaatan Kacang-Kacangan Lokal Sebagai Substitusi Bahan Baku Tempe Dan Tahu. *Buletin Teknologi Pascapanen Pertanian Vol. 3* : Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian.
- Whistler, R. L., dan BeMiller, J. N. 199. *Carbohydrate Chemistry of Food Scientist*. Eagan Pres. Minesota, USA. 17-148
- Young, A.H. 1984. Fractionation of Starch. Di dalam: Whistler R.L., J.N. BeMiller, E.F. Paschall. Editors. *Starch: Chemistry and Technology*. New York: Academic Press, Inc.