

DAFTAR PUSTAKA

- Abunnaja, S.S. and Sanchez, J.A. (2013), "Epidemiology of Cardiovascular Disease", in Maulik, N. (Ed.), *Cardiovascular Diseases: Nutritional and Therapeutic Intervention*, CRC Press, Boca Raton.
- Ainsworth, B.E. (2010), "Assesing the Level of Physical Activity in Adults", in Bouchard, C. and Peter T. Katzmarzyk (Eds.), *Physical Activity and Obesity*, Human Kinetics, United States, pp. 18–21.
- Andrade, J.P., Pinto, F.J. and Arnett, D.K. (2015), *Prevention of Cardiovascular Diseases: From Current Evidence to Clinical Practice*, Springer, New York, available at:<https://doi.org/10.1007/978-3-319-22357-5>.
- Asztalos, B.F., Horan, M.S., Horvath, K. V., McDermott, A.Y., Chalasani, N.P. and Schaefer, E.J. (2014), "Obesity associated molecular forms of c-reactive protein in human", *PLoS ONE*, Vol. 9 No. 10, available at:<https://doi.org/10.1371/journal.pone.0109238>.
- Australian Institute of Health and Welfare. (2011), *Cardiovascular Disease: Australian Facts 2011, Cardiovascular Disease Series*.
- Bassett, D.R. and Fitzhugh, E.C. (2009), "Establishing Validity and reliability of Physical Activity Assesment Instruments", in Blair, S.N., Manson, J.E. and Paffenbarger, R.S. (Eds.), *Epidemiology Methods in Physical Activities Studies*, Oxford University Press, New York, pp. 34–55.
- Bauman, A., Bull, F., Chey, T., Craig, C.L., Ainsworth, B.E., Sallis, J.F., Bowles, H.R., et al. (2009), "The International Prevalence Study on Physical Activity: results from 20 countries.", *The International Journal of Behavioral Nutrition and Physical Activity*, Vol. 6, p. 21.
- Berg, C.M., Lappas, G., Strandhagen, E., Wolk, A., Torén, K., Rosengren, A., Aires, N., et al. (2008), "Food patterns and cardiovascular disease risk factors: The Swedish INTERGENE research program", *American Journal of Clinical Nutrition*, Vol. 88 No. 2, pp. 289–297.
- Brooks, G.C., Blaha, M.J. and Blumenthal, R.S. (2010), "Relation of C-Reactive Protein to Abdominal Adiposity", *American Journal of Cardiology*, Vol. 106 No. 1, pp. 56–61.
- Budiarto, E. (2004), *Metodologi Penelitian Kedokteran*, Penerbit Buku Kedokteran EGC, Jakarta.
- Calder, P.C. (2013), "Inflammation: An Introduction", in Grag, M.L. and Wood, L.G. (Eds.), *Nutrition and Physical Activity in Inflammatory Diseases*, CABI, London, pp. 1–22.
- Caspersen, C.J., Powell, K.E. and Christenson, G.M. (1985), "Physical activity, exercise, and physical fitness: definitions and distinctions for health-related research.", *Public Health Reports (Washington, D.C. : 1974)*, Vol. 100 No. 2, pp. 126–31.
- Center for Disease Control and Prevention. (2011), "Body mass index: Considerations for practitioners", Department of Health and Human Services Centers for Disease Control and Prevention.
- Chandra, B. (2008), *Metodologi Penelitian Kesehatan*, Penerbit Buku Kedokteran EGC, Jakarta.
- Chang, W.W., Sang, W.L., Hyun, R.C., Byung, S.K., Hye, S.P. and Yukawa, M. (2006), "Body mass index and C-reactive protein in the healthy Korean aged men", *Journal of Korean Medical Science*, Vol. 21 No. 5, pp. 811–815.

- Cheng, S.-J., Yu, H.-K., Chen, Y.-C., Chen, C.-Y., Lien, W.-C., Yang, P.-Y. and Hu, G.-C. (2013), "Physical Activity and Risk of Cardiovascular Disease Among Older Adults", *International Journal of Gerontology*, Vol. 7 No. 3, pp. 133–136.
- Chomistek, A.K., Manson, J.E., Stefanick, M.L., Lu, B., Sands-Lincoln, M., Going, S.B., Garcia, L., et al. (2013), "Relationship of Sedentary Behavior and Physical Activity to Incident Cardiovascular Disease: Results From the Women's Health Initiative", *Journal of the American College of Cardiology*, Vol. 61 No. 23.
- Church, T. (2010), "Physical Activity and Heart Disease in Obesity", in Bouchard, C. and Katzmarzyk, P. (Eds.), *Physical Activity and Obesity*, 2nd Ed., Human Kinetics, United States, pp. 281–284.
- da Costa, L.A., Arora, P., García-Bailo, B., Karmali, M., El-Sohemy, A. and Badawi, A. (2012), "The association between obesity, cardiometabolic disease biomarkers, and innate immunity-related inflammation in canadian adults", *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, Vol. 5, pp. 347–355.
- Craig, C.L., Marshall, A.L., Sjöström, M., Bauman, A.E., Booth, M.L., Ainsworth, B.E., Pratt, M., et al. (2003), "International physical activity questionnaire: 12-Country reliability and validity", *Medicine and Science in Sports and Exercise*, Vol. 35 No. 8, pp. 1381–1395.
- Crimmins, E., Kim, J.K., McCreath, H., Faul, J., Weir, D. and Seeman, T. (2014), "Validation of Blood-Based Assays Using Dried Blood Spots for Use in Large Population Studies", *Biodemography Social Biology*, Vol. 60 No. 1, pp. 38–48.
- Dahlan, S. (2012), *Analisis Multivariat Regresi Logistik: Disertai Praktik Dengan Program SPSS Dan STATA*, Epidemiologi Indonesia, Jakarta.
- Diep, L., Kwagyan, J., Kurantsin-Mills, J., Weir, R. and Jayam-Trouth, A. (2010), "Association of Physical Activity Level and Stroke Outcomes in Men and Women : A Meta-Analysis", *Journal of Women's Health*, Vol. 19 No. 10.
- Dishman, R.K., Berthoud, H.-R., Booth, F.W., Cotman, C.W., Edgerton, V.R., Fleshner, M.R., Gandevia, S.C., et al. (2006), "Neurobiology of Exercise", *Journal of Obesity*, Vol. 14 No. 3, pp. 345–356.
- Esteghamati, A., Morteza, A., Khalilzadeh, O., Anvari, M., Noshad, S., Zandieh, A. and Nakhjavani, M. (2012), "Physical inactivity is correlated with levels of quantitative C-reactive protein in serum, independent of obesity: Results of the national surveillance of risk factors of non-communicable diseases in Iran", *Journal of Health, Population and Nutrition*, Vol. 30 No. 1, pp. 66–72.
- Fan, J., Zhang, J. and Chen, Y.E. (2015), "C-Reactive Protein and Its Pathophysiological Roles in Atherosclerosis", in Wang, H. and Patterson, C. (Eds.), *Atherosclerosis: Risks, Mechanisms, and Therapies*, Wiley - Blackwell, New Jersey, pp. 247–256.
- Fedewa, M. V., Das, B.M., Forehand, R.L. and Evans, E.M. (2014), "Area-Level Socioeconomic Status, Adiposity, Physical Activity, and Inflammation in Young Adults, 2013", *Preventing Chronic Disease*, Vol. 11, p. E130.
- Frayn, K. and Stanner, S. (2005), *Cardiovascular Disease: Diet, Nutrition and Emerging Risk Factors, Nutrition*, Blackwell Publishing, Oxford.
- Fritz, J., Edlinger, M., Kelleher, C., Strohmaier, S., Nagel, G., Concin, H., Ruttman, E., et al. (2015), "Mediation analysis of the relationship between sex, cardiovascular risk factors and mortality from coronary heart disease : Findings from the population-based VHM & PP cohort", *Atherosclerosis*, Elsevier Ltd, Vol. 243 No. 1, pp. 86–92.

- García-Lorda, P., Bulló, M., Balanzà, R. and Salas-Salvadó, J. (2006), “C-reactive protein, adiposity and cardiovascular risk factors in a Mediterranean population.”, *International Journal of Obesity* (2005), Vol. 30 No. 3, pp. 468–474.
- George, S.J. and Lyon, C. (2010), “Pathogenesis of Atherosclerosis”, in George, S.J. and Johnson, J. (Eds.), *Atherosclerosis: Molecular and Cellular Mechanisms*, Wiley - Blackwell, United Kingdom, pp. 3–20.
- Gondim, O.S., de Camargo, V.T.N., Gutierrez, F.A., Martins, D.O.P.F., Passos, M.E.P., Momesso, C.M., Santos, V.C., et al. (2015), “Benefits of regular exercise on inflammatory and cardiovascular risk markers in normal weight, overweight and obese adults”, *PLoS ONE*, Vol. 10 No. 10, pp. 1–15.
- Hagstromer, M., Ainsworth, B.E., Oja, P. and Sjostrom, M. (2010), “Comparison of a subjective and an objective measure of physical activity in a population sample.”, *Journal of Physical Activity & Health, Champaign*, Vol. 7 No. 4, pp. 541–50.
- Hamer, M. (2010), “Physical Activity and Inflammation in Obesity”, in Bouchard, C. and Katzmarzyk, P.T. (Eds.), *Physical Activity and Obesity*, Human Kinetics, United States, pp. 291–294.
- Harti, A.S. (2013), *Imunologi Dasar & Imunologi Klinis*, Graha Ilmu, Yogyakarta.
- Haskell, W.L. (2009), “Evolution of Physical Activity Recommendation”, in Blair, S.N., Manson, J.E. and Paffenbarger, R.S. (Eds.), *Epidemiology Methods in Physical Activities Studies*, Oxford University Press, New York, pp. 283–300.
- Hastuti, J. (2013), *Anthropometry and Body Composition of Indonesian Adults: an Evaluation of Body Image, Eating Behaviours, and Physical Activity*, Queensland University of Technology.
- Hayes, A. (2013), *Introduction to Mediation, Moderation, and Conditional Process Analysis: A Regression-Based Approach*, edited by Kenny, D.A. and Little, T.D., Vol. 11.
- Heather, A. and McGrath, K. (2013), “Cardiovascular Disease and Inflammation”, in Grag, M.L. and Wood, L.G. (Eds.), *Nutrition and Physical Activity in Inflammatory Diseases*, CABI, London, pp. 243–259.
- Herrmann, S.D. (2012), “Physical Activity Measurement”, in Ainsworth, B.E. and Macera, C.A. (Eds.), *Physical Activity and Public Health Practice*, CRC Press Taylor & Francais Group, Boca Raton, pp. 179–192.
- Hlebowicz, J., Persson, M., Gullberg, B., Sonestedt, E., Wallstro, P., Drake, I., Nilsson, J., et al. (2011), “Food patterns, inflammation markers and incidence of cardiovascular disease: The Malmo Diet and Cancer study”, *Journal of Internal Medicine*, pp. 365–376.
- Hu, F.B. (2008), “Dietary Assessment Methods”, *Obesity Epidemiology*, Oxford University Press, Oxford.
- Hu, P., Herningtyas, E.H., Strauss, J., Crimmins, E., Kim, J.K. and Sikoki, B. (2013), *IFLS C-Reactive Protein Data User Guide*, University of Southern California, available at: http://www.rand.org/pubs/working_papers/WR675z7.html.
- Hu, Y. (2013), *Survival Analysis of Cardiovascular Diseases*, Washington University in ST Louis.
- IPAQ. (2005), “Guidelines for Data Processing and Analysis of the International Physical Activity Questionnaire (IPAQ): Short and Long Forms”.

- Kao, T., Lu, I., Liao, K., Lai, H., Loh, C. and Kuo, H. (2009), "Associations between body mass index and serum levels of C-reactive protein.", *South African Medical Journal*, Vol. 99 No. 5, pp. 326–329.
- Kasapis, C. and Thompson, P.D. (2005), "The effects of physical activity on serum C-reactive protein and inflammatory markers: A systematic review", *Journal of the American College of Cardiology*, Vol. 45 No. 10, pp. 1563–1569.
- Katja, B., Laatikainen, T., Salomaa, V. and Jousilahti, P. (2006), "Associations of leisure time physical activity, self-rated physical fitness, and estimated aerobic fitness with serum C-reactive protein among 3803 adults", *Atherosclerosis*, Vol. 185 No. 2, pp. 381–387.
- Kementerian Kesehatan RI. (2011a), *Strategi Nasional: Penerapan Pola Konsumsi Makanan Dan Aktivitas Fisik Untuk Mencegah Penyakit Tidak Menular*, Direktorat Jenderal Bina Gizi dan Kesehatan Ibu dan Anak, Jakarta.
- Kementerian Kesehatan RI. (2011b), *Petunjuk Teknis Pemantauan Status Gizi Orang Dewasa Dengan Indeks Massa Tubuh (IMT)*, Direktorat Jenderal Bina Kesehatan Masyarakat Direktorat Gizi Masyarakat, Jakarta.
- Kementrian Kesehatan RI. (2014), *Pedoman Gizi Seimbang*, Jakarta.
- Kenny, D.A. (2008), "Mediation with Dichotomous Outcomes".
- Kenny, D.A. (2016), "Mediation", available at: <http://davidakenny.net/cm/mediate.htm> (accessed 27 April 2017).
- Kleinbaum, D.G. and Klein, M. (2010), *Logistic Regression: A Self-Learning Text*, edited by Gail, M., Krickeberg, K., Samert, J., Tsatis, A. and Wong, W., Springer, New York.
- Kleinbaum, D.G., Sullivan, K.M. and Barker, N.D. (2007), *A Pocket Guide to Epidemiology*, Springer, New York.
- Ko, A., Kim, H., Han, C.-J., Kim, J.-M., Chung, H.-W. and Chang, N. (2014), "Association between high sensitivity C-reactive protein and dietary intake in Vietnamese young women.", *Nutrition Research and Practice*, Vol. 8 No. 4, pp. 445–52.
- Kuczumski, M.F., Mason, M.A., Allegro, D., Zonderman, A.B. and Evans, M.K. (2013), "Diet Quality Is Inversely Associated with C-Reactive Protein Levels in Urban, Low-Income African-American and White Adults", *Journal of the Academy of Nutrition and Dietetics*, Elsevier Inc, Vol. 113 No. 12, pp. 1620–1631.
- Labarthe, D. (2011), *Epidemiology and Prevention of Cardiovascular Diseases: A Global Challenge*, 2nd Ed., Jones and Bartlett Publishers, Massachusetts.
- Lee, J., Ryu, S., Cheong, E. and Sung, K. (2016), "Association of Physical Activity and Inflammation With All-Cause, Cardiovascular-Related, and Cancer-Related Mortality", *Mayo Clinic Proceedings*, Mayo Foundation for Medical Education and Research, pp. 1–11.
- Lee, P.H., Macfarlane, D.J., Lam, T.H. and Stewart, S.M. (2011), "Validity of the International Physical Activity Questionnaire Short Form (IPAQ-SF): a systematic review.", *The International Journal of Behavioral Nutrition and Physical Activity*, Vol. 8 No. 1, p. 115.
- Lee, R.D. and Nieman, D.C. (2013), *Nutritional Assessment*, 6th Ed., Mc Graw Hill, New York.
- Lichtenstein, A.H. (2011), "Nutrition and Risk for Cardiovascular Disease", in Eckel, R.H. (Ed.), *Metabolic Risk in Cardiovascular Disease*, Wiley - Blackwell, Dallas, pp. 59–76.

- Lin, C.-C., Kardia, S.L.R., Li, C.-I., Liu, C.-S., Lai, M.-M., Lin, W.-Y., Chang, P.-C., et al. (2010), "The relationship of high sensitivity C-reactive protein to percent body fat mass, body mass index, waist-to-hip ratio, and waist circumference in a Taiwanese population.", *BMC Public Health*, Vol. 10, p. 579.
- Litbangkes Kemenkes RI. (2014), *Survei Konsumsi Makanan Individu: Studi Diet Total 2014*.
- Loprinzi, P.D. (2015), "Frequency of moderate-to-vigorous physical activity (MVPA) is a greater predictor of systemic inflammation than total weekly volume of MVPA: Implications for physical activity promotion", *Physiology and Behavior*, Elsevier Inc., Vol. 141, pp. 46–50.
- Loprinzi, P.D. and Walker, J.F. (2015), "Combined association of physical activity and diet with C-reactive protein among smokers", *Journal of Diabetes & Metabolic Disorders*, Journal of Diabetes & Metabolic Disorders, Vol. 14, p. 51.
- MacKinnon, D.P. (2008), *Introduction to Statistical Mediation Analysis*, Lawrence Erlbaum Associates Publishers, New York, available at: <https://doi.org/10.1037/13620-018>.
- Macniven, R., Bauman, A. and Abouzeid, M. (2012), "A review of population-based prevalence studies of physical activity in adults in the Asia-Pacific region", *BMC Public Health*, BioMed Central Ltd, Vol. 12 No. 1, p. 41.
- Maddison, R., Mhurchu, C.N., Jiang, Y., Hoorn, S. Vander, Rodgers, A., Lawes, C.M. and Rush, E. (2007), "International Physical Activity Questionnaire (IPAQ) and New Zealand Physical Activity Questionnaire (NZPAQ): A doubly labelled water validation", *International Journal of Behavioral Nutrition and Physical Activity*, Vol. 4, pp. 61–71.
- Mangge, H., Almer, G., Schmidt, A., Gasser, R. and Fuchs, D. (2010), "Inflammation, Adiponectin, Obesity, and Cardiovascular Risk", *Curent Medical Chemistry*, Vol. 17.
- Mannocci, A., Thiene, D. Di, Cimmuto, A. Del, Masala, D., Boccia, A., Vito, E. De and Torre, G. La. (2012), "International Physical Activity Questionnaire: validation and assessment in an Italian sample", *Italian Journal of Public Health*, Vol. 7 No. 4, pp. 369–376.
- Mcdonnell, M.N., Hillier, S.L., Hooker, S.P., Le, A., Judd, S.E. and Howard, V.J. (2014), "Physical Activity Frequency and Risk of Incident Stroke in a National US Study of Blacks and Whites", *Stroke*, Vol. 44 No. 9, pp. 1–12.
- McElroy, S.L., Allison, D.B. and Bray, G.A. (2006), *Obesity and Mental Disorders*, Medical Psychiatry, Taylor & Francais Group, New York.
- Medina, C., Barquera, S. and Janssen, I. (2013), "Validity and reliability of the International Physical Activity Questionnaire among adults in Mexico", *Rev Panam Salud Publica. Rev Panam Salud Publica*, Vol. 34 No. 341, pp. 21–8.
- Mertens, E., Markey, O., Geleijnse, J.M., Givens, D.I. and Lovegrove, J.A. (2017), "Dietary patterns in relation to cardiovascular disease incidence and risk markers in a middle-aged british male population: Data from the caerphilly prospective study", *Nutrients*, Vol. 9 No. 1, pp. 1–16.
- Mozaffarian, D., Katan, M.B., Ascherio, A., Stampfer, M.J. and Willett, W.C. (2006), "Trans fatty acids and cardiovascular disease.", *The New England Journal of Medicine*, Vol. 354, pp. 1601–1613.
- Munir, J.A. (2013), "Factor Contributing to the Development of Atherosclerosis", in Taylor, A.J. and Villines, T.C. (Eds.), *Atherosclerosis: Clinical Perspective Through Imaging*, Springer Verlag, London, pp. 13–25.

- Nang, E.E.K., Gitau Ngunjiri, S.A., Wu, Y., Salim, A., Tai, E.S., Lee, J. and Van Dam, R.M. (2011), "Validity of the International Physical Activity Questionnaire and the Singapore Prospective Study Program physical activity questionnaire in a multiethnic urban Asian population.", *BMC Medical Research Methodology*, Vol. 11, p. 141.
- Ning, H., Van Horn, L., Shay, C.M. and Lloyd-Jones, D.M. (2014), "Associations of Dietary Fiber Intake With Long-Term Predicted Cardiovascular Disease Risk and C-Reactive Protein Levels (from the National Health and Nutrition Examination Survey Data [2005–2010])", *The American Journal of Cardiology*, Elsevier Inc., Vol. 113 No. 2, pp. 287–291.
- Nordestgaard, B.G. and Varbo, A. (2014), "Triglycerides and cardiovascular disease", *The Lancet*, Vol. 384 No. 9943, pp. 626–635.
- Palomo-vélez, G. (2014), "Role of physical activity in cardiovascular disease prevention in older adults", *Sport Science Health*, No. September, available at: <https://doi.org/10.1007/s11332-015-0233-1>.
- Panagiotakos, D., Pitsavos, C., Chrysohoou, C., Palliou, K., Lentzas, I., Skoumas, I. and Stefanadis, C. (2009), "Dietary patterns and 5-year incidence of cardiovascular disease: A multivariate analysis of the ATTICA study", *Nutrition, Metabolism and Cardiovascular Diseases*, Vol. 19 No. 4, pp. 253–263.
- Panagiotakos, D.B., Pitsavos, C., Lentzas, Y., Skoumas, Y., Papadimitriou, L., Zeimbekis, A. and Stefanadis, C. (2008), "Determinants of Physical Inactivity Among Men and Women From Greece: A 5-Year Follow-Up of the ATTICA Study", *Annals of Epidemiology*, Vol. 18 No. 5, pp. 387–394.
- Papathanasiou, G., Georgoudis, G., Papandreou, M., Spyropoulos, P., Georgakopoulos, D., Kalfakakou, V. and Evangelou, A. (2009), "Reliability measures of the short International Physical Activity Questionnaire (IPAQ) in Greek young adults.", *Hellenic Journal of Cardiology*, Vol. 50 No. 4, pp. 283–94.
- Pearson, T.A., Mensah, G.A., Alexander, R.W., Anderson, J.L., Iii, R.O.C., Criqui, M., Fadl, Y.Y., et al. (2003), "Markers of Inflammation and Cardiovascular Disease Application to Clinical and Public Health Practice A Statement for Healthcare Professionals From the Centers for Disease Control and Prevention and the American Heart Association", *AHA / CDC Scientific Statement*, pp. 499–511.
- Pešek, K. (2011), *Atherosclerotic Cardiovascular Disease*, Intech Open Access Publisher, Rijeka, Croatia.
- Pette, K.K., Storti, K.L., Alinsworth, B.E. and Kriska, A.M. (2009), "Measurement of Physical Activity and Inactivity in Epidemiologic Studies", in Blair, S.N., Manson, J.E. and Paffenbarger, R.S. (Eds.), *Epidemiology Methods in Physical Activities Studies*, Oxford University Press, New York, pp. 15–33.
- Pettee Gabriel, K.K., Morrow, J.R. and Woolsey, A.T. (2012), "Framework for physical activity as a complex and multidimensional behavior", *Journal of Physical Activity and Health*, Vol. 9 No. Suppl 1, pp. S11–S18.
- Physical Activity Guidelines Advisory Committee. (2008), "Physical Activity Guidelines Advisory Committee Report", US. Department of health and Human Services, Washington DC, available at: <https://doi.org/10.1111/j.1753-4887.2008.00136.x>.
- Pitsavos, C., Panagiotakos, D.B., Tzima, N., Lentzas, Y., Chrysohoou, C., Das, U.N. and Stefanadis, C. (2007), "Diet, exercise, and C-reactive protein levels in people with abdominal obesity: the ATTICA epidemiological study", *Angiology*, Vol. 58 No. 2, pp. 225–233.

- Rader, D.J. and Hovingh, G.K. (2014), "HDL and cardiovascular disease", *The Lancet*, Elsevier Ltd, Vol. 384 No. 9943, pp. 618–625.
- Riskesdas. (2013), *Riset Kesehatan Dasar 2013, Laporan Nasional 2013*, Badan Penelitian dan Pengembangan Kesehatan (Balitbangkes), Kementerian Kesehatan, available at: <https://doi.org/10.1159/000096744> 1 Desember 2013.
- Römling, C.& M.Q. (2011), "Direct and Indirect Determinants of Obesity: The Case of Indonesia", *Department of Agricultural Economics and Rural Development*, Vol. 4 No. June.
- Safar, M.E. and Frohlich, E.D. (2007), *Atherosclerosis, Large Arteries and Cardiovascular Risk*, edited by Borer, J.S. *Advances in Cardiology*, Vol 44., Vol. 44, Karger, Basel, available at: <https://doi.org/10.1159/000096744>.
- Saglam, M., Arikan, H., Savci, S., Inal-Ince, D., Bosnak-Guclu, M., Karabulut, E. and Tokgozoglu, L. (2010), "International physical activity questionnaire: reliability and validity of the Turkish version.", *Perceptual and Motor Skills*, Vol. 111 No. 1, pp. 278–84.
- Santulli, G. (2013), "Epidemiology of Cardiovascular Disease in the 21 st Century: Updated Numbers and Updated Facts", *Journal of cardiovascular disease*, Vol. 1 No. 1, pp. 1–2.
- Saragih, S.M. (2015), *Uji Validitas International Physical Activity Questionnaire (IPAQ) Versi Indonesia IPAQ Modifikasi Terhadap Pedometer Pada Populasi Remaja Di Yogyakarta*.
- Sastroasmoro, S. (2011), "Dessain Penelitian", in Sastroasmoro, S. and Ismael, S. (Eds.), *Dasar-Dasar Metodologi Penelitian Klinis*, 4th ed., Sagung Seto, Jakarta, pp. 104–129.
- Sattelmair, J., Pertman, J., Ding, E.L., Iii, H.W.K., Haskell, W. and Lee, I. (2011), "Dose Response Between Physical Activity and Risk of Coronary Heart Disease: A Meta-Analysis", *Circulation Journal of the American Heart Association*, Vol. 124, pp. 789–795.
- Sesso, H.D., Stampfer, M.J., Rosner, B., Hennekens, C.H., Gaziano, J.M., Manson, J.E. and Glynn, R.J. (2000), "Systolic and Diastolic Blood Pressure, Pulse Pressure, and Mean Arterial Pressure as Predictors of Cardiovascular Disease Risk in Men", *Hypertension*, Vol. 36, pp. 801–807.
- Shamsuddin, N., Koon, P.B., Zulkifli, S., Zakaria, S. and Noor, M.I. (2015), "Reliability and Validity of Malay Language Version of International Physical Activity Questionnaire (IPAQ-M) among the Malaysian Cohort Participants", Vol. 5 No. 2, pp. 643–653.
- Shrivastava, A.K., Singh, H.V., Raizada, A. and Singh, S.K. (2015), "C-reactive protein, inflammation and coronary heart disease", *Egyptian Heart Journal*, The Egyptian Heart Journal, Vol. 67 No. 2, pp. 89–97.
- Simanek, A.M., Dowd, J.B. and Aiello, A.E. (2009), "Persistent pathogens linking socioeconomic position and cardiovascular disease in the US", *International Journal of Epidemiology*, Vol. 38 No. 3, pp. 775–787.
- Singh, T. and Newman, A. (2011), "Inflammatory markers in population studies of ageing", *Ageing Research Reviews*, Vol. 10 No. 3, pp. 319–329.
- Sirajuddin, Mustamin, H., Nadimin and Rauf, S. (2015), *Survei Konsumsi Pangan*, edited by Rezkina, E., Jakarta.
- Siswanto, Permaesih, D., Lamid, A., Prihatini, S., Rosmalina, Y., Hermina, Puspitasari, D.S., et al. (2014), *Buku Studi Diet Total: Survei Konsumsi Makanan Individu Indonesia 2014*, edited by Trihono, Atmarita, Abas Basuni Jahari, D.K., Lembaga Penerbitan Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan RI.

- Soo, K.L., Wan Abdul Manan, W.M. and Wan Suriati, W.N. (2015), "The Bahasa Melayu version of the Global Physical Activity Questionnaire: reliability and validity study in Malaysia.", *Asia-Pacific Journal of Public Health / Asia-Pacific Academic Consortium for Public Health*, Vol. 27 No. 2, p. NP184-93.
- Steptoe, A. (2012), "Stress, Inflammation, and Coronary Heart Disease", in Hjemdahl, P., Rosengren, A. and Steptoe, A. (Eds.), *Stress and Cardiovascular Disease*, Springer, New York, pp. 111–128.
- Strauss, J., Sikoki, B. and Witoelar, F. (2016), *The Fifth Wave of the Indonesia Family Life Survey (IFLS5): Overview and Field Report*, Vol. 1, WR-1143-1-NIA-/NICHHD, available at: www.rand.org.
- Strauss, J., Witoelar, F., Sikoki, B. and Wattie, A.M. (2009), *The Fourth Wave of the Indonesian Family Life Survey (IFLS4): Overview and Field Report, RAND Labour and Population Working Paper*, WR-675/1-NIA/NICHHD.
- Supriasa, I.D.N., Bakri, B. and Fajar, I. (2002), *Penilaian Status Gizi*, edited by Ester, M., Penerbit Buku Kedokteran EGC, Jakarta.
- Tambalis, K.D., Panagiotakos, D.B., Georgousopoulou, E.N., Mellor, D.D., Chrysohoou, C., Kouli, G., Tousoulis, D., et al. (2016), "Impact of Physical Activity Category on Incidence of Cardiovascular Disease: Results from the 10-Year Follow-Up of the ATTICA Study (2002–2012)", *Preventive Medicine*, Elsevier Inc., Vol. 93, pp. 27–32.
- Tangkilisan, V., Kawengian, S.E.S. and Mayulu, N. (2013), "Hubungan antara Aktivitas Fisik dengan Kadar Hs-CRP Serum pada Mahasiswa Obes dan Tidak Obes di Fakultas Kedokteran Universitas Sam Ratulangi Manado", *Jurnal E-Biomedik*, Vol. 1 No. 1, pp. 635–641.
- Tousoulis, D., Androulakis, E., Papageorgiou, N. and Stefanadis, C. (2014), "C-Reactive Protein in Cardiovascular Disease", *Biomarker in Cardiovascular Disease*, CRC Press Taylor & Francais Group, Boca Raton, Florida, pp. 3–16.
- Townsend, N., Nichols, M., Scarborough, P. and Rayner, M. (2015), "Cardiovascular disease in Europe - Epidemiological update 2015", *European Heart Journal*, Vol. 36 No. 40, pp. 2696–2705.
- Townsend, N., Wilson, L., Bhatnagar, P., Wickramasinghe, K., Rayner, M. and Nichols, M. (2016), "Cardiovascular disease in Europe: Epidemiological update", *European Heart Journal*, Vol. 0, pp. 1–14.
- U.S. Department of Health and Human Services. (2008), "2008 Physical Activity Guidelines for Americans", *President's Council on Physical Fitness & Sports Research Digest*, Vol. 9 No. 4, pp. 1–8.
- Uglem, S., Stea, T., Frolich, W. and Wandel, M. (2011), "Body weight, weight perceptions and food intake patterns. A cross-sectional study among male recruits in the Norwegian National Guard", *BMC Public Health*, Vol. 11 No. 1, p. 343.
- Vandenbroucke, J.P., von Elm, E., Altman, D.G., Gotzsche, P.C., Mulrow, C.D., Pocock, S.J., Poole, C., et al. (2014), "Strengthening the Reporting of Observational Studies in Epidemiology (STROBE): Explanation and elaboration", *International Journal of Surgery*, Elsevier Ltd, Vol. 12 No. 12, pp. 1500–1524.
- Verschuren, W.M.M. (2012), "Diet and cardiovascular disease", *Current Cardiology Reports*, Vol. 14 No. 6, pp. 701–708.

- Vittinghoff, E., Glidden, D. V., Shiboski, S.C. and McCulloch, C.E. (2012), *Regression Methods in Biostatistics: Linear, Logistic, Survival, and Repeated Measures Model*, 2nd Ed., Springer, New York.
- Warbuton, D. (2010), “The Physical Activity and Exercise Continuum”, in Bouchard, C. and Katzmarzyk, P.T. (Eds.), *Physical Activity and Obesity*, Human Kinetics, Champaign, IL, pp. 7–12.
- Westerterp, K.R. (2009), “Assessment of physical activity: A critical appraisal”, *European Journal of Applied Physiology*, Vol. 105 No. 6, pp. 823–828.
- World Health Organization. (2001), *Health Research Methodology: A Guide for Training in Research Methods*, 2nd Edition., World Health Organization, Manila.
- World Health Organization. (2005), *Avoiding Heart Attacks and Strokes*, World Health Organization, France.
- World Health Organization. (2010), *Global Recommendations on Physical Activity for Health*, Geneva: World Health Organization, WHO Library Cataloguing-in-Publication Data, Switzerland.
- World Health Organization. (2014), *Noncommunicable Diseases: Country Profiles 2014*, World Health Organization, WHO Document Production Services, Geneva.
- World Health Organization; World Heart Federation; World Stroke Organization. (2011), *Global Atlas on Cardiovascular Disease Prevention and Control*, edited by Mendis, S., Puska, P. and Norrving, B.,
- World Heart Federation. (2012), “Cardiovascular Disease Risk Factors”, *Cardiology Journal*, No. April 2012, pp. 6–9.
- Wu, W. (2015), *Dietary Risk Factors of Cardiovascular Diseases*, Vol. 1, Nova Biomedical, New York,
- Yang, Z.-J., Liu, J., Ge, J.-P., Chen, L., Zhao, Z.-G. and Yang, W.-Y. (2012), “Prevalence of cardiovascular disease risk factor in the Chinese population: the 2007-2008 China National Diabetes and Metabolic Disorders Study.”, *European Heart Journal*, Vol. 33 No. 2, pp. 213–20.
- Yaqoob, P. and Ferns, G. (2005), “Inflammation-Related Factors”, in Frayn, K. and Stanner, S. (Eds.), *Cardiovascular Disease: Diet, Nutrition and Emerging Risk Factors*, Blackwell Publishing, Oxford, pp. 128–146.
- Yousuf, O., Mohanty, B.D., Martin, S.S., Joshi, P.H., Blaha, M.J., Nasir, K., Blumenthal, R.S., et al. (2013), “High-sensitivity C-reactive protein and cardiovascular disease: A resolute belief or an elusive link?”, *Journal of the American College of Cardiology*, Elsevier Inc, Vol. 62 No. 5, pp. 397–408.
- Yu, E., Rimm, E., Qi, L., Rexrode, K., Albert, C.M., Sun, Q., Willett, W.C., et al. (2016), “Diet, Lifestyle, Biomarkers, Genetic Factors, and Risk of Cardiovascular Disease in the Nurses’ Health Studies”, *American Journal of Public Health*, Vol. 106 No. 9, pp. 1616–1624.
- Zheng, L., Sun, Z., Li, J., Zhang, R., Zhang, X., Liu, S., Li, J., et al. (2008), “Pulse Pressure and Mean Arterial Pressure in Relation to Ischemic Stroke Among Patients With Uncontrolled Hypertension in Rural Areas of China”, *Stroke*, Vol. 39, pp. 1932–1937.