

References

- Barker, M. J., Greenwood, K. M., Jackson, M., and Crowe, S. F. (2004). Persistence of cognitive effects after withdrawal from long-term benzodiazepine use: a meta-analysis. *Archives of Clinical Neuropsychology*, *19*(3), 437–454. [https://doi.org/10.1016/S0887-6177\(03\)00096-9](https://doi.org/10.1016/S0887-6177(03)00096-9)
- Beck, A., Grace, A. A., and Heinz, A. (2011). Reward Processing. In: Adinoff, B., Stein, E. A. ed. *Neuroimaging in Addiction*. Chichester: Wiley, (107-123).
- Berg, S. A., Sentir, A. M., Cooley, B. S., Engleman, E. A., et al. (2014). Nicotine is more addictive , not more cognitively therapeutic in a neurodevelopmental model of schizophrenia produced by neonatal ventral hippocampal lesions. *Addiction Biology*, *19*, 1020–1031. <https://doi.org/10.1111/adb.12082>
- Bramness, J. G., and Kornør, H. (2007). Benzodiazepine prescription for patients in opioid maintenance treatment in Norway. *Drug and Alcohol Dependence*, *90*(2–3), 203–209. <https://doi.org/10.1016/j.drugalcdep.2007.03.008>
- Butcher, J. N., Dahlstrom, W. G., Graham, J. R., Tellegen, A. M., et al. (1989). Minnesota Multiphasic Personality Inventory-2 (MMPI-2): Manual for administration and scoring. Minneapolis: University of Minnesota Press.
- Cederlöf, M., Kuja-halkola, R., Larsson, H., Sjölander, A., et al. (2016). A longitudinal study of adolescent psychotic experiences and later development of substance use disorder and suicidal behavior. *Schizophrenia Research*, 8–11. <https://doi.org/10.1016/j.schres.2016.08.029>

- Drayton, M. (2009). The Minnesota multiphasic personality inventory-2 (MMPI-2). *Occupational Medicine*, 59(2), 135–136.
<https://doi.org/10.1093/occmed/kqn182>
- Eurelings-Bontekoe, E. H. M., Onnink, A., Williams, M. M., and Snellen, W. M. (2008). A new approach to the assessment of structural personality pathology: Theory-driven profile interpretation of the Dutch Short Form of the MMPI. *New Ideas in Psychology*, 26(1), 23–40.
<https://doi.org/10.1016/j.newideapsych.2007.03.002>
- Fox, T. P., Oliver, G., Ellis, S. M., Liu, X., et al. (2013). The Destructive Capacity of Drug Abuse: An Overview Exploring the Harmful Potential of Drug Abuse Both to the Individual and to Society. *International Scholarly Research Notices (ISRN) Addiction*, 2013, 1-6.
<https://doi.org/10.1155/2013/450348>
- Giguère, C., and Potvin, S. (2016). The Drug Abuse Screening Test preserves its excellent psychometric properties in psychiatric patients evaluated in an emergency setting. *Addictive Behaviors*, 64, 165–170.
<https://doi.org/10.1016/j.addbeh.2016.08.042>
- Gravielle, M. C. (2016). Activation-induced regulation of GABAA receptors: Is there a link with the molecular basis of benzodiazepine tolerance? *Pharmacological Research*, 109, 92–100.
<https://doi.org/10.1016/j.phrs.2015.12.030>

- Hoseinifar, J., Zirak, S. R., Shaker, A., Meamar, E., et al. (2011). Comparison of Quality of Life and Mental Health of Addicts and Non- Addicts. *Procedia - Social and Behavioral Sciences*, 30, 1930–1934.
<https://doi.org/http://dx.doi.org/10.1016/j.sbspro.2011.10.375>
- Ilomäki, R., Ilomäki, E., Hakko, H., and Räsänen, P. (2011). Psychotropic medication history of inpatient adolescents - Is there a rationale for benzodiazepine prescription? *Addictive Behaviors*, 36(1–2), 161–165.
<https://doi.org/10.1016/j.addbeh.2010.09.003>
- Lechner, W. V, Dahne, J., Chen, K. W., Pickover, A., et al. (2013). The prevalence of substance use disorders and psychiatric disorders as a function of psychotic symptoms. *Drug and Alcohol Dependence*, 131(1–2), 78–84.
<https://doi.org/10.1016/j.drugalcdep.2012.12.003>
- Lee, H. H., Lee, J. F., Lin, S. Y., and Chen, B. H. (2016). Simultaneous identification of abused drugs, benzodiazepines, and new psychoactive substances in urine by liquid chromatography tandem mass spectrometry. *Kaohsiung Journal of Medical Sciences*, 32(3), 118–127.
<https://doi.org/10.1016/j.kjms.2016.01.007>
- Lugoboni, F., Mirijello, A., Faccini, M., Casari, R., et al. (2014). Quality of life in a cohort of high-dose benzodiazepine dependent patients. *Drug and Alcohol Dependence*, 142, 105–109.
<https://doi.org/10.1016/j.drugalcdep.2014.06.020>

- McKeganey, N. (2011). The Global Challenge of Illegal Drugs. In: Ghodse, H., Herrman, H., Maj, M., and Sartorius, N. ed. *Substance Abuse Disorders: Evidence and Experience*. Chichester: Wiley, (83-86).
- Medina-Mora, M., Real, T., and Robles, R. (2011). Epidemiology of Drug Abuse: A Global Overview. In: Ghodse, H., Herrman, H., Maj, M., and Sartorius, N. ed. *Substance Abuse Disorders: Evidence and Experience*. Chichester: Wiley, (3-26).
- NIDA Drugs, Brains, and Behavior: The Science of Addiction [Internet]. [cited 2016 Nov 14]. Available from:
<https://www.drugabuse.gov/publications/drugs-brains-behavior-science-addiction>
- Olbert, C. M., Penn, D. L., Reise, S. P., Horan, W. P., et al. (2016). Assessment of attachment in psychosis: A psychometric cause for concern. *Psychiatry Research*, 246, 77–83. <https://doi.org/10.1016/j.psychres.2016.09.020>
- Osuna, E., López-Martínez, M., Arce, R., and Vázquez, M. J. (2015). Analysis of response patterns on the MMPI-2 in psychiatric prison inmates. *International Journal of Clinical and Health Psychology*, 15(1), 29–36.
<https://doi.org/10.1016/j.ijchp.2014.09.002>
- Palmaro, A., Dupouy, J., and Lapeyre-mestre, M. (2015). Benzodiazepines and risk of death : Results from two large cohort studies in France and UK. *European Neuropsychopharmacology*, 25(10), 1566–1577.
<https://doi.org/10.1016/j.euroneuro.2015.07.006>

- Poznyak, V. B., White, J., and Clark, N. (2011). Drug Abuse: Prevention. In:
Ghodse, H., Herrman, H., Maj, M., and Sartorius, N. ed. *Substance Abuse
Disorders: Evidence and Experience*. Chichester: Wiley, (27-52).
- Quaglio, G., Pattaro, C., Gerra, G., Mathewson, S., et al. (2012). High dose
benzodiazepine dependence: Description of 29 patients treated with
flumazenil infusion and stabilised with clonazepam. *Psychiatry Research*,
198(3), 457–462. <https://doi.org/10.1016/j.psychres.2012.02.008>
- Reed, K. D., Prunty, M., and Strang, J. (2011). Measuring, Preventing and
Treating Global Drug Abuse. In: Ghodse, H., Herrman, H., Maj, M., and
Sartorius, N. ed. *Substance Abuse Disorders: Evidence and Experience*.
Chichester: Wiley, (75-80).
- Rognli, E. B., Bramness, J. G., Skurtveit, S., and Bukten, A. (2017). Substance
use and sociodemographic background as risk factors for lifetime psychotic
experiences in a non-clinical sample. *Journal of Substance Abuse Treatment*,
74, 42–47. <https://doi.org/10.1016/j.jsat.2016.12.007>
- Seo, D., and Sinha, R. (2011). Neural Mechanisms of Stress and Addiction. In:
Adinoff, B., and Stein, E. A. ed. *Neuroimaging in Addiction*. Chichester:
Wiley, (211-224).
- Srivastava, V., and Goldman, D. (2011). Imaging Genetics and Addiction. In:
Adinoff, B., Stein, E. A. ed. *Neuroimaging in Addiction*. Chichester: Wiley,
(285–317).

- Takeshima, N., Ogawa, Y., Hayasaka, Y., and Furukawa, T. A. (2016). Continuation and discontinuation of benzodiazepine prescriptions: A cohort study based on a large claims database in Japan. *Psychiatry Research*, 237, 201–207. <https://doi.org/10.1016/j.psychres.2016.01.040>
- Tan, K. R., Rudolph, U., and Lüscher, C. (2011). Hooked on Benzodiazepines: GABAA Receptor Subtypes and Addiction. *Trends Neurosci*, 34(4), 188–197. <https://doi.org/10.1016/j.tins.2011.01.004.Hooked>
- Tantirangsee, N., and Assanangkornchai, S. (2015). Prevalence, patterns, associated factors and severity of substance use among psychotic patients in southern Thailand. *Asian Journal of Psychiatry*, 13, 30–37. <https://doi.org/10.1016/j.ajp.2014.11.006>
- Ten Wolde, G. B., Dijkstra, A., Empelen, P. Van, Neven, A. K., et al. (2008). Social-cognitive predictors of intended and actual benzodiazepine cessation among chronic benzodiazepine users. *Addictive Behaviors*, 33(9), 1091–1103. <https://doi.org/10.1016/j.addbeh.2008.02.003>
- Varma, S. (2012). Benzodiazepines and hypnotics. *Medicine*, 40(12), 688-690. <https://doi.org/10.1016/j.mpmed.2012.09.016>
- Wearne, T. A., Parker, L. M., Franklin, J. L., Goodchild, A. K., et al. (2016). GABAergic mRNA expression is upregulated in the prefrontal cortex of rats sensitized to methamphetamine. *Behavioural Brain Research*, 297, 224–230. <https://doi.org/10.1016/j.bbr.2015.10.026>

Weiss, A., Gale, C. R., Batty, G. D., and Deary, I. J. (2013). A questionnaire-wide association study of personality and mortality: The Vietnam experience study. *Journal of Psychosomatic Research*, 74(6), 523–529.
<https://doi.org/10.1016/j.jpsychores.2013.02.010>

WHO Substance abuse [Internet]. [cited 2016 Oct 23]. Available from:
http://www.who.int/topics/substance_abuse/en/

Woo, M., and Oei, T. P. S. (2007). MMPI-2 profiles of Australian and Singaporean psychiatric patients. *Psychiatry Research*, 150(2), 153–161.
<https://doi.org/10.1016/j.psychres.2006.04.007>