

REFERENCES

- Abdi, E., Majnounian, B., Darvishsefat, A., Mashayekhi, Z., & Sessions, J. (2009). A GIS-MCE based model for forest road planning. *Journal of Forest Science*, 55(4), 171–176.
- Agee, J. K. (1993). *Fire Ecology of Pacific North-West Forests*. Island Press, Washington, D.C.
- Akay, A. E., Doukas, K., Erdaş, O., Oğuz, H., & Sivrikaya, F. (2012). Using GIS Techniques to Determine Fire Protection Zones Considering Forest Road Network, 1–7.
- Akay, A. E., Erdaş, O., & Karas, I. R. (2006). Using GIS and optimization techniques in selecting forest road alignment with minimum sediment yield. First Remote Sensing and GIS Symposium, 27-29 November, ITU, Istanbul, p. 10.
- Akay, A. E., Wing, M. G., Sivrikaya, F., & Sakar, D. (2012). A GIS-based decision support system for determining the shortest and safest route to forest fires: a case study in Mediterranean Region of Turkey. *Environmental Monitoring and Assessment*, 184(3), 1391–1407. <http://doi.org/10.1007/s10661-011-2049-z>
- Alexander, D. (2002). *Principles of Emergency Planning & Management*. Oxford University Press.
- Apte, A. (2009). Humanitarian Logistics: a new field of research and action. *Foundations and Trends in Technology, Information and Operations Management*, 3 (1), 1-100.
- Ariyanto, A. C. (2015). *Mapping of Possible Corridors for Javan Leopard (Panthera pardus ssp. melas) Between Gunung Merapi and Gunung Merbabu National Parks, Indonesia*. [Thesis]. Faculty of Geo Information Science and Earth Observation (ITC).
- Atkinson, D. M., Deadman, P., Dudycha, D. and Traynor, S. (2005). Multi-criteria evaluation and least cost path analysis for an arctic all-weather road. *Applied Geography*, 25(4), pp. 287–307.
- Bachmann, A., Allgower, B. (2000). The need for a consistent wildfire risk terminology. In: Neuenschwander, L., Ryan, K., Golberg, G. (Eds.), *Crossing the Millennium: Integrating Spatial Technologies and Ecological Principles for a New Age in Fire Management*. The University of Idaho and the International Association of Wildland Fire, Moscow, pp. 67–77.
- Badan Pusat Statistik Kabupaten Boyolali. (2010). *Kabupaten Boyolali Dalam Angka 2009*. Badan Pusat Statistik Kabupaten Boyolali. Boyolali.
- Bagli, S., Geneletti, D., & Orsi, F. (2011). Routeing of power lines through least-cost path analysis and multicriteria evaluation to minimise environmental impacts. *Environmental Impact Assessment Review*, 31(3), 234–239. <http://doi.org/10.1016/j.eiar.2010.10.003>
- Balai Taman Nasional Gunung Merbabu. (2014). *Zonasi Taman Nasional Gunung Merbabu (Revisi)*. Boyolali.
- Bonazountas, M., Kallidromitou, D., Kassomenos, P., & Passas, N. (2007). A decision support system for managing forest fire casualties. *Environmental Management*, 84(4), 412–418.
- Bond, W. J., & Keeley, J. E. (2005). Fire as a global ‘herbivore’: the ecology and evolution of flammable ecosystems. *Trends in ecology & evolution*, 20(7), 387-394.
- Çalışkan, E. (2013). Planning of forest road network and analysis in mountainous area. *Life Science Journal* 2013, 10(2), 2456-2465.

Carmo, M., Moreira, F., Casimiro, P., & Vaz, P. (2011). Land use and topography influences on wildfire occurrence in northern Portugal. *Landscape and Urban Planning*, 100(1), 169-176.

Carver, S. J. (1991). Integrating Multi-Criteria Evaluation with Geographical Information Systems. *International Journal of Geographic Information System* 5(3), 321-339
<http://doi.org/10.1080/02693799108927858>

Case, M., Ardiansyah, F., & Spector, E. (2007). Climate Change in Indonesia Implications for Humans and Nature, 1–13.

Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: C.V. ANDI.

Dewi, K. (2009). *Forest Cover Change and Vulnerability of Gunung Merbabu National Park*. [Thesis]. Faculty of Geo Information Science and Earth Observation (ITC).

Dimopoulou, M., & Giannikos, I. (2004). Towards an integrated framework for forest fire control. *European Journal of Operational Research*, 152, 476–486.

Enright, N. J., Lamont, B. B., Miller, B. P. (2005). Anomalies in grasstree fire history reconstructions for south-western Australian vegetation. *Austral Ecology* 30: 668-673.

ESRI. (2008). Preparing Street Data for Use with the Network Datasets. 16 Pages.

FAO. (2015). *Global Forest Resources Assessment 2015 Desk Reference*. Rome: FAO.

Fernandes, P. M., Luz, A., & Loureiro, C. (2010). Changes in wildfire severity from maritime pine woodland to contiguous forest types in the mountains of northwestern Portugal. *Forest Ecology and Management*, 260(5), 883-892.

Gercek, H., Karpak, B., and Kilincaslan, T. A. (2004). Multiple criteria approach for the evaluation of the rail transit networks in Istanbul. *Transportation*, 2004. 31, 203–228.

Groot, W. J. de, Field, R. D., Brady, M. A., Roswintarti, O., & Mohamad, M. (2006). Development of the Indonesian and Malaysian Fire Danger Rating Systems. *Mitigation and Adaptation Strategies for Global Change*, 12(1), 165–180. <http://doi.org/10.1007/s11027-006-9043-8>

Han, L., Yuan, F., Chin, S. & Hwang, H. (2006). Global Optimization of Emergency Evacuation Assignments. *Interfaces*, 36(6), 502-513.

Hardy, C. C. (2005). Wildland fire hazard and risk: problems, definitions, and context. *Forest ecology and management*, 211(1), 73-82. <http://doi.org/10.1016/j.foreco.2005.01.029>

Hayati, E., Abdi, E., Majnounian, B., & Makhdom, M. (2013). Application of Sensitivity Analysis in Forest Road Networks Planning and Assessment, 15, 781–792.

Hayati, E., Majnounian, B., & Abdi, E. (2013). An expert-based approach to forest road network planning by combining Delphi and spatial multi-criteria evaluation. *Environmental Monitoring and Assessment*, 185(2), 1767–1776. <http://doi.org/10.1007/s10661-012-2666-1>

Hidayat, S. (2015). *Pengelolaan Taman Nasional Gunung Merbabu Sebagai Upaya Konservasi Rekrekan*. [Thesis]. Universitas Sebelas Maret. Surakarta.

Jankowski, P. (1995). Integrating Geographical Information Systems and Multiple Criteria Decision-Making Methods. *International Journal of Geographical Information Systems*, 9, 251-273. <http://dx.doi.org/10.1080/02693799508902036>

Joerin, F., Thériault, M., & Musy, A. (2001). Using GIS and outranking multicriteria analysis for land-use suitability assessment. *International Journal of Geographical Information Science*, 15(2), 153-174.

Johnson, R. (2000). "GIS Technology for Disasters and Emergency Management". <http://www.esri.com/library/whitepapers/pdfs/disastermgmt.pdf>

Kalabokidis, K. D., Gatzojannis, S., & Galatsidas, S. (2002). Introducing wildfire into forest management planning: towards a conceptual approach. *Forest Ecology and Management*, 158(1), 41-50. [http://dx.doi.org/10.1016/S0378-1127\(00\)00715-5](http://dx.doi.org/10.1016/S0378-1127(00)00715-5)

Kamran, K. V., Omrani, K., & Khosroshahi, S. S. (2014). Forest Fire Risk Assessment Using Multi-Criteria Analysis : A Case Study Kaleybar Forest. In *International Conference on Agriculture, Environment and Biological Sciences* (pp. 30–33).

Karadimas, N. V., Kolokathi, M., Defteraiou, G., & Loumos, V. (2007). Municipal Waste Collection of Large Items optimized with arc GIS network analyst. In *Proceedings 21st European Conference on Modelling and Simulation* (pp. 4-9).

Keane, R. E. (2015). Fundamentals. In *Wildland Fuel Fundamentals and Applications* (pp. 15–37). <http://doi.org/10.1007/978-3-319-09015-3>

Keramitsoglou, I., Kiranoudis, C. T., Sarimveis, H., & Sifakis, N. (2004). A multidisciplinary decision support system for forest fire crisis management. *Environmental Management*, 33(2), 212–225.

Kreps, G.A. (1991). Organizing for emergency management. in T.E. Drabek and G.J. Hoetmer (Eds.), *Emergency Management: Principles and Practice for Local Governments*, International City Management Association, Washington, D.C., pp.30–54.

Lakshumi, A., Ramiya, A. M., & Sstha, R.. (2006). "Optimal Route Analysis For Solid Waste Disposal Using Geographical Information System".

Larue, M.A., & Nielsen, C.K. (2008). Modelling potential dispersal corridors for cougars in midwestern North America using least-cost path methods. *Ecological Modelling*, 212, 372-381. doi:10.1016/j.ecolmodel.2007.10.036

Lee, J. and Stucky, D. (1998). Applying viewshed analysis for determining least-cost paths on Digital Elevation Models. *International Journal of Geographical Information Science*, 12(8), pp. 891–905.

Lwin, K.K., Estoque, R.C. and Murayama, Y. (2012) Data Collection, Processing and Applications for Geospatial Analysis. In: Murayama, Y., Ed., *Progress in Geospatial Analysis*, Springer, Tokyo. http://dx.doi.org/10.1007/978-4-431-54000-7_3

Malczewski, J. (1999). A GIS-Based Approach to Multiple Criteria Group Decision Making. *International Journal of Geographical Information Systems*, 10, 955-971. <http://dx.doi.org/10.1080/02693799608902119>

Malczewski, J. (2006). GIS-based multicriteria decision analysis: a survey of the literature. *International Journal of Geographical Information Science*, 20(7), 703–726.

Mapilata, E., Gandasasmita, K., & Djajakirana, G. (2013). Analysis of Land and Forest Fires Hazard Zonation in Spatial Planning in Palangka Raya, Central Kalimantan, 15, 178–184.

- Mendonca, D., Beroggi, G. E., & Wallace, W. A. (2001). Decision support for improvisation during emergency response operations. *International journal of emergency management*, 1(1) 30-38.
- Ministry of Environment & UNDP. (1998). Forest and land fires in Indonesia. Volume 1, Impacts, factors and evaluation, Volume 2, Plan action for fire disaster management. Jakarta, Indonesia.
- Ministry of Forests (MOF). (1997). Glossary of Forest Terms. Ministry of Forests, Province of British Columbia, Canada. Available on the web: <http://www.for.gov.bc.ca/pab/publctns/glossary.htm>.
- Morgera, E., & Cirelli, M. T. (2009). Forest fires and the law: A guide for national drafters based on the Fire Management Voluntary Guidelines Rome: 175pp.
- Moritz, M. A., Morais, M. E., Summerell, L. A., Carlson, J. M., & Doyle, J. (2005). Wildfires, complexity, and highly optimized tolerance (pp. 17912–17917).
- National Wildfire Coordinating Group (NWCG). (2003). Glossary of Wildland Fire Terminology. Available on the web: <http://www.nwcg.gov/teams/pmo/products/wfglossary/content.htm>.
- Nurdiana, A., & Risdiyanto, I. (2015). Indicator Determination of Forest and Land Fires Vulnerability Using Landsat-5 TM Data (Case Study: Jambi Province). *Procedia Environmental Sciences*, 24, 141–151. <http://doi.org/10.1016/j.proenv.2015.03.019>
- Oliveras, I., Gracia, M., Moré, G., & Retana, J. (2009). Factors influencing the pattern of fire severities in a large wildfire under extreme meteorological conditions in the Mediterranean basin. *International Journal of Wildland Fire*, 18(7), 755-764.
- Orosco, R. and Robiolo, G. (2008) Employing Use Cases to Early Estimate Effort with Simpler Metrics. *Innovations in Systems and Software Engineering*, 4, 31-43. <http://dx.doi.org/10.1007/s11334-007-0043-y>
- Pavegio, T., Carroll, M. S., & Jakes, P. J. (2008). Alternatives to Evacuation Protecting Public Safety during Wildland Fire. *Journal of Forestry*, (March), 65–70.
- Puturuhu, F. (2015). *Mitigasi Bencana dan Penginderaan Jauh*. Yogyakarta: GRAHA ILMU.
- Reddy, M. A. (2008). Remote Sensing and Geographical Information Systems. Components (3rd ed., p. 472). Hyderabad, India: BS Publications. doi:10.1017/S0376892900039278
- Rothermel, R. (1983). How to predict the spread and intensity of forest and range fires. USDA, Forest Service, Intermountain Forest and Range Experiment Station, General Technical Report INT-143.
- Roy, P. S. (2003). Forest Fire and Degradation Assessment Using Satellite Remote Sensing and Geographic Information System. Satellite Remote Sensing and GIS Applications in Agricultural Meteorolog, Dehra Dun, India, World Meteorological Organisation.
- Saadatseresht, M., Mansourian, A., & Taleai, M. (2009). Evacuation planning using multiobjective evolutionary optimization. *European Journal of Operational Research*, 198(1), 305-314.
- Saaty, T. L. (1977). A scaling method for priorities in hierarchical structures. *Journal of Mathematical Psychology*, 15(3), pp. 234–281.
- Sandhu, J. (2012). Network Analyst : Performing Network Analysis. In J. Sandhu & D. Mandloi (Eds.). San Diego, California: ESRI.

Satyatama, T. (2008). *Perencanaan Beberapa Jalur Interpretasi Alam di Taman Nasional Gunung Merbabu Jawa Tengah dengan Menggunakan Sistem Informasi Geografis*. [Thesis]. Institut Pertanian Bogor. Bogor.

Scanlon, J. (1994). The role of EOCs in emergency management: a comparison of American and Canadian experience. *International Journal of Mass Emergencies and Disasters*, Vol. 12, No.1, pp.51–75.

Stefanović, B., Stojnić, D., & Danilović, M. (2016). Multi-criteria forest road network planning in fire-prone environment: a case study in Serbia, 0568(August), 911–926. <http://doi.org/10.1080/09640568.2015.1045971>

Stepanov, A. & Smith, J. (2009). Multi-objective evacuation routing in transportation networks. *European Journal of Operational Research*, 1498, 435-446.

Stewart, L. A. (2004). The Application of Route Network Analysis to Commercial Forestry Transportation. <http://gis.esri.com/library/userconf/proc05/papers/pap1309.pdf> (Accessed on February 10, 2017).

Syiko, S. F. & Yudono, A. (2013). Evacuation route planning in Mount Gamalama, Ternate Island - Indonesia. *Procedia Environmental Sciences*, 17, 344–353. <http://doi.org/10.1016/j.proenv.2013.02.047>

Tampekis, S., Sakellariou, S., Samara, F., Sfougaris, A., Jaeger, D., & Christopoulou, O. (2015). Mapping the optimal forest road network based on the multicriteria evaluation technique: the case study of Mediterranean Island of Thassos in Greece. *Environmental Monitoring and Assessment*, 1–17. <http://doi.org/10.1007/s10661-015-4876-9>

Treitz, P. (2004). Remote sensing for mapping and monitoring land-cover and land-use change. *Progress in Planning*, 61, 267-267.

USGS. (2013). Landsat 8. Retrieved from http://landsat.usgs.gov/Landsat_Processing_Details.php

Van Zuidam, R. A. (1985). *Aerial Photo -interpretation in Terrain Analysis and Geomorphologic Mapping*. The Hague: Smith Publishers.

Vayda, A. P. (2010). Explaining Indonesian forest fires: both ends of the firestick. *Human Ecology: Contemporary Research and Practice*, 17–35. <http://doi.org/10.1007/978-1-4419-5701-6>

Vega, J. A., Fernandez, C., Perez-Gorostiaga, P., Fonturbel, T. (2009). The influence of fire severity, serotiny, and post-fire management on Pinus Pinaster at recruitment in three burnt areas in Galicia (NW Spain). *Forest Ecology and Management* 256(9): 1596-1603.

Wang, Z., Zlatanova, S., Moreno, A., van Oosterom, P., & Toro, C. (2014). A data model for route planning in the case of forest fires. *Computers & Geosciences*, 68, 1–10. <http://doi.org/10.1016/j.cageo.2014.03.013>

Williams, P. R., Congdon, R. A., Grice, A. C., Clarke, P. J. (2003). Effect of fire regime on plant abundance in a tropical eucalypt savanna of north-eastern Australia. *Australian Journals of Ecology*, 28, pp. 327–338

Zangemeister, C. (1971). *Nutzwertanalyse in der Systemtechnik. Eine Methode zur multidimensionalen Bewertung und Auswahl von Projektalternativen*. Munchen, Deutschland, 369 pp.