

## DAFTAR PUSTAKA

- Abun, T. Widjastuti, and K. Haetami. 2016. Effect of time processing at steps of bioprocess shrimp waste by three microbes on protein digestibility and metabolizable energy products of native chicken. *AgroLife Scientific Journal* 5 (1): 209 – 2013.
- Adeniran, H. A., E. O. Farinde and V. A. Obatolu. 2013. Effect of heat treatment and fermentation on anti-nutrients content of Lima bean (*Phaseolus lunatus*) during production of daddawa analogue. *Annual Review & Research in Biology*, 3 (3): 256 – 266.
- Adamski, M.P., A.M. Kowalczyk, E.T. Lukasyewicz and M. Korzeniowska. 2011. Effects of sex and inclusion of dried distillers grains with solubles on slaughter yield and meat characteristics of Pekin ducks. *British Poultry Science* 52:742-749.
- Ahir V.B., K.M. Singh, A.K. Tripathi, R.A.Mathakiya, S.J. Jakhesara, P.G. Koringa, D.N. Rank, M.K. Jhala and C.G. Joshi. 2012. Study of bacterial diversity in poultry gut using denaturing gradient gel electrophoresis. *Iranian Journal of Applied Animal Science* 2: (3), 227 – 232.
- Akhadiarto, S. 2003. Kualitas fisik daging itik pada berbagai umur pemotongan. *Jurnal Sains dan Teknologi Indonesia*, V5. N5: 184-189
- Ali Shawkat, G.H. Kang, H.S. Yang, J.Y. Jeong, Y.H. Hwang, G.B. Park and S.T. Joo. 2007. A comparison of meat characteristics between duck and chicken breast. *Asian-Aust. J. Anim. Sci.* 20, (6) : 1002 – 1006.
- Aminzadeh S., N. Aliabadi, A. A. Karkhane, and K. Haghbeen. 2016. Thermostable chitinase from *Cohnella* sp. A01: isolation and product optimization. *Brazilian Journal of Microbiology* 47: 931–940.
- Anggorodi, R. 1985. *Kemajuan Mutahir Dalam Ilmu Makanan Ternak Unggas*. Universitas Indonesi Press, Jakarta.
- Anonimus. 2010. UNECE Standard. Duck Meat Carcasses and Parts. United Nations, New York, Geneva.
- Anonimus. 2014. Ditjen Perikanan Budidaya. Udang Vaname dan Udang Windu Masih Andalan Ekspor Indonesia. <http://www.djpb.kkp.go.id/arsip/c/246/> (Diakses tanggal 03/08/2016).
- Apajalahti J., A. Kettunen and H. Graham. 2004. Characteristics of the gastrointestinal microbial communities, with special reference to the chicken. *World's Poult. Sci. J.*60: 223-232.
- AOAC. 1994. Official Methods of Analysis. 14<sup>th</sup> Ed. Association of official analytical chemist. Arlington VA.
- Arbia W., L. Arbia, L., Adour and A. Amrane 2013. Chitin extraction from crustacean shells using biological methods-a review. *Food Tech. and Biotech.* 51:12-25.
- Arthur L. Koch. 1970. Turbidity measurements of bacterial cultures in some available commercial instruments, *Analytical Biochemistry* 38: 252-259.

- Attia, Y.A., Qota, E.M., Zeweil, H.S., Bovera, F., Abd Al-Hamid, A.E. and Sahledom, M.D. 2012. Effect of different dietary concentrations of organic copper on growth performance and lipid metabolism of White Peking ale ducks. *Br. Poult. Sci.*, 53:77-88.
- Atlas, R. 1997. Principle of Microbiology, Wmc. Brown Publisher, USA
- Baeza, E. and B. Leclecrq. 1998. Use of industrial amino acids to allow protein concentration in finishing diets for growing Muscovy ducks, *Br. Poult. Sci.*, 39:90-96.
- Baeza, E., M.R.Salichon, G. Marche, N. Wacrenier, B. Dominguez, and J. Culioli. 2000. Effects of age and sex on the structural, chemical and technological characteristics of mule duck meat. *Br. Poult. Sci.* 41:300-307.
- Babinszky, L., van der Meer, J. M., Boer, H. and L. A. den Hartog. 1990. An *in-vitro* method for prediction of the digestible crude protein content in pig feeds. *J. Sci. Food and Agric.* 50, 173-178.
- Bhattacharya S., A. Das, S. Samadder, and S. S. Rajan. 2016. Biosynthesis and characterization of a thermostable, alkali-tolerant chitinase from *Bacillus pumilus* JUBCH08 displaying antagonism against phytopathogenic *Fusarium oxysporum*. *3 Biotech*, 6:87.
- Barnes, E. M., G. C. Mead, D. A. Barnum, and E. G. Harry. 1972. The intestinal flora of the chicken in the period 2 to 6 weeks of age, with particular reference to the anaerobic bacteria. *Br Poult Sci* 13:311-26.
- Bautrif, E. 1990. Recent Development in Quality Evaluation. Food Policy and Nutrition Division, FAO, Rome.
- Benson D.A, M.S. Boguski, D.J. Lipman, J. Ostell, B.F.F. Oulette, BA. Rapp and D.L. Wheeler. 1999. GenBank. *Nucleic Acids Res* 27. 12 – 17.
- Bhaskar N., P.V. Suresh, P.Z. Sakhar, and N.M. Sachindra. 2007. Shrimp biowaste fermentation with *Pediococcus acidolactici* CFR2182: optimalisasi of fermentation conditions by response surface methodology and effect of optimization conditions on deproteinization/demineralization and carotenoid recovery. *Enzym Microb. Technol.* 40 : 1427 – 1434.
- Bhattacharya, D., A. Nagpure and R. K. Gupta. 2007. Bacterial chitinases: properties and potential, *Critical reviews in biotechnology*, 27: 21-28.
- Bintang, I.A.K., M. Silalahi, T. Antawidjaja, and Y.C. Raharjo. 1997. Pengaruh berbagai tingkat kepadatan gizi ransum terhadap kinerja pertumbuhan itik jantan lokal dan silangannya. *Jurnal Ilmu Ternak dan Veteriner*, 2 (4):237-241.
- Bisswanger, H. 2004. Practical Enzymology. Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, Germany.
- Brown, M.S., and J.L. Goldstein. 1997. The SREBP pathway: Regulation of cholesterol metabolism by proteolysis of a membrane-bound transcription factor. *Cell* 89: 331-340.
- Borror, D.J. dan D.M. DeLong. 1954. An Introduction to the Study of Insects. Holt Rinehart and Winston. New York Chicago San Fransisco Toronto.

- Boisen S. and B. O. Eggum. 1991. Critical evaluation of in vitro methods for estimating digestibility in simple-stomach animals. *Nutrition Research Reviews*, 4: 141 – 162.
- Bouton, P.E., P.V. Harris and W.R. Shorthose. 1976. Factors influencing cooking losses from meat. *J. Food Sci.* 41: 1092 – 1095.
- Botha, S. St., L.C. Hoffman and T.J. Britz. 2007. Physical meat quality characteristics of hot-deboned ostrich (*Struthiocamelus var. domesticus*) muscularis gastrocnemius, pars interna during post-mortem aging. *Meat Sci.* 75: 709 – 718.
- Burke, R. W., B. I. Diamondstone, R. A. Velapoldi, and O. Menis. 1974. Mechanisms of the Liebermann-Burchard and Zak Color Reactions for Cholesterol. *Clin. Chem.* (20) 7: 794-801.
- Bhushan, B., and G.S. Hoondal. 1998. Isolation, purification and properties of a thermostable chitinase from an alkalophilic *Bacillus* sp. BG-11. *Biotechnol. Lett.* 20, 157–159.
- Cabib E 1987. The synthesis and degradation of chitin. *Adv. Enzymol. Relat. Areas Mol. Biol.* 59:59 -101
- Chatrin P., K. Meteu, H. Juin, M.D. Bernadet, G. Guy, C. Larzul, H. Remignon, J. Mourot, M.J. Duclos and E. Baeza. 2006. Effect of intramucular fat level on sensory characteristics of duck breast meat. *Poult. Sci.* 85, 5:914-922.
- Chang S.C., J.-T. Wang, P. Vandamme, J.H. Hwang, P.S. Chang and W.M. Chen. 2004. *Chitinimonas taiwanensis* gen. nov., sp. nov., a Novel Chitinolytic Bacterium Isolated from a Freshwater Pond for Shrimp Culture. *System Appl. Microbiol.* 27, 43 – 49.
- Chermin L.S., M.K. Winson, and J.M. Thomson. 1998. Chitinolytic Activity in *Chromobacterium violaceum*: Substrate analysis and regulation by quorum sensing. *J. Bacteriol.*, 180, 17.
- Chen, H.B., P.M. Kao, H.C. Huang, C.J. Shieh, C.I. Chen, and Y.C. Liu. 2010. Effect of using various bioreactors on chitinolytic enzymes production by *Paenibacillus taichungensis*. *J. Biochem. Engineering*, 49: 337 – 342.
- Chen K., A. Zhang, C. Gao, J. Wang and P. Ouyang. An efficient enzymatic production of N-acetyl-D-glucosamine from crude chitin powders. *Green Chem.* DOI: 10.1039/c5gc02242h.
- Cira, LA., S. Huerta, G. Hall, and K. Shirai. 2002. Pilot scale lactic acid fermentation of shrimp wastes for chitin recovery. *Process Biochemistry* 37:1359-1365.
- Claudiana P. Souza, C. Bianca, Almeida, R. Rita, Colwell, N. G. Irma, and Rivera. 2011. The importance of chitin in the marine environment. *Mar Biotechnol*, 13:823–830.
- Claus, D. and R. C. W. Berkeley. 1986. Genus *Bacillus* Chon 1872. In: Sneath P H A, Mair N S, Sharpe M E, Holt J G, editors. *Bergey's Manual of Systematic Bacteriology*. Vol. 2. Baltimore, Md: The Williams & Wilkins Co.

- Cottrell MT, J.A. Moore, and D.L. Kirchman. 1999. Chitinase from uncultured marine microorganisms, *Appl. Environ. Microbiol.* 65:2553–2557
- Dahiya, N., R. Tewari and G. Hoondal 2006. Biotechnological aspects of chitinolytic enzymes: a review, *Appl. Microbiol. Biotechnol.*, 71: 773-782.
- Declerc, N., M. Machius, P. Joyet, G. Wiegand, R. Huber and C. Gaillardin. 2003. Hyperthermostabilization of *Bacillus licheniformis* alpha-amylase and modulation of its stability over a 50°C temperature range. *Protein Eng.* 16, 287 – 293.
- Dikeman M. and C.Devine. 2014. Encyclopedia of Meat Sciences, Second Edition, Academic Press is an imprint of Elsevier, 32 Jamestown Road, London NW1 7BY, UK. 321-323.
- Djunaidi I.H. 2010. Evaluasi Penggunaan Hasil Fermentasi Limbah Udang Dalam Pakan Terhadap Performan dan Kualitas Daging Broiler. Desertasi. Universitas Gadjah Mada, Yogyakarta.
- Djunaidi I.H., dan D. Hardini. 2011. Kandungan nutrisi dan pencernaan bahan kering *in-vitro* limbah udang hasil fermentasi dengan *Aspergillus oryzae*. *Jurnal Ilmu-Ilmu Peternakan* 20 (2): 31 – 35.
- Duke, G. E. 1997. Gastrointestinal physiology and nutrition in wild birds. *Proc. Nutr. Soc.*, 56: 1049-1056.
- Engberg, R. M., M. S. Hedemann, S. Steinfeldt and B. B. Jensen. 2004. Influence of whole wheat and xylanase on broiler performance and microbial composition and activity in the digestive tract. *Poult Sci.* 83: 925 – 938.
- Einbu A., H. Grasdalen, and K.M. Varum. 2007. Kinetics of hydrolysis of chitin/chitosan oligomers in concentrated hydrochloric acid, *Carbohydrate Research*, 342 8: 1055–1062.
- Fan H.P., M. Xie, W.W. Wang, S.S. Hou and W. Huang 2008. Effects of dietary energy on growth performance and carcass quality of white growing Pekin ducks from two to six weeks of age, *Poultry Sci.* 87:1162–1164.
- Felsenstein J. 1985. Confidence limits on phylogenies: an approach using the bootstrap. *Evolution* 39, 783 – 791.
- Ferrari R.A., Y. Gaber, M.W. Fraaije. 2014. A fast, sensitive and easy colorimetric assay chitinase and cellulase activity detection. *Biotechnology for biofuels*, 7:37.
- Furuya, S., K. Sakamoto and S. Takahashi. 1979. A new in vitro method for the estimation of digestibility using the intestinal fluid of the pig. *Br. J. Nutr.* 41: 511.
- Faustman, C., Q. Sun, R. Macini and S.P. Suman. 2010. Myoglobin and lipid oxidation interactions: Mechanistic bases and control. *Meat Science*, 86, 86-94.
- Fouad A.M., and H. K. El-Senousey. 2014. Nutritional factors affecting abdominal fat deposition in poultry: a review. *Asian Australas. J. Anim. Sci.* 27: 1057-1068.

- Ghaly A., and N. Mahmoud. 2015. Solid state deproteinization of shrimp shells by *Aspergillus niger* with galactose as a bioavailable carbon supplement. *J. Bioprocess Biotech* 5:225
- Gernat, A.G. 2001. The effect of using different levels of shrimp meal in laying hen diets. *Poultry Sci.* 80:633–636.
- Gooday, G.W., 1990. Physiology of microbial degradation of chitin and chitosan, *Biodegradation*, 1, 177-190.
- Gomaa E. Z. 2012. Chitinase production by *Bacillus thuringiensis* and *Bacillus licheniformis* : Their potential in antifungal biocontrol. *J. Microbiol*, 50, 1: 103 – 111.
- Ghorbel-Bellaaj O., I. Younes, H. Maâlej, S. Hajji, and M. Nasri. 2012. Chitin extraction from shrimp shell waste using *Bacillus* bacteria. *Internat. J. Biological Macromolecules*, 51: 1196 – 1201.
- Guo Y., En Huang, C. Yuan, L. Zhang and A. E. Yousef. 2012. Isolation of a *Paenibacillus* sp. Strain and Structural Elucidation of Its Broad-Spectrum Lipopeptide Antibiotic, *Appl. Environ. Microbiol.* (78) 9: 3156-3165
- Halder, S.K., Arijit Jana, T. Paul, A. Das, K. Ghosh, B.R. Pati, and K.C. Mondal. 2016. Purification and biochemical characterization of chitinase of *Aeromonas hydrophila* SBK1 biosynthesized using crustacean shell. *Biocatal. Agric. Biotechnol.* 5: 211 – 218.
- Hamed I., Fatih Ozogul, and Joe M. Regenstein. 2016. Industrial application of crustacean by-product (chitin, chitosan, and chitooligosaccharides): A review. *Trends in Food Sci. and Tech.* 48:40-50.
- Handayani A.D., I.S. Nani, and I. Suryadi. 2008. Extraction of astaxanthin from giant tiger (*Panaeus monodon*) shrimp waste using palm oil: Studies of extraction kinetic and thermodynamic. *Bioresour. Technol.* 99: 4414 – 4419.
- Hayes, M. 2012. Chitin, Chitosan and their Derivatives from Marine Rest Raw Materials: Potential Food and Pharmaceutical Applications. Chitin, Chitosan and Chitooligosaccharides, In: Hayes, M. (Ed.) *Marine Bioactive Compounds: Sources, Characterization and Applications*, Springer Science+Business Media, 115-128.
- Humble, M. W., A. King, and I. Phillips. 1977. API ZYM: a simple rapid system for the detection of bacterial enzymes. *J. clin. Path.*, 30: 275-277.
- Hiraga, K., L. Shou, M. Kitazawa, S. Takahashi, M. Shimada, R. Sato, and K. Oda. 1997. Isolation and characterization of chitinase from a flake-chitin degrading marine bacterium, *Aeromonas hydrophila* H-2330. *Biosci. Biotechnol. Biochem.* 6,174–176.
- Hoang, K.C., T.H., Lai, C.S. Lin, Y.T. Chen, and C.Y. Liao. 2011. The chitinolytic activities of *Streptomyces* sp. TH-11 *Internat. J. Molecul. Sci.* 12: 56-65.
- Holt, J. G., N.R. Krieg, P.H.A. Sneath, J.T. Stanley and S.T. Williams. 1994. *Bergey's Manual of Determinative Bacteriology*. Ninth Edition. William and Wilkins. Baltimore.

- Huang, L., E. Garbulewska, K. Sato, Y. Kato, M. Nogawa, G. Taguchi, Shimosaka and Makoto. 2012. Isolation of genes coding for chitin-degrading enzymes in the novel chitinolytic bacterium, *Chitiniphilus shinanonensis*, and characterization of a gene coding for a family 19 chitinase. *Journal of Bioscience and Bioengineering*, 113 (3):293 – 299.
- Hsu, S.C. and J. L. Lockwood. 1975. Powdered Chitin Agar As a Selective Medium for Enumeration of Actinomycetes in Water and Soil, *Appl. Microbiol*, Vol 29, hal 422-6.
- Imoto T., and K. Yagishita. 1971. A simple activity measurement of lysozyme. *J. Agri. Biol. Chem.*35: 1154-1156
- Ismail Ishamri, N. Huda, F. Arifin and N. Ismail. 2010. Effect of washing on the functional properties of duck meat. *Int. J. Poult. Sci.* 9, (6): 556-561.
- Jami Al Ahmadi, K., M. T. Yazdi, M. FathiNajaf, A. Shahverdi, M. Fararnarzi, G. Zarrini and I. Behravan. 2008. Isolation and characterization of a chitinolytic enzyme-producing microorganism, (*Paenibacillus chitinolyticus* JK2) from Iran. *Research Journal of Microbiology*, 3: 395 – 404.
- Jo G.H., W.J. Jung, J.H. Kuk, K.T. Oh, Y.J. Kim, and R.D. Park. 2008. Screening of protease producing *Serratia marcescens* FS-3 and its application to deproteinization of crab shell waste for chitin extraction. *Carbohydr. Polym.* 74: 504 – 508.
- Joo S.T., G. D. Kim, Y. H. Hwang and Y. C. Ryu. 2013. Control of fresh meat quality through manipulation of muscle fiber characteristics. *Meat Sci.* 95: 828 – 836.
- Joseph G., H. T. Uhi, Rukmiasih, I. Wahyuni, S. Y. Randa, H. Hafid dan A. Parakkasi. 2002. Status kolesterol itik Mandalung dengan pemberian serat kasar dan vitamin E. Seminar Nasional Teknologi Peternakan dan Veteriner, IPB Bogor, 265 – 267.
- Jeon, Y. J., F. Shahidi, and S. K. Kim. 2000. Preparation of chitin and chitosan oligomers and their applications in physiological functional foods. *Food Reviews International*, 16 (2): 159 – 176.
- Kasaai M.R. 2009. Various methods for determination of the degree of N-acetylation of chitin and chitosan: A review. *Agrie. Food Chem.* 57: 1667-1676.
- Kandra, P., Challa, M., Kalangi and P. J., Hemalatha. 2012. Efficient use of shrimp waste: present and future trends. *Applied Microb. Tech.* 93 (1): 17-29.
- Kim, S.K. and N. Rajapakse. 2005. Enzymatic production and biological activities of chitosan oligosaccharides (COS): a review. *Carbohydr. Polym.* 62: 357 – 368.
- Kim, S.K., 2010. Chitin, chitosan and oligosaccharide and their derivatives: *Biological activities and their application*, Vol 15. CRC Press New York: 195 – 215.
- Kizerwetter-Świda, M., and M. Binek. 2008. Bacterial microflora of the chicken embryos and newly hatched chicken. *J. Anim. Feed Sci.* 17:224-232.

- Kramer, K. J., C.D. Turner and C.S. Stewart. 1985. Chitin metabolism in insects. In: *Comprehensive Insect Physiology, Biochemistry and Pharmacology*. Vol. 3. Executive Editors: G.A. Karkut and L. I. Gilbert. Pergamon Press. Oxford, New York, Frankfurt.
- Keyhani N.O. and S. Roseman. 1999. Physiological aspects of chitin catabolism in marine bacteria. *Biochim Biophys Acta* 1473:108–122.
- Keys A. 1975. Coronary heart disease—the global picture, *Atherosclerosis*, 22: 149–192.
- Kuroshima K.-I., T. Sakane, R. Takata, and A. Yokota. 1996. *Bacillus ehimensis* sp. nov. and *Bacillus chitinolyticus* sp. nov., new chitinolytic members of the genus *Bacillus*. *Internat. J. Systemat. Bacteriol.* 46: 76–80.
- Koolman. 2005. Color Atlas of Biochemistry, 2nd edition, Georg Thieme Verlag, Stuttgart, Germany, 314.
- Kong C, and A. Adeola. 2010. Apparent ileal digestibility of amino acids in feedstuffs for White Pekin ducks. *Poult Sci.* 89:545-550.
- Labeda, D.P. and M.C. Shearer. 1990. Isolation of Actinomycetes for Biotechnological Applications. In: D.P. Labeda (ed.), Isolation of Biotechnological Organism from Nature. McGraw-Hill Publishing Company. New York.
- Latshaw. J. D, and J. S. Moritz. 2009. The partitioning of metabolizable energy by broiler chickens. *J. Poult. Sci.* 88:98-105.
- Lawrie, R.A. and D.A. Ledward. 2008. Lawrie's Meat Science. Seventh edition. Woodhead Publishing. Printed in United Kingdom.
- Leclercq, B. and H. De Carville. 1988. Dietary energy, protein and phosphorus requirements of Muscovy ducks, in: Farrell, J. & Stapleton, P. (Eds) Ducks Production, Science and World Practice, Armidale, University of New England, pp. 58-69
- Lechevalier, M.P. 1988. Actinomycetes in Agriculture and Forestry. In: M. Goodfellow, S.T. Williams and M. Modarski (eds.), Actinomycetes in Biotechnology. Academic Press. New York.
- Lee J.S., Y.R. Pyun and K. S. Bae. 2004. Transfer of *Bacillus ehimensis* and *Bacillus chitinolyticus* to the genus *Paenibacillus* with emended descriptions of *Paenibacillus ehimensis* comb. Nov. and *Paenibacillus chitinolyticus* comb. Nov. *Internat. J. of Sys. and Evolutionary Microbiol.* 54: 929–933.
- Leeson S. and John D. Summers. 2008. Commercial Poultry Nutrition. Third ed. Nottingham University Press, Nottingham, England, 373.
- Li, W.F., I.R. Rajput, X. Xu, Y.L. Li, J. Lei, Q. Huang and M.C. Wang. 2011. Effects of probiotic (*Bacillus subtilis*) on laying performance, blood biochemical properties and intestinal microflora of Shaoxing duck. *Int. J. Poult. Sci.* 10, (8):583-589
- Lopez. G, K. de Lange, and S. Lesson. 2007. Partitioning of retained energy in broilers and birds with intermediate growth rate. *J. Poult. Sci.* 86:2162-2171.

- Lowry, O. H., N. J. Rosebrough, A. L. Farrand, and R. J. Randall. 1951. Protein measurement with the Folin phenol reagent, *J. Biol. Chem.* 193: 265-275.
- Mahata, E.M., I. Ryanto, A. Dharma dan Y. Riyal. 2008. Effect of substituting shrimp waste hydrolyses of *Penaeus merguensis* for fish meal in broiler performance. *Pak. J. Nutr.*, 7: 806 – 810.
- Mahmoud, N.S., A.E. Ghaly and F. Arab. 2007. Unconventional approach for demineralization of deproteinized crustacean shells for chitin production. *American J. Biochem. Biotechnol.* 3:1–9.
- Malathi, V and G. Devegowda. 2001. In vitro evaluation of nonstarch polysaccharide digestibility of feed ingredients by enzymes. *Poultry Sci.* 80: 302-305.
- Mangisah I., N. Suthama dan H. I. Wahyuni. 2009. Pengaruh penambahan starbio dalam ransum berserat kasar tinggi terhadap performan itik. Seminar Nasional Kebangkitan Peternakan, Semarang 20 Mei 2009, Fakultas Peternakan Universitas Diponegoro, 688 – 694.
- Maynard, L.A., J.K. Loosli, H.F. Hintz, and R.G. Warner. 1979. Animal Nutrition. Seventh Edition McGraw-Hill Book Company, Philippine.
- McCarthy, A.J. and S.T. Williams. 1992. Actinomycetes as Agent of Biodegradation in the Environt – A Review. *Gene* 115: 189 – 192.
- Mead, G. C., and B. W. Adams. 1975. Some observations on the caecal microflora of the chick during the first two weeks of life. *Br Poult Sci* 16:169-76.
- Mitsutomi M., A. Ohtakara, T. Fukamizo and S. Goto. 1990. Action Pattern of *Aeromonas hydrophila* Chitinase on Partially N-Acetylated Chitosan. *J. Agric. Biol. Chem.* 54: 871-877.
- Monreal, J., and E.T. Reese. 1969. The Chitinase of *Serratia marcescens*. *Canadian Journal of Microbiolog*, Vol 15: 689-696.
- Nanjudaswamy A. 2010. Dissertation : Carotenoid Value Addition to Distillers Dried Grain With Solubles by Red Yeast Fermentation. Department of Grain Science and Industry College of Agriculture, Kansas State University Manhattan, Kansas.
- Nathalie C., A. Fleury, T. Fukamiza, and B. Ryszard. 2006. Two-exo- $\beta$ -D-glukosaminidase from *Actinomycetes* define anew subfamily 2 of glikoside hydrolases, *Biochem. J.*, 394: 675-686.
- Nugroho, S. 2000. Kinerja Itik Turi yang Diberi Feed Additive pada Tingkat Serat Kasar Ransum yang Berbeda. *Tesis*. Program Pascasarjana Universitas Gadjah Mada, Yogyakarta.
- NRC (National Research Council). 1994. Nutrient Requirements of Poultry, 9th ed. National Academy Press, Washington, DC, USA.
- Oh K.T., Y.J. Kim, V.N. Nguyen, W.J. Jung and R.D. Park. 2007. Demineralisasi of crab shell waste by *Pseudomonas aeruginosa* F722. *Process Biochem.* 42: 1069 – 1074.

- Okoye, F.C., G.S. Ojevola dan K. Njoku-Onu. 2005. Evaluation of shrimp waste meal as a probable animal protein source for broiler chicken. *Int. J. Poult Sci.*, 4: 458-461.
- Paoletti M.G., L. Norberto, R. Damini, S. Musumeci. 2007. Human gastric juice contains chitinase that can degrade chitin. *Ann. Nutr. Metab.* 51: 244 – 251.
- Pleban, S., L. Chernin, and I. Chet. 1997. Chitinolytic enzymes of an endophytic strain of *Bacillus cereus*. *Lett. Appl. Microbiol.* 25, 284–288
- Plummer, D. T. 1978. An Introduction to Practical Biochemistry. Tata McGraw-Hill Publ. Co. Ltd. Bombay New Delhi.
- Ploydee E. dan S. Chaiyanan. 2014. Production of high viscosity chitosan from biologically purified chitin isolated by microbial fermentation and deproteinization. *International Journal of Polymer Science*, Article ID 162173, 8 pages.
- Porter J.A., K.E. Young and P.A. Beachy. 1996. Cholesterol modification of hedgehog signaling proteins in animal development, *Science*, 274: 255–259.
- Prakash D., N. Nawani, M. Prakash, M. Bodas, A. Mandal, M. Khetmalas, and B. Kapadnis. 2013. Actinomycetes: A repertory of green catalysts with a potential revenue resource. *BioMed Res. Int*, Article ID 264020, 8 pages.
- Purba, M. 2010. Penurunan Intensitas Off-Odor pada Daging Itik Lokal dengan Penambahan Santoquin dan Vitamin E dalam Ransum. Disertasi. Sekolah Pascasarjana Institut Pertanian Bogor, Bogor. 104.
- Purba M., dan L.H. Prasetyo. 2014. Respon pertumbuhan dan produksi karkas itik pedaging EPMP terhadap perbedaan kandungan serat kasar dan protein dalam pakan. *JITV* (19) 3: 220 – 230.
- Purkan, B. Azizah, A. Baktir dan S. Sumarsih. 2014. Eksplorasi bakteri kitinolitik dari sampah organik : Isolasi dan karakterisasi enzim kitinase. *Molekul*, (9). 2: 128 – 135.
- Rachmawaty dan Madihah. 2013. Potensi perlakuan awal limbah kulit udang untuk produksi enzim kitinase oleh *Trichoderma virens* pada fermentasi substrat padat. *J. Bionature*, 14: 33-37.
- Rahman, M.A., Islam, M.Z. Khondkar and P.U.I. Islam. 2010. Characterization and Antimicrobial activities of A Polypeptide Antibiotic Isolated from a New Strain of *Streptomyces parvulus*, *Bangladesh Pharmaceut J*, Vol. 13, No. 1
- Rahman M. and K. Koh. 2014. Nutritional quality and in vitro digestibility of shrimp meal made of heads and hulls of black tiger (*Penaeus monodon*), white leg (*Litopenaeus vannamei*) and argentine red (*Pleoticus muelleri*) shrimps. *J. Poult. Sci.*, 51: 411 – 415.
- Rao, M.S., J. Muñoz, and W.F. Stevens. 2000. Critical factors in chitin production by fermentation of shrimp biowaste, *Appl. Microbiol. Biotechnol.* 54: 808-813.

- Robert K.M., K.G. Daryl, A.M. Peter and W. R. Victor. 2003. Harper's Illustrated Biochemistry, twenty-sixth edition. McGraw-Hill Education, New York.
- Robert S. Breed, E.G.D. Murray and R. Smith Nathan. 1957. Bergey's Manual of Determinative Bacteriology, Seventh Edition, The Williams & Wilkins Company, Baltimore.
- Rochelle, P., J. Will, J. Fry, G. Jenkins, R. Parkes, C. Turley and A. Weightman. 1995. Extraction and amplification of 16S rRNA genes from deep marine sediments and seawater to assess bacterial community diversity, in *Nucleic acids in the environment*. Springer. 219-239.
- Ruth C., S. Yasaputera, P. Christianto, V. I. Santoso and T. Pantjajani. 2016. Production and characterization of chitinases from thermophilic bacteria isolated from Prataan hot spring, East Java. *J. Math. Fund. Sci.*, 48: 149-163.
- Saleh H.O.B., S. Sathianeson and A.B. Mohammad. 2016. Extraction of chitin from the shell wastes of two shrimp species *Fenneropenaeus semisulcatus* and *Fenneropenaeus indicus* using microorganisms, *Journal of Aquatic Food Product Tech.* DOI: 10.1080/10498850.2016.1188191.
- Shanmugaiah V., N. Mathivanan, N. Balasubramanian and P.T. Manoharan. 2008. Optimization of cultural conditions for production of chitinase by *Bacillus laterosporus* MML2270 isolated from rice rhizosphere soil, *African Journal of Biotechnology*, (7), 15: 2562-2568.
- Seidl, V.2008. Chitinase of filamentous fungi : a large group of diverse protein with multiple a physiological function. *Fungal Biology Reviews*. 22 : 36 – 42.
- Salanitro, J. P., I. G. Fairchild, and Y. D. Zgornicki. 1974. Isolation, culture characteristics, and identification of anaerobic bacteria from the chicken cecum. *Appl Microbiol* 27:678-87.
- Saima, M. Kuddus, Roohi and I.Z. Ahmad. 2013. Isolation of novel chitinolytic bacteria and production optimization of extracellular chitinase. *Journal of Genetic Engineering and Biotechnology*, 11: 39–46.
- Sakamoto K dan T. Asano. 1980. Estimation of in vivo digestibility with the laying hen by an in vitro method using the intestinal fluid of the pig. *Br. J. Nutr.*, 43: 89
- Sambrook J. and D.W. Russell. 2001. Molekular Cloning:a Laboratory Manual, 2<sup>nd</sup> edition, vol. 3, Cold Spring Harbour Laboratory Press, New York.
- Sell, J. L., C. R. Angel, F. J. Piquer, E. G. Mallarino, and H. A. al-Batshan. 1991. Developmental patterns of selected characteristics of the gastrointestinal tract of young turkeys. *Poult Sci.* 70:1200-5.
- Setser, C. S. 1984. Color: reflections and transmission. *J. Food Quality*. 6:183.
- Scott, M.L., M.C. Nesheim and R.J. Young. 1982. Nutrition of Chicken. Third Edition. M.I. Scott and Ass., Ithaca, New York.

- Sinha, S., R.D. Sanjay, K. Pankaj, R.B. Mathur, T. Pushplata and C. Subhash. 2012. Electrospun polyacrylonitrile nanofibrous membranes for chitosanase immobilization and its application in selective production of chitooligosaccharides. *Bioresource Technology*, 115 : 152–157
- Sikiric, M., N. Brajenovic, I. Pavlovic, J.L. Havranek and N. Plavljanc. 2003. Determination of metals in cow's milk by flame atomic absorption spectrophotometry, *Czech J. Anim. Sci.*, 48, (11): 481–486.
- Small D.M. and G.G. Shipley. 1974. Physical–chemical basis of lipid deposition in atherosclerosis, *Science*, 185: 222–229.
- Soeka Y.S. dan E. Triana. 2016. Pemanfaatan limbah kulit udang untuk menghasilkan enzim kitinase dari *Streptomyces macrosporeus* InaCC A454. *J. Kim. Terap. Indones.*, 18: 91 – 101.
- Soeparno. 2011. Ilmu Nutrisi dan Gizi Daging. Gadjah Mada University Press, Yogyakarta.
- Soeparno. 1998. Ilmu dan Teknologi Daging 3<sup>rd</sup> ed. Gadjah Mada University Press. Yogyakarta.
- Sorokulova I., A. Krumnow, L. Globa and V. Voduanoy. 2009. Efficient decomposition of shrimp shell waste using *Bacillus cereus* and *Exiguobacterium acetylicum*. *J. Ind. Microbiol. Biotechnol* 36: 1123 – 1126.
- Stanton, W.R. and A. Wallbridge. 1969. Fermented Food Process. Microorganismes in solid substrate fermentation. Proceeding of The first Asem Workshop, Bandung.
- Steel, R.G.D., J.H. Torrie and D.A. Dickey. 1997. Principles and Procedures of Statistic a Biometrical Approach, 3<sup>rd</sup> ed. McGraw-Hill, Inc. Singapore.
- Subha N.D., Sarma, C. Neeraja, N. Malati and A. Rao Podile. 2010. Members of Gammaproteobacteria and Bacilli represent the culturable diversity of chitinolytic bacteria in chitin-enriched soils. *World J. Microbiol Biotechnol*, 26: 1875 – 1881.
- Suresh P. V. 2012. Biodegradation of shrimp processing bio-waste and concomitant production of chitinase enzyme and N-acetyl-D-glucosamine by marine bacteria: production and process optimization. *World J. Microbiol Biotechnol*, 28:2945–2962.
- Sudiyono dan T. H. Purwati. 2007. Pengaruh penambahan enzim dalam ransum terhadap persentase karkas dan bagian-bagian karkas itik lokal jantan. *J. Indon. Trop. Agric.* 32: 4, 270-277.
- Sini, T.K., S. Santhosh and P.T. Mathew. 2007. Study on production of chitin and chitosan from shrimp shell by using *Bacillus subtilis* fermentation. *Carbohydrate Research* 342:2423-2429.
- Synowiecki, J. and N. A. Al-Khateeb. 2003. Production, properties, and some new applications of chitin and its derivatives. *Crit Rev Food Sci Nutr.* 43 (2): 145-71.

- Swiontek B.M., M. Walczak, E. Lalke-Porczyk and W. Donderski. 2010. Utilization of shrimp-shell wastes as a substrate for the activity of chitinases produced by microorganisms, *Polish J. of Environ. Stud.* (19) 1: 177-182
- Thamthiankul S., S. Suan-Ngay and S. Tantimavanich. 2001. Chitinase from *Bacillus thuringiensis* subsp. *pakistani*. *Appl Microbiol Biotechnol* 56:395–401
- Tang Q., Y. Zhang and X.M. Ding. 2009. Effect of dietary xylanase and energy density on performance and digestive tract of duck. In : Proceeding of the IV World Waterfowl Conference, 11 – 13 November 2009, Thrissur, India. 233 – 244.
- Thayza C.M.S., M.S. Thatiana, M.C. Horacina and M.T. Galba. 2013. Microbiological Chitosan: Potential Application as Anticariogenic Agent. Biomedical Engineering.
- Thomson, J.D., T.J. Gibson, F. Plewniak, F. Jeanmougin and D.G. Higgins. 1997. The CLUSTAL-X windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Res* 25, 4876 – 4882.
- Tillman, A.D., H. Hartadi, S. Reksohadiprodja, S. Prawirokusumo dan S. Lebdoesoekojo. 1991. Ilmu Makanan Ternak Dasar. Gajah Mada University Press, Yogyakarta.
- Triwibowo Y. 2006. Teori dan Aplikasi Polymerase Chain Reaction. Penerbit Andi, Yogyakarta.
- Vaaje-Kolstad G., B. Westereng, S.J. Horn, Z. Liu, H. Zhai, M. Sorlie and V.G.H. Eijsink. 2010. An oxidative enzyme boosting the enzymatic conversion of recalcitrant polysaccharides. *Science*, 330: 219 – 222.
- Valeria A. Torok, R.J. Hughes, L.L. Mikkelsen, R.P. Maldonado, K. Balding, R. MacAlpine, N.J. Percy and K. O. Keller. 2011. Gut microbiotas in broiler chickens across various feeding trials. *Appl. Environ. Microbiol*, 77 (17).
- Valette, P. H. Malouin, T. Corring and L. Savoie. 1993. Impact of exocrine pancreatic adaptation on in vitro protein digestibility. *British Journal of Nutrition*, 69: 359-369
- Van de Graaff, K. M. 1986. Anatomy and physiology of the gastrointestinal tract. *Pediatr Infect Dis* 5:S11-6.
- Vispo, C., and W. H. Karasov. 1997. The interactions of avian gut microbes and their host: an elusive symbiosis, p. 116-155. In R. L. Mackie and B. A. White (ed.), *Gastrointestinal Microbiology*. Chapman & Hall, New York.
- Waldeck J., G. Daum, B. Bisping and F. Meinhardt. 2006. Isolation and molecular characterization of chitinase-deficient *Bacillus licheniformis* strains capable of deproteinization of shrimp shell waste to obtain highly viscous chitin, *Appl. Environ. Microbiol.*, 72 12: 7879-7885.
- Wang S.L. and S.H. Chio. 1998. Deproteinization of shrimp and crab shell with the protease of *Pseudomonas aeruginosa* K-187. *Enzym Microb. Technol.* 22: 629 – 633.

- Wang, S.L., C.P. Liu and T.W. Liang. 2012. Fermented and enzymatic production of chitin/chitosan oligosaccharides by extracellular chitinases from *Bacillus cereus* TKU027. *Carbohydrat Polymers*, 90 (3): 1305 -1313.
- Wassila Arbia, A. Leila, A. Lydia and A. Abdeltif. 2012. Chitin extration from crustacean shells by biological methods. Universite Europeenne de Bretagne.
- Wei Zhang and Wenshui Xia. 2015. Effect of media milling on lipid-lowering and antioxidant activities of chitosan. *International Journal of Biological Macromolecules*. Vol. 73: 1402-1405.
- Wibawa, IM. A. S., G. A. M. K. Dewi, dan I W. Wijana. 2015. Respon pertumbuhan itik Bali jantan umur dua sampai delapan minggu yang diberi ransum mengandung biosuplemen. *Peternakan Tropika* 3:2, 324-337.
- Widyantoro. 2009. Peningkatan Kualitas Tepung Kulit Udang Dengan Fermentasi Bakteri Khitinolitik Untuk Pakan Penambahan Ruminansia Kecil. Desertasi. Univesitas Gadjah Mada, Yogyakarta.
- Wisna, H. Abbas dan Rusmana. 1995. Toleransi itik periode pertumbuhan terhadap serat kasar ransum. *J. Peternakan dan Lingkungan*. 1 (3): 1 – 5.
- Wu Y, Y.-C. Liu, Z.-H. Zhang and X. Liu. 2011. Identification of chitinases Is-chiA and Is-chiB from *Isoptericola jiangsuensis* CLG and their characterization. *Appl. Microbiol. Biotechnol.* 89:705–713.
- Wu Y., W.J. Li, W. Tian, L.P. Zhang, L. Xu, Q.R. Shen and B. Shen. 2010. *Isoptericola jiangsuensis* sp. nov. a chitin-degrading bacterium, *International J. of Systematic and Evolutionary Microbiol.*, 60: 904–908.
- Xia W. Ping Liu, Jiali Zhang and Jie Chen. 2011. Biological activities of chitosan and chitooligosaccharides. *Food Hydrocolloids*, 25: 170 – 179.
- Xie, M., J. N. Zhao, S. S. Hou, and W. Huang. 2010. The apparent metabolizable energy requirement of White Pekin ducklings from hatch to 3 weeks of age. *Anim. Feed Sci. Technol.* 157: 95-98.
- Yoon J.H., P. Schumann, S. J. Kang, S.Y. Jung and T.K. Oh. 2006. *Isoptericola dokdonensis* sp. nov., isolated from soil. *Internat. J. of Syst. and Evolut. Microb.*, 56: 2893–2897.
- Yusiati, L.M., C. Hanim, dan F.A. Jazim. 2008. Pengaruh Penambahan Mikroba Selulolitik Dari Cairan Rumen Sapi Pada Fermentasi Kulit Kopi Robusta (*Coffea canephora* sp.) Terhadap Produksi Gas Secara *In Vitro*. In Press. Fakultas Peternakan Universitas Gadjah Mada, Yogyakarta.
- Yusiati, L.M., Wihandoyo, dan C. Hanim. 2009. Pemanfaatan Bungkil Kelapa Sawit Fermentasi Menggunakan Isolat Fibrolitik Dalam Pakan Itik Terhadap Produksi dan Kualitas Telur. Laporan Penelitian. Fakultas Peternakan Universitas Gadjah Mada, Yogyakarta.
- Yabuki, M., K. Mizushina, T. Amatatsu, A. Ando, T. Fujii, M. Shimada and M. Yamashita. 1986. Purification and characterization of chitinase and chitobiase produced by *Aeromonas hydrophila* subsp. *anaerogenes* A52. *J. Gen. Appl. Microbiol.* 32, 25–38.

- Younes, I., S. Hajji, M. Rinaudo, M. Chaabouni, K. Jellouli, and M. Nasri. 2016. Optimization of protein and minerals removal from shrimp shells to produce highly acetylated chitin. *International Journal of Biological Macromolecules* 84: 246 – 253.
- Zhang, Y., Z. Zhou, Y. Liu, Y. Cao, S. He, F. Huo, C. Qin, B. Yao and E. Ringø. 2014. High-yield production of a chitinase from *Aeromonas veronii* B565 as a potential feed supplement for warm-water aquaculture. *Appl. Microbiol. Biotechnol.* 98, 1651–1662.
- Zoetendal, E. G., B. Cheng, S. Koike, and R. I. Mackie. 2004. Molecular microbial ecology of the gastrointestinal tract: from phylogeny to function. *Curr Issues Intest Microbiol* 5:31-47.
- Zhou, C., M. Zhu, Y. Yang, W. Cheng, H. Li and H. Liu. 2006. Novel injectable calcium phosphate/chitosan composites for bone substitute materials. *Acta Biomater.* 2:557-565.