



## DAFTAR PUSTAKA

- [1] X.-m. Ye and X.-h. Liu, "The harmonic detection based on wavelet transform and fft for electric arc furnaces," *Proceedings of the 2009 International Conference on Wavelet Analysis and Pattern Recognition, Baoding*, no. July, pp. 12–15, 2009.
- [2] T. Wenbo and B. H. Window, "Power system harmonic detection based on Bartlett & Hann Windowed FFT interpolation," pp. 0–2, 2012.
- [3] E. Zheng, Z. Liu, and L. Ma, "Study on Harmonic Detection Method Based on FFT and Wavelet Transform," *2nd International Conference on Signal Processing Systems (ICSPS)*, pp. 5–8, 2010.
- [4] M. I. M. S. Prajoy Podder, Md. Mehedi Hasan.
- [5] R. A. Zadeh, A. Ghosh, and G. Ledwich, "Combination of kalman filter and least-error square techniques in power system," *IEEE Transactions on Power Delivery*, vol. 25, no. 4, pp. 2868–2880, Oct 2010.
- [6] H. M. Beides and G. T. Heydt, "Dynamic state estimation of power system harmonics using kalman filter methodology," *IEEE Transactions on Power Delivery*, vol. 6, no. 4, pp. 1663–1670, Oct 1991.
- [7] P. K. Dash, A. K. Pradhan, and G. Panda, "Frequency estimation of distorted power system signals using extended complex kalman filter," *IEEE Transactions on Power Delivery*, vol. 14, no. 3, pp. 761–766, Jul 1999.
- [8] P. Dash, A. Pradhan, G. Panda, and R. Jena, "Harmonics estimation in stressed electric power networks," in *Power Electronics and Drive Systems, 2001. Proceedings., 2001 4th IEEE International Conference on*, vol. 2, Oct 2001, pp. 782–788 vol.2.
- [9] H. Ma. and A. Girgis, "Identification and tracking of harmonic sources in a power system using a kalman filter ." in *IEEE Transactions on vol.11, no3*, Jul 1996, pp. 1659–1665.
- [10] K. Kennedy, G. Lightbody, and R. Yacamini, "Power system harmonic analysis using the kalman filter," in *Power Engineering Society General Meeting, 2003, IEEE*, vol. 2, July 2003, p. 757 Vol. 2.



- [11] A. Routray, A. K. Pradhan, and K. P. Rao, "A novel kalman filter for frequency estimation of distorted signals in power systems," *IEEE Transactions on Instrumentation and Measurement*, vol. 51, no. 3, pp. 469–479, Jun 2002.
- [12] P. Nayak and B. N. Sahu, "A robust extended kalman filter for the estimation of time varying power system harmonics in noise," in *2015 IEEE Power, Communication and Information Technology Conference (PCITC)*, Oct 2015, pp. 635–640.
- [13] R. Valipour Ebrahimi, H. Farahani, and S. Rezaei, "On-line power system harmonics monitoring using an intelligent method based on neural network," in *Universities Power Engineering Conference, 2007. UPEC 2007. 42nd International*, Sept 2007, pp. 534–538.
- [14] V. Saiz and J. Guadalupe, "Application of kalman filtering for continuous real-time tracking of power system harmonics," *Generation, Transmission and Distribution, IEE Proceedings-*, vol. 144, no. 1, pp. 13–20, Jan 1997.
- [15] Y. Liu, "A wavelet based model for on-line tracking of power system harmonics using kalman filtering," in *Power Engineering Society Summer Meeting, 2001*, vol. 2, July 2001, pp. 1237–1242 vol.2.
- [16] J. A. de la O Serna and J. RodrìAguez-Maldonado, "Taylor 2013;kalman 2013;fourier filters for instantaneous oscillating phasor and harmonic estimates," *Instrumentation and Measurement, IEEE Transactions on*, vol. 61, no. 4, pp. 941–951, April 2012.
- [17] B. Subudhi and P. Ray, "Estimation of power system harmonics using hybrid rls-adaline and kf-adaline algorithms," in *TENCON 2009 - 2009 IEEE Region 10 Conference*, Jan 2009, pp. 1–6.
- [18] R. Cardoso and H. Grundling, "Reference generation for harmonics cancellation, displacement power factor correction and unbalance compensation under unknown fundamental frequency," in *Industrial Electronics Society, 2005. IECON 2005. 31st Annual Conference of IEEE*, Nov 2005, pp. 6 pp.–.
- [19] A. Pigazo and V. Moreno, " $3\phi$  -3w signal model for power system harmonics and unbalance identification using kalman filtering," *Power Delivery, IEEE Transactions on*, vol. 23, no. 2, pp. 1260–1261, April 2008.



- [20] S. Gunda and D. Siva Sarma, "Modelling of adjustable speed ac drives for harmonic studies using kalman filtering algorithm," in *Power and Energy Systems (ICPS), 2011 International Conference on*, Dec 2011, pp. 1–6.
- [21] A. Girgis, W. Chang, and E. Makram, "A digital recursive measurement scheme for online tracking of power system harmonics," *Power Delivery, IEEE Transactions on*, vol. 6, no. 3, pp. 1153–1160, Jul 1991.
- [22] C.-H. Huang, C.-H. Lee, K.-J. Shih, and Y.-J. Wang, "A robust technique for frequency estimation of distorted signals in power systems," *Instrumentation and Measurement, IEEE Transactions on*, vol. 59, no. 8, pp. 2026–2036, Aug 2010.
- [23] J. Macias and A. Gomez Exposito, "Self-tuning of kalman filters for digital protection applications," in *Power Tech, 2005 IEEE Russia*, June 2005, pp. 1–4.
- [24] N. Kose, O. Salor, and K. Leblebicioglu, "Kalman filtering based approach for spectral analysis of power signals," in *Signal Processing and Communications Applications Conference (SIU), 2010 IEEE 18th*, April 2010, pp. 788–791.
- [25] E. Yaz, Y. Gao, and K. Olejniczak, "Comparison of adaptive filter performance in estimating the noise statistics for harmonic models," in *Proceedings of the 38th IEEE Conference on Decision and Control (Cat. No.99CH36304)*, vol. 5, 1999, pp. 5070–5075 vol.5.
- [26] D. Borkowski and A. Bien, "Improvement of accuracy of power system spectral analysis by coherent resampling," *IEEE Transactions on Power Delivery*, vol. 24, no. 3, pp. 1004–1013, July 2009.
- [27] H. R. Najafi, F. Robinson, and A. Shoulaei, "Improved algorithm for on-line harmonic identification in hvdc application," in *2008 43rd International Universities Power Engineering Conference*, Sept 2008, pp. 1–5.
- [28] E. Bueno, S. Cobreces, F. J. Rodriguez, F. Huerta, M. Galvez, A. Rodriguez, and F. A. S. Neves, "Optimal proposal to mitigate the problems produced by the acquisition of noisy signals in the control of grid-converters," in *2008 34th Annual Conference of IEEE Industrial Electronics*, Nov 2008, pp. 297–302.

- [29] S. Bittanti and S. M. Savaresi, "Frequency tracking via extended kalman filter: parameter design," in *Proceedings of the 2000 American Control Conference. ACC (IEEE Cat. No.00CH36334)*, vol. 4, 2000, pp. 2225–2229 vol.4.
- [30] A. L. Maitelli and T. Yoneyama, "Adaptive control scheme using real time tuning of the parameter estimator," *IEE Proceedings - Control Theory and Applications*, vol. 144, no. 3, pp. 241–248, May 1997.
- [31] K. K. C. Yu, N. R. Watson, and J. Arrillaga, "An adaptive kalman filter for dynamic harmonic state estimation and harmonic injection tracking," *IEEE Transactions on Power Delivery*, vol. 20, no. 2, pp. 1577–1584, April 2005.
- [32] K. Louie, P. Wilson, R. Mazur, K. Kent, H. Dommel, and J. Marti, "Power system harmonic analysis in the frequency domain," in *Electrical and Computer Engineering, 2007. CCECE 2007. Canadian Conference on*, April 2007, pp. 1421–1424.
- [33] W. M. Grady and S. Santoso., "Understanding power system harmonics." in *Power Engineering Riview, IEEE vol.21, no. 11*, Nov 2001, pp. 8–11.
- [34] R. Khanna, S. Chacko, and N. Goel, "Performance investigation of hybrid filters for power quality improvement." in *Power Engineering and Optimization Conference (PEOCO), 2011 5th Internasional.*, June 2011, pp. 93–97.
- [35] K. Louie, P. Wilson, R. Rivas, A. Wang, and P. Buchanan, "Discussion on power system harmonic analysis in the frequency domain," in *Transmission Distribution Conference and Exposition: Latin America, 2006. TDC '06. IEEE/PES*, Aug 2006, pp. 1–6.
- [36] R. Zadeh, A. Ghosh, and G. Ledwich, "Combination of kalman filter and least-error square techniques in power system," *Power Delivery, IEEE Transactions on*, vol. 25, no. 4, pp. 2868–2880, Oct 2010.
- [37] P. Dash, A. Pradhan, and G. Panda, "Frequency estimation of distorted power system signals using extended complex kalman filter," *Power Delivery, IEEE Transactions on*, vol. 14, no. 3, pp. 761–766, Jul 1999.
- [38] H. Ma and A. Girgis, "Identification and tracking of harmonic sources in a power system using a kalman filter," *Power Delivery, IEEE Transactions on*, vol. 11, no. 3, pp. 1659–1665, Jul 1996.



- [39] “Kalman filter for identification of power system fuzzy harmonic components ,”
- [40] A. Routray, A. Pradhan, and K. Rao, “A novel kalman filter for frequency estimation of distorted signals in power systems,” *Instrumentation and Measurement, IEEE Transactions on*, vol. 51, no. 3, pp. 469–479, Jun 2002.
- [41] R. El Shatshat, M. Kazerani, and M. Salama, “On-line tracking and mitigation of power system harmonics using adaline-based active power filter system,” in *Electrical and Computer Engineering, 2004. Canadian Conference on*, vol. 4, May 2004, pp. 2119–2124 Vol.4.
- [42] I. Sadinezhad and V. Agelidis, “Undersampled on-line ann-ekf based estimation of harmonics/interharmonics in power systems,” in *Power and Energy Society General Meeting, 2010 IEEE*, July 2010, pp. 1–8.
- [43] C. Le, M. Bollen, and I. Gu, “A method to evaluate harmonic model-based estimations under non-white measured noise,” in *PowerTech, 2011 IEEE Trondheim*, June 2011, pp. 1–6.
- [44] H. Sahoo, P. Dash, N. Rath, and B. Sahu, “Harmonic estimation in a power system using hybrid hx221e;-adaline algorithm,” in *TENCON 2009 - 2009 IEEE Region 10 Conference*, Jan 2009, pp. 1–6.
- [45] J. G. Webster, *ELECTRICAL MEASUREMENT, SIGNAL PROCESSING, and DISPLAY*. Boca Raton, Florida: CRC PRESS, 2004.
- [46] N. W. J. Arrillaga, B.C. Smith and A. Wood., “Power system harmonic analysis,” 1997.
- [47] H. Sasaki and T. Machida, “A new method to eliminate ac harmonic currents by magnetic flux compensation-considerations on basic design,” *IEEE Transactions on Power Apparatus and Systems*, vol. PAS-90, no. 5, pp. 2009–2019, Sept 1971.
- [48] G. Heydt and A. Risal, “Apparatus and method to identify harmonic producing loads,” Apr. 16 1996, uS Patent 5,508,623. [Online]. Available: <https://www.google.ch/patents/US5508623>



- [49] N. Hoffmann, L. Asiminoaei, S. Hansen, and F. Fuchs, "Shunt active filter with optimum reference generation algorithm for power factor and harmonic current compensation," in *Energy Conversion Congress and Exposition, 2009. ECCE 2009. IEEE*, Sept 2009, pp. 2784–2793.
- [50] L. Cividino, "Power factor, harmonic distortion; causes, effects and considerations," in *Telecommunications Energy Conference, 1992. INTELEC '92., 14th International*, Oct 1992, pp. 506–513.
- [51] "Ieee standard definitions for the measurement of electric power quantities under sinusoidal, nonsinusoidal, balanced, or unbalanced conditions - redline," *IEEE Std 1459-2010 (Revision of IEEE Std 1459-2000) - Redline*, pp. 1–52, March 2010.
- [52] A. Girgis and F. M. Ham, "A quantitative study of pitfalls in the fft," *Aerospace and Electronic Systems, IEEE Transactions on*, vol. AES-16, no. 4, pp. 434–439, July 1980.
- [53] G. Chen., "Approximate kalman filtering." in *World scientific*, 1993.
- [54] H. Beides and G. Heydt, "Dynamic state estimation of power system harmonics using kalman filter methodology." in *IEEE Transactions*, vol.6, no.4., Oct 1991, pp. 1663–1670.
- [55] G. Welch. and G. Bishop., "An introduction to the kalman filter," pp. 1–16, July 2006.
- [56] I. Commission, "Iec 62053-21 standard, static meters for active energy," 2003.
- [57] C. L. King and V. Quiquempoix, "Designing with the mcp 3901 dual channel analog-to-digital converters," 2009.