

## DAFTAR PUSTAKA

- Alboofetileh, M., Rezaei, M., Hosseini, H., and Abdollahi, M., 2013, Effect of Montmorillonite Clay and Biopolymer Concentration on The Physical and Mechanical Properties of Alginate Nanocomposite Films, *J. Food Eng.*, (117), 26-33.
- Alekseeva, O.V., Rodionova, A.N., Bagrovskaya, N.A., Agafonov, A.V., and Noskov, A.V., 2015, Effect of The Bentonite Filler on Structure and Properties of Composites Based on Hydroxyethyl Cellulose, *J. Arabjc.*, 2015, 1-7.
- Al-Haidary, A.M., Hussain, A.F. and Mahmmoud, R.M., 2008, A Study The Adsorption Of Iron (III) Ion on Selected Iraqi Clay Surfaces, *JKU*, 6(2), 156-172.
- Anonim I, 2003, *Ecological Soil Screening Level for Iron*, U.S. Environmental Protection Agency, Washington.
- Anonim II, 2016, Chemical Grade Polyethylene Glycol, [www.arpc-ir.net](http://www.arpc-ir.net) (diakses tanggal 18 Mei 2016 pukul 09.02 Wita).
- Al-Shahrani, S.S., 2013, Treatment of Wastewater Contaminated with Fe(II) by Adsorption onto Saudi Activated Bentonite, *IJET-IJENS*, 13(6), 58-68
- Bandyopadhyay, S., Ghosh K., and Varadachari, C., 2014, Multimicronutrient Slow-Release Fertilizer of Zinc, Iron, Manganese, and Copper, *Int. J. Chem. Eng.*, 1-7.
- Bhattacharya, I., Bandyopadhyay S., Varadachari, C., and Ghosh, K., 2007, Development of a Novel Slow-Releasing Iron-Manganese Fertilizer Compound, *Ind. Eng. Chem. Res.*, 46, 2870-2876.
- Bracher, P.J., Gupta, M., Mack, E.T., and Whitesides G.M., 2009, Heterogeneous Films of Ionotropic Hydrogels Fabricated From Delivery Templates of Patterned Paper, *ACS Appl Mater Interfaces*, 1(8), 1807–1812.
- Brown, J. C., 1956, Iron Chlorosis, *Annu. Rev. Plant. Physiol*, 7, 171-190.
- Bruchet, M., Mendelson, N.L., and Melman, A., 2013, Photochemical Patterning of Ionically Cross-Linked Hydrogels, *Processes*, 1, 153-166.
- Caykara, T., Demirci, S., Eroglu, M.S., and Guven, O., 2005, Poly(ethylene oxide) and Its Blends with Sodium Alginate, *Polymer*, 46, 10750–10757.

- Chan, L.W., Hao, J.S. dan Heng, P.W.S., 1999, Evaluation of Permeability and Mechanical Properties of Composite Polyvinyl Alcohol Films, *Chem. Pharm. Bull.*, 47(10), 1412-1416.
- Chandra, K.P., Ghosh, K. and Varadachari, C., 2009, A New Slow-releasing Iron Fertilizer, *Chem. Eng. J.*, 155, 451-456.
- Chaplin, M., 2014, Water Structure and Science Alginate, [www.llsbu.ac.uk/water/hyalg/html](http://www.llsbu.ac.uk/water/hyalg/html) (diakses pada 18 Mei 2016).
- Chen, J.H., Li, G.P., Liub, Q.L., Nia, J.C., Wua W.B., and Lina, J.M., 2010, Cr(III) Ionic Imprinted Polyvinyl Alcohol/Sodium Alginate (PVA/SA) Porous Composite Membranes for Selective Adsorption Of Cr(III) Ions, *Chem. Eng. J.*, 165, 465-473.
- Chen, J.H., Lin, H., Luo, Z.H., He, Y., S., and Li, G.P., 2010, Cu(II)-Imprinted Porous Film Adsorbent Cu-PVA-SA Has High Uptake Capacity for Removal of Cu(II) Ions From Aqueous Solution, *Desalination*, 277, 265-273.
- Chen, J. Spear, S.K., Huddleston, J.G and Rogers, R.D., 2005, Polyethylene Glycol and Solutions Of Polyethylene Glycol as Green Reaction Media, *Green. Chem.*, 7, 64-82.
- Demirci, S. and Caykara, T., 2006, Preparation and Characterization of Blend Films of Poly(Vinyl Alcohol) and Sodium Alginate, *J. Macromol. Sci.*, 43, 1113-1121.
- Djunaidi, M.C., Jumina, Siswanta, D., and Ulbricht, M., 2015, Selective Transport of Fe(III) Using Ionic Imprinted Polymer (IIP) Membrane Particle, *AIP Conf. Proc.*, 1699(060001), 1-10.
- Draget, K. I., Smidsrod, O. dan Skjak-Braek, G., 2005, Alginate from Algae, *bpol*, 1-30.
- El-Kader, K.A. M.A. and Hamied, S.F.A., 2002, Preparation of Poly(vinyl alcohol) Films with Promising Physical Properties in Comparison with Commercial Polyethylene Film, *J. Appl. Polym. Sci.*, 86, 1219-1226.
- Fageria, N.K., Baligar, V.C. and Wright, R.J., 1990, Iron Nutrition of Plants: An Overview on The Chemistry and Phylosofi of Its Deficiency and Toxicity, *Pesq. Arospec. Bras.*, 25(4), 553-570.

- Francis, A.J., and Dodge, C.J., 1993, Influence of Complex Structure on The Biodegradation of Iron-Citrate Complex, *Appl. Environ. Microbiol.*, 59, 109-113.
- Furia, T.E., 1972, CRC Handbook of Food Additives, 2<sup>nd</sup> Ed., Vol 2, CRC Press Boca Raton, FL.
- Ha, W.S., Lyoo, W.S. and Choi, Y.K., 1995, *Poly(Vinyl Alcohol) Microfibrillar shirt fiber and Method for its Use*, Patent, US006124033A.
- Hansch, R., and Mendel, R.R., 2009, Physiological Functions of Mineral Micronutrients (Cu, Zn, Mn, Fe, Ni, Mo, B, Cl), *J.Pbi.*, 12, 259-266.
- Hassan, C.M. and Peppas, N.A., 2000, Structure and Application of Poly(vinyl alcohol) Hydrogels Produced by Conventional Crosslinking or by Freezing/Thawing Methods, *Adv. Polym. Sci.*, 153, 37-65.
- Hassan, R.M., 1993, Alginate Polyelectrolyte Ionotropic Gels. XIII Geometrical Aspects for Chelation in Metal Alginate Complexes Related to Their Physico-Chemical Properties, *Polym. Int.*, 31 (1), 81-86.
- Haug, A. and Larson, B., 1963, The Solubility of Alginate at Low pH, *Acta Chem. Scnd.*, 17, 1653-1662.
- Haug, A. and Smidsrod, O., 1970, Selectivity of Some Anionic Polymers for Divalent Metal Ions, *Acta Chem. Scnd.*, 24, 843-854.
- Hernandez, R., Sacristan, J., and Mijangos, C., 2010, Sol/Gel Transition of Aqueous Alginate Solutions Induced by Fe<sup>2+</sup> Cations, *Macromol. Chem. Phys.*, 211, 1254-1260.
- Jin, Z., Guven, G., Bocharova, V., Halamek, J., Tokarev, I., Minko, S., Melman, A., Mandler, D., and K., Evgeny, 2012, Electrochemically Controlled Drug-Mimicking Protein Release from Iron-Alginate Thin-Films Associated with An Electrode, *ACS Appl. Mater. Interfaces*, 4, 466-475.
- Kamoun, E.A., Kenawy E.S., Tamer, M.T., El-Meligy, M.A. and Eldin, M.S.M., 2015, Poly (Vinyl Alcohol)-Alginate Physically Crosslinked Hydrogel Membranes for Wound Dressing Applications: Characterization and Bio-Evaluation, *J.Arab.*, 8, 38-47.
- Kenawy, E., Kamoun, E.A., Eldin, M.S.M. and El-Meligy, M.A., 2014, Physically Crosslinked Poly(Vinyl Alcohol)-Hydroxyethyl Starch Blend Hydrogel Membranes: Synthesis and Characterization for Biomedical Applications, *J.Arab.*, 7, 372-380.

- Klimiuk, E., and Kuczajowska-Zadrożna, M., 2002, The Effect of Poly(vinyl Alcohol) on Cadmium Adsorption and Desorption from Alginate Adsorbents, *Pol. j. Environ. Stud.*, 11(4), 375-384.
- Kobayashi, T., and Nishizawa, N.K., 2012, Iron Uptake, Translocation, and Regulation in Higher Plants, *Annu. Rev. Plant. Biol.*, 63, 131-152.
- Koushki, M.R., Azizi M.H., Azizkhani, M. and Koohy-Kamaly, P., 2015, Effect of Different Formulations on Mechanical and Physical Properties of Calcium Alginate Edible Films, *J. Food. Qual. Hazard Control*, 2, 45-50.
- Kumar, G.V. and Chandramani, R., 2009, Investigations on Fe<sup>3+</sup> Doped Polyvinyl Alcohol Films With and Without Gamma (γ)-Irradiation, *Appl. Surf. Sci.*, 255, 7047-7050.
- Kumar, G.V. and Chandramani, R., 2010, Doping and Irradiation Dependence of Electrical Conductivity of Fe<sup>3+</sup> and Ni<sup>2+</sup> Doped Polyvinyl Alcohol Films, *Acta Phys Pol.*, 117(6), 917-920.
- Labouffie, F., Hemati, M., Lamure, A., and Diguët, S., 2013, Effect of The Plasticizer on Permeability, Mechanical Resistance and Thermal Behaviour of Composite Coating Films, *J. Powtec.*, 238, 14-19.
- Lim, H. and Hoag, S.W., 2013, Plasticizer Effects on Physical–Mechanical Properties of Solvent Cast Soluplus® Films, *AAPS PharmSciTech*, 14(3), 903-910.
- Malinconico, M., Immirzi, B., Santagata, G., Schettini E., Vox G. and Mugnozza, G. S., 2008, Degradation and Stability Research, *Prog. Polym. pp.* 69-114.
- Narayanan, R.P., Melman, G., Letourneau, N.J., Mendelson, N.L., and Melman, A., 2012, Photodegradable Iron(III) Cross-linked Alginate Gels, *Biomater.*, 13, 2465-2471.
- Olivas, G.I. and Canovas, G.V.B., 2008, Alginate-calcium Films: Water Vapor Permeability and Mechanical Properties as Affected by Plasticizer and Relative Humidity, *LWT*, 41, 359-366.
- Olukman, M., Şanlı, O. and Solak, E. K., 2012, Release of Anticancer Drug 5-Fluorouracil from Different Ionically Crosslinked Alginate Beads, *JBNB.*, 3, 469-479.
- Önal, M., 2006, Physicochemical Properties of Bentonit: An Overview, *Commun. Fac. Sci. Univ. Ank. Series B*, 52(2), 7-21

- Park, H. J., Bunn, J.M., Weller, C.L., Vergano, P.J. and Testin, R.F., 1994, Water Vapor Permeability and Mechanical Properties of Grain Protein-Based Films as Affected by Mixtures of Polyethylene Glycol and Glycerin Plasticizers, *Biol. Syst. Eng.*, 37(4), 1281-1285.
- Pavia, D.L., Lampman, G.M., Kris, G.S., and Vyvyan, J.R., 2009, *Introduction to Spectroscopy*, 4<sup>th</sup> Ed, Brooks/Cole Cengage Learning, USA.
- Purwanti, A., 2013, Optimasi Kondisi Proses Pengambilan Asam Alginat dari Alga Coklat, *J. Tekno. Technosci.*, 5(2) , 1979-8415.
- Radnia, H., Ghoreyshi, A.A., and Younesi, H., 2011, Isotherm and Kinetics of Fe(II) Adsorption onto Chitosan in a Batch Process, *Iranica J. Energy & Environ.*, 2(3), 250-257.
- Râpă, M., Popa, E.M., Cinelli, P., Lazzeri, A., Burnichi, R., Mitelut, A. and Grosu, E., 2011, Biodegradable Alternative to Plastics for Agriculture Application, *RBL.*, 16, 59-64.
- Rhim, J.W., Park, H.B., Lee, C., Jun, J., Kim, D.S., and Lee, Y. M., 2004, Crosslinked poly(vinyl alcohol) Membranes Containing Sulfonic Acid Group: Proton and Methanol Transport through Membranes, *J. Membr. Sci.*, 238, 143-151.
- Rojas-Graü, M.A., Avena-Bustillos, R.J., Olsen, C., Friedman, M., Henika, P.R., Martín-Belloso O., Pan, Z. and McHugh, T.H., 2007, Effects of Plant Essential Oils and Oil Compounds on Mechanical, Barrier and Antimicrobial Properties of Alginate-apple Puree Edible Films. *J. Food Eng.*, 81, 634-641.
- Sari, N., Kahraman, E., Sari, B., and Ozgun, A., 2006, Synthesis of Some Polymer-Metal Complexes and Elucidation of their Structures, *J. Macromol. Sci.*, 43, 1227-1235.
- Setiono, L., dan Pudjaatmaka H., 1990, *Vogel Buku Teks Analisis Anorganik Kualitatif Makro dan Semimikro* (diterjemahkan dari Shevla, G., 1979, *Teks Book of Macro and Semimicro Qualitative Inorganic Analysis*, 5<sup>th</sup> Ed., Longman Inc., New York USA), PT. Kalman Media Pustaka, Jakarta.
- Singh, R., and Kulkarni, S.G., 2012, Morphological and Mechanical Properties of Poly (Vinyl Alcohol) Doped with Inorganic Fillers, *Int. J. Polym. Mater. Polym. Biomater.*, 62, 351-357.
- Sreeram, K.J., Shrivastava, H.Y., and Nair, B.U., 2004, Studies on The Nature of Interaction of Iron(III) with Alginates, *Biochim. Biophys. Acta*, 1670, 121-125.

- Sukma, N.S., 2014, Karakterisasi dan Kajian Pelepasan Besi(III) dari Komposit Alginat/Zeolit/ $\text{Fe}^{3+}$ , *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Sumita, O., 1981, Photoconductivity of Poly(vinyl Alcohol) Films with  $\text{Fe}^{3+}$  Complexes and ESR Study of their Structures, *J.appl. Polym. Sci.*, 26, 1659-1674.
- Turhan, K.N. and Şahbaz, F., 2004, Water Vapor Permeability, Tensile Properties and Solubility of Methylcellulose-based Edible Films. *J. Food. Eng.*, 61, 459-466.
- Wikanta, T. and Erizal, 2013, Properties of Sodium Alginate-Polyvinyl Alcohol Hydrogels Irradiated by Gamma Ray for Wound Dressing materials, *Squalen*, 8(1), 1-12.
- Xu, C., Chen, R., Zheng, X., Chen, X., and Chen, Z., 2008, Preparation of PVA-GA-CS/PVA/Fe-SA Bipolar Membrane and Its Application in Electro-generation of 2,2-Dimethyl-3-Hydroxypropionic Acid, *J.Membr. Sci.*, 307, 218–224.
- Xu, Y., Ren, X., and Hanna, M.A., 2005, Chitosan/Clay Nanocomposite Film Preparation and Characterization, *Wiley Int. Sci.*, 1684-1691.
- Zaafarany, I.A., 2010, Non-Isothermal Decomposition of Al, Cr and Fe Cross-Linked Trivalent Metal-Alginate Complexes, *JKAU. Sci.*, 22(1), 193-202.
- Zactiti, E.M. and Kieckbusch, T.G., 2006, Potassium Sorbate Permeability in Biodegradable Alginate Films: Effect of The Antimicrobial agent Concentration and Crosslinking Degree, *J. Food. Eng.*, 77, 462-467.