

DAFTAR PUSTAKA

- Abdul-Aziz, M.A., G. Sch€ofl, G. Mrotzek, H. Haryanti, K. Sugama, and H. P. Saluz. 2015. Population structure of the Indonesian giant tiger shrimp *Penaeus monodon*: a window into evolutionary similarities between paralogous mitochondrial DNA sequences and their genomes. *Ecology and Evolution*, 5(17): 3570-3584
- Alam, M.M.M, K.M. Westfall, and S. Pálsson. 2015. *Mitochondrial DNA Variation Reveals Cryptic Species in Fenneropenaeus indicus*. *Bulletin of Marine Science*, 91(1): 25-31
- Avise, J.C., J. Arnold, R.M. Ball, E. Bermingham, T. Lamb, J.E. Niegel, C.A. Reeb and N.C. Saunders. 1987. Intraspecific Phylogeography: The Mitochondrial DNA Bridge Between Population Genetics and Systematics. *Annual Review Ecology Systematics*, 18: 489-522
- Argue, B.J., S.M. Arce, J.M. Lotz, and S.M. Moss. 2002. Selective breeding of Pacific white shrimp (*Litopenaeus vannamei*) for growth and resistance to taura syndrome virus. *Aquaculture*, 204:447-460
- Baldwin, I.D., A.L. Bass, B.W. Bowen, and W.H. Clark. 1998. Molecular phylogeny and biogeography of the marine shrimp *Penaeus*. *Molecular Phylogenetic Evolution*, 10: 399-407
- Balon, E.K. 1995. Origin and domestication of the wild carp, *Cyprinus carpio* L from Roman gourmets to the swimming flowers. *Aquaculture*, 129:3-48.
- Bandelt, H.J., P. Forester and A.Ruhl. 1999. Median-joining networks for inferring intraspecific phylogenies. *Molecular Biology and Evolution*, 16: 37-48
- Bouckaert, R., J. Heled, D. Kuhnert, T. Vaughan, C.H. Wu *et al.* 2014. BEAST 2: Software platform for Bayesian evolutionary analysis. *PloS Computational Biology* 10(4): e1003537
- Camin, J.H. and R.R. Sokal. 1965. A method for deducing branching sequences in phylogeny. *Evolution*, 19: 311-326
- Cheng, J., Z. Sha, and R. Liu. 2015. DNA barcoding of genus *Metapenaeopsis* (Decapoda: Penaeidae) and molecular phylogeny inferred from mitochondrial and nuclear DNA sequences. *Biochemical Systematics and Ecology*, 61:376-384.
- Coman, G.J., S.J. Arnold, S. Peixoto, P.J. Crocos, F.E. Coman and N.P. Preston. 2006. Reproductive performance of reciprocally crossed wild-caught and tank-reared *Penaeus monodon* broodstock. *Aquaculture*, 252:372-384.
- Coman, G.J., S.J. Arnold, T.R. Callaghan, and N.P. Preston. 2007. Effect of two maturation diet combination on reproductive performance of domesticated *Penaeus monodon*. *Aquaculture*, 263:75-83.
- Costa, F.O., J.R. deWaard, J. Boutillier, S. Ratnasingham, R.T. Dooh, M. Hajibabaei, and P.D.N. Hebert. 2007. Biological identifications through DNA barcodes: The case of the Crustacea. *Canadian Journal Fish Aquatic Science*, 64:272-295.

- Daribba, D., G.L. Taboada, R. Doallo and D. Posada. 2015. jModelTest2: more models, new heuristic and high performance computing. *Nat Methods*, **9**(8): 772.
- Estoup, A., C.R. Lagiarder, E. Perrot, and D. Chourrout. 1996. Rapid one-tube DNA extraction for reliable PCR detection of fish polymorphic markers and transgenes. *Molecular Marine Biology and Biotechnology*, **5**:295-298
- FAO. 2016a. *The States of world Fisheries and Aquaculture 2016. Contributing to food security and nutrition for all*. Rome. 200 pp.
- FAO. 2016b. *FAO yearbook. Fishery and Aquaculture Statistics 2014*. Rome. Italy
- Felsenstein, J. 1981. Evolutionary trees from DNA sequences: a maximum likelihood approach. *Journal of Molecular Evolution*, **17**: 368-376
- Ferguson, J.W.H. 2002. On the use of genetic divergence for identifying species. *Biological Journal of Linnean Society*, **75**: 509-516.
- Folmer, O., M. Black, W. Hoeh, R. Lutz, and R. Vrijenhoek. 1994. DNA primer for amplification of mitochondrial cytochrome c oxidase sub unit I from diverse metazoan invertebrates. *Molecular Marine Biology Biotechnology*, **3**: 294-299
- Fuller, P.L., D. M. Knott, P. R. Kingsley-Smith, J. A. Morris, C. A. Bucke, M. E. Hunter and L. D. Hartman. 2014. Invasion of asian tiger shrimp, *Penaeus monodon* Fabricius, 1798, in the Western North Atlantic and Gulf of Mexico. *Aquatic Invasions*, **9**(1): 59–70.
- Futuyma, D.J. 1998. Evolutionary biology, 3rd ed. *Sinauer*. Sunderland MA
- Gusmao, J., C. Lazoski, and A.M. Sole-Cava. 2000. A new species of *Penaeus* (Crustacea; Penaeidae) revealed by allozyme and cytochrome oxidase subunit I analyses. *Marine Biology*, **137**: 435-446
- Hebert, P.D.N., C. Alina, S. L. Ball and J.R. deWaard. 2003. Biological identifications through DNA barcodes. *Proceeding of the Royal Society London B*, **270**: 313-321
- Hebert, P.D.N., M. Y. Stoeckle, T. S. Zemlak, and C. M. Francis. 2004. Identification of birds through DNA barcodes. *PLoS Biology*, **2**(10): 312
- Hoa, N.D. 2009. Domestication of the black tiger shrimp (*Penaeus monodon*) in recirculation systems in Vietnam. PhD thesis. *Ghent University*. Belgium.
- Hualkasin, W., P. Sirimontapornb, W. Chotigeata, J. Quercic, and A. Phongdaraa. 2003. Molecular phylogenetic analysis of white prawns species and the existence of two clades in *Penaeus merguensis*. *Journal of Experimental Marine Biology and Ecology*, **296**: 1– 11
- Khamnamtong, B., S. Klinbunga, and P. Menasveta. 2009. Genetics diversity and geographic differentiation of the Giant Tiger Shrimp (*Penaeus monodon*) in Thailand analyzed by mitochondrial COI sequences. *Biochemical Genetics*, **47**:42–55

- Kimura, M. 1980. A simple method for estimating evolutionary rate of base substitutions through comparative study of nucleotide sequences. *Journal of Molecular Evolution*, 16: 111-120
- Kingsley-Smith, P. R. 2012. The Asian Tiger Shrimp, *Penaeus monodon*: Updates on a Recent Invader to the Coastal Marine and Estuarine Waters of The Southeastern United States. *USGS Invasive Species Interest Group*. April 26th.
- Klinbunga, S., D. Siludjai, W. Wudthijinda, A. Tassanakajon, P. Jarayabhand, and P. Menasveta. 2001. Genetic heterogeneity of the Giant Tiger Shrimp (*Penaeus monodon*) in Thailand revealed by RAPD and mitochondrial DNA RFLP analyses. *Marine Biotechnology*, 3 : 428–438
- Knowlton, N., and L.A. Weigt. 1998. New dates and new rates for divergence across the Isthmus of Panama. *Proceedings Royal Society London B*. 265: 2257-2263
- Kumar, C.P., B. Akbar John, S. A. J. Khan, P.S. Lyla and K.C.A. Jalal. 2012. Limit of DNA barcode in delineating *Penaeus monodon* and in its developing stages. *Sains Malaysiana*, 41(12): 1527–1533
- Lavery, S., T.Y. Chan, Y.K. Tam, and K.H. Chuc. 2004. Phylogenetic relationship and evolutionary history of the shrimp genus *Penaeus s.l.* derived from mitochondrial DNA. *Molecular Phylogenetics and Evolution*, 31: 39-49
- Librado, P. and J. Rozas. 2009. DnaSP v5: A software for comprehensive analysis of DNA polymorphism data. *Bioinformatics*, 25: 1451-1452
- Maddison, W.P. and D.R. Maddison. 2015. Mesquite: A modular system for evolutionary version 3.04. (<http://www.mesquiteproject.org>).
- Mandal, A., D. Rao, D. Karuppaiah, A. Gopalakhrisnan, J. Pozhoth, Y.T.C Samraj and R.W. Doyle. 2012. Population genetic structure of *Penaeus monodon*, in relation to monsoon current patterns in Southwest, east and Andaman coastal waters of India. *Gene*, 491: 149-157.
- Marsden, G.E., J.J. McGuren, S.H. Hansford, and M.J. Burke. 1997. A moist artificial diet for prawn broodstock: its effect on the variable reproductive performance of wild caught *Penaeus monodon*. *Aquaculture*, 149:145-156.
- Martin, G., and Hose J. 2010. The Shrimp Book : Functional Anatomy of Penaeid Shrimp. Nottingham: *Nottingham University Press*
- Mayr, F. 1942. Systematic and the origin of species from the viewpoint of a zoologist. New York. *Columbia University Press*.
- Mink, D.G., and J.W. Sites Jr. 1996. Species limits, phylogenetic relationship, and origins of viviparity in the *Scolaris* complex of the lizard genus *Sceloporus* (Phrynosomatidae). *Herpetologica*, 52:551-557.
- Motoh, H. 1981. Studies on the fisheries biology of the giant tiger prawn, *Penaeus monodon* in the Philippines. (Technical Report No.7). Tigbauan, Iloilo, Philippines: *Aquaculture Department, Souteast Asian Fisheries Development Center*.

- Nahavandi, R., P.Hafezamini and M. N. Shamsudin. 2011. Genetic diversity of intensive cultured and wild tiger shrimp *Penaeus monodon* (Fabricius) in Malaysia using microsatellite markers. *African Journal of Biotechnology*, **10**(69) : 15501-15508
- Niamaimandi, N., A. Arshad, S.K. Daud, C.R. Saed and B. Kiabi. 2010. The movement and migration of shrimp, *Penaeus semisulcatus* in Bushehr coastal waters, Persian Gulf. *Asian Fisheries Science*, **23**: 145-158
- Peakal, R. and P.E Smouse. 2012. GenAlEx 6.5: genetic analysis in Excel. Population genetic software for teaching and research-an update. *Bioinformatics* **28**(19): 2537-2539
- Perez-Farfante, I. and B. Kensley. 1997. Penaeoid and Sergestoid shrimp and prawns of the world (keys and diagnoses for the families and genera). *Museum National d'Histoire Naturelle*, Paris.
- Prastowo, B.W., R. Rahardianti, E. M. Nur and A. Taslihan. 2007. Genetic heterogeneity profile of *Penaeus monodon* broodstock F1 revealed by mitochondria DNA-RFLP and RAPD. *Indonesian Journal of Biotechnology*, June, **12**(1) : 967-972
- Prastowo, B., Susanto, A., Nur, E., dan Rahayu R. 2008. Penggunaan Marker Genetik (marker-Assisted Selection) Sebagai Sarana Untuk Selective Breeding Calon Induk Udang di Pembenihan. Disampaikan pada Aquaculture 2008, Yogyakarta, 17-20 November 2008
- Price, E.O. 1999. Behavioral development in animals undergoing domestication. *Applied Animal Behaviour Science* **65**: 245-271.
- Ramandey, E. 2013. Variasi genetik udang windu (*Penaeus monodon* Fabricius, 1798) hasil persilangan populasi Aceh dan Pangandaran berdasarkan karakter morfologis dan molekuler. *Tesis Fakultas Biologi UGM*.
- Rambaut, A. 2012. Figtree v1.4 2006-2012. Institute of Evolutionary Biology. University of Edinburgh, Edinburgh.
- Rajkumar, G., P. S. Bhavan, R. Udayasuriyan, and C. Vadivalagan. 2015. Molecular identification of shrimp species, *Penaeus semisulcatus*, *Metapenaeus dobsoni*, *Metapenaeus brevicornis*, *Fenneropenaeus indicus*, *Parapenaeopsis stylifera* and *Solenocera crassicornis* inhabiting in the coromandel coast (Tamil Nadu, India) using MT-COI gene. *International Journal of Fisheries and Aquatic Studies* **2**(4): 96-106
- Rivera-Velázquez, G., L.A. Soto, I.H. Salgado-Ugarte, and E.J. Naranjo. 2008. Growth, mortality and migratory pattern of white shrimp (*Litopenaeus vannamei*, Crustacea, Penaeidae) in the Carretas-Pereyra coastal lagoon system, Mexico. *Review Biology Tropical. (International Journal of Tropical Biology)*, **56** (2): 523-533
- Ronquist, F., M. Teslenko, P. van der mark, D.L. Ayres, A. Darling, S. Hohna, B. Larget, L. Liu, M.A. Suchard, and J.P. Huelsenbeck. 2012. MrBayes 3.2: efficient Bayesian phylogentic inference and model choice across a large model space. *Systematic Biology*, **61**(3): 539-542
- Saitou, N. and M. Nei. 1987. The neighbour-joining method: a new method for reconstructing phylogenetic trees. *Molecular Biology Evolution* **4**: 406-425

- Solis, N. 2000. Biology and Ecology of *Penaeus Monodon*. Iloilo : SEAFDEC Aquaculture Department. 4
- Steinke, D., T. S. Zemlak, and P.D.N. Hebert. 2009. Barcoding Nemo: DNA-based identifications for the ornamental fish trade. *PLoS ONE* 4(7) : e6300
- Sugama, K., Haryanti, J.A.H. Benzie, and E. Ballment. 2002. Genetic variation and population structure of the giant tiger prawn, *Penaeus monodon*, in Indonesia. *Aquaculture*, 205 : 37– 48
- Swofford, D.L. 2002. PAUP*. Phylogenetic analysis using parsimony (*and other methods). Version 4. *Sinauer Associates*. Sunderland. Massachusetts.
- Tamura, K., G. Stecher, D. Peterson, A. Filipski and S. Kumar. 2013. MEGA6: molecular evolutionarygenetics analysis version 6.0. *Molecular Biology and Evolution*, 30: 2725-2729
- Thompson, J.D., D.G. Higgins, and T.J. Gibson. 1994. Clustal W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acid Research*, 22: 4673-4680
- Tong, J.G., T.-Y Chan, and K. H. Chu. 2000. A preliminary phylogenetic analysis of Metapenaeopsis (Decapoda: Penaeidae) based on mitochondrial DNA sequences of selected species from The Indo-West Pacific. *Journal of Crustacean Biologi* 20(3): 541-549
- Tricahyo, E. 1995. Biologi dan Kultur Udang Windu (*Penaeus monodon* Fab) Jakarta: Akademika Pressindo.
- Tsoi, K.H., Z.Y. Wang and K.H. Chu. 2005. Genetic divergence between two morphologically similar varieties of the Kuruma shrimp *Penaeus japonicus*. *Marine Biology*. 147: 367-379
- Udayasuriyan, R., P. Saravana Bhavan, C. Vadivalagan and G. Rajkumar. 2015. Efficiency of different COI markers in DNA barcoding of freshwater prawn species. *Journal of Entomology and Zoology Studies*, 3(3): 98-110
- Walsh, P.S., D.A. Metzger, and R. Higuchi. 1991. Chelex 100 as a medium for simple extraction of DNA for PCR-based typing from forensic material. *BioTechniques*, 10(4): 506-513
- Walther, E., G. Schöfl, G. Mrotzek, Haryanti, K. Sugama, and H. Peter Saluz. 2011. Paralogous mitochondrial control region in the giant tiger shrimp, *Penaeus monodon* (F.) affects population genetics inference: A cautionary tale. *Molecular Phylogenetics and Evolution*, 58 : 404–408
- Ward, R.D., T. S. Zemlak, B. H. Innes1, P. R. Last and P.D.N. Hebert. 2005. DNA barcoding Australia's fish species. *Philosophical Transaction Royal Society B*, 360: 1847–1857
- Wyban, J. 2007. Domestication of Pacific white shrimp revolutionizes Aquaculture. *Global Aquaculture Advocate* 8:42-45

- Zemlak, T.S., R.D. Ward, A.D. Connell, B.H. Holmes and P.D.N. Hebert. 2009. Barcoding vertebrates: DNA barcoding reveals overlooked marine fishes. *Molecular Ecology Resources*, 9:237-242.
- Zou S., Q. Li, L. Kong, H. Yu, and X. Zheng. 2011. Comparing the usefulness of distance, monophyly and character-based DNA barcoding methods in species identification: A case study of Neogastropoda. *PloS ONE* 6(10): e26619.