

Daftar Pustaka

- Adhitya, Surya Dhimas. 2016. Tingkat Aktivitas Fisik Operator Layanan Internet Mahasiswa Universitas Negeri Yogyakarta. *Skripsi*. Universitas Negeri Yogyakarta : Yogyakarta.
- Afni., I Dewa Putu Pramantara. Jazilah. 2009. Hubungan Asupan Energi, Lemak dan Status gizi dengan Profil Lipid Wanita Menopause di Poli Rawat Jalan RSUD Wirosaban Yogyakarta. *Skripsi*. Universitas Gadjah Mada : Yogyakarta.
- Almatsier, S. 2010. *Prinsip Dasar Ilmu Gizi*. Jakarta : Gramedia Pustaka Umum.
- Anjangsari, K.N., dan Muflihah Isnawati. 2015. Hubungan Konsumsi Softdrink, Lingkar Pinggang, dan Aktivitas Fisik dengan Kadar Gula Darah Puasa pada Wanita Dewasa. *Journal of Nutrition College* 4 (2) : 162-170.
- Apriliana, N.L. 2016. Peran Latihan Fisik Terhadap Kadar High Densti Lipoprotein (HDL) dan Trigliserida pada Individu Overweight dan Obesitas yang Menjalani Low Calorie Diet (LCD). *Skripsi*. Universitas Gadjah Mada : Yogyakarta.
- Arifin, L. Agusta. 2005. Obesitas Viseral dan Sindroma Metabolik. *Prosiding Pertemuan Ilmiah Nasional Dietitik II*. Bandung 18-19 Februari 2005.
- Ashwell, M dan Hsieh, S.D. 2005. Six Reasons Why the Waist-to-height Ratio is a Rapid and Effective Global Indicator for Health Risks of Obesity and How its Use could Simplify the International Public Helath Message on Obesity. *International Journal of Food Sciences and Nutrition* 56 (5) : 303-307.
- Baek Y., Park K., Lee S., Jang E. 2014. The Prevalence of General and Abdominal Obesity According to Sasang Constitution in Korea. *BMC Complement Altem Med*. 14 : 298.
- Bjorntorp, P. 1992. Abdominal Fat Distribution and the Metabolic Syndrome. *Journal of Cardiovascular Phatmacology* 20 : 26-28.
- Brewer H B. 2004. Increasing HDL Cholesterol Levels. *N Eng J Med*. 2004; 350: 1492.
- Browning, L.M., Hsieh, S.D., Ashwell, M. 2010. A systematic Review of Waist-to-Height Ratio as a Screening Tools for the Prediction of Cardiovascular Disease and Diabetes :0-5 could be a suitable global boundary value. *Nutrition Research Reviews* 23 : 247-269.
- Carey, V.J., Walters, E.E., Colditz, G.A., Soloman, C.G., Willet, W.C., Rosner, B.A., Speizer, F.E., Manson , J.E. 1997. Body Fat Distribution and Risk of Non-Insulin-Dependent Diabetes Mellitus in Women. *The Nurse's*

Health Study. *American Journal of Epidemiology* 145 : 614-619.

Cho, E., Shin, A., Kim J.,Jee, S., Sung, J. 2009. Leisure-time Physical Activity is Associated with a Reduced Risk for Methabolic Syndrome. *Jurnal Annal Epidemiology* 19 (6) : 784-792.

DeGoma EM, Leeper NJ, Heidenreich PA. 2008. Clinical significance of high-density lipoprotein cholesterol in patients with low low-density lipoprotein cholesterol. *J Am Coll Cardiol.* 2008;51:49-55.

Depress, J.P., Lemieux, i., Prud'home, D. 2001. Treatment of Obesity : Need to Focus on High Risk Abdominally Obese Patient. *BMJ* 322 (20) : 716.

Després, J.P., Lemieux, I., Bergeron, J., *et al.,.,.* 2008. Abdominal obesity and the metabolic syndrome: contribution to global cardiometabolic risk. *Arterioscler Thromb Vasc Biol*, 28, 1039–1049.

Despress, J.P., Moorjani, S., Lupie, P.J., Tremblay, A., Nadeau, A., Bouchard, C. 2001. Regional Distribution of Body Fat, Plasma Lipoproteins and Cardiovascular Disease. *Arteriosclerosis* 10 : 497-511.

Donosepoetro, Marsetio. 2007. *Molecular Pathology of Obesity and its Clinical Implication. Fight Obesity from Cell to Community.* Malang : Penerbit Laboratorium Ilmu Faal FK Universitas Brawijaya.

Durstine dan Haskell. 1994. Effect of Exercise Training on Plasma Lipids and Lipoproteins. *Exercise and Sport Sciences Review* 22 (1) : 477-522.

Edwardson, Charlotte L., Trish Gorely, Melanie J. D., Laura J. G., Kamlesh Khunti., Emma G. W., Thomas Yates., Stuart J. H. B. 2012. Association of Sedentary Behaviour with Metabolic Syndrome : Meta Analysis. *PLoS ONE* 7 (4).

Eyben, F.E., Mouritsen, e., Holm, J., Montvilas, P., Dimcevski, G., Suiciu, G.M Helleberg, i., Kristensen, L., Eyben, R. 2003. Intra-abdominal Obesity and Metabolic Risk Factors : a Study of Young Adults. *International Journal of Obesity* 27 (8) : 941-949.

Ezmailzadeh, A., Mimiran, P., Azizi, F. 2004. Waist-to-hip ratio is Better Screening Measure for Cardiovascular Risk Factor than other Anthropometric Indicator in Tehranian Adult Men. *International Journal of Obesity* 28 : 1325-1332.

Fernandez, J.R., Redden, D.Y., Pietrobelli, A., Allison, D.B. 2004. Waist Circumference Percentiles in Nationally Representative Sample of African-America, European-American and Mexican-American Children and Adolescent. *The Journal of Pediatrics* 6 (4) : 438-444.

Ghorbanian, B. 2012. Relation Between Anthropometri

Indicators and Serum Lipid Profiles as Cardiovascular Risk Factors Personals of Iranian Azarbayjan university of SahidMadani, *European Journal of Sports and Exercise Science*, 1 (3), 52-58.

Harikedua, Vera T., dan Naomi M Tando. 2012. Ktivitas Fisik dan Pola Makan dengan Obesitas Sentral pada Tokoh Agama di Kota Manado. *GIZIDO* 4 (1) : 289-298.

Hartono, A., Widyastuti, p., Hardiyanti, E. 2009. *Gizi Kesehatan Masyarakat*. Oxford : Blackwell Publishing, Ltd.

Hengkengbala, H., Polli, H., Wungouw, HIS. 2013. Pengaruh Latihan Fisik Aerobik terhadap Kolesterol High Density Lipoprotein (HDL) Pria dengan Berat Badan Lebih (Overweight). *Jurnal e-Biomedik (eBM)* 1 (1) : 284-290.

Henso, J., T. Yates., S.J. H Biddle, et al. 2013. Association of Objectively Measured Sedentary Behaviour and Physical Activity with Markers of Cardiometabolic Health. *Diabetologia* 56 : 1012-1020.

Igweh, J.C., Nwagha I.U, Okaro J.M. (2005). The Effect f Menopause on The Serum Profile of Normal Females of South East Nigeria. *Biolineinternational* : 48-53.

Inrumitha, Yurike Widya. 2015. Pengaruh Obesitas, Aktivitas Fisik dan Asupan Makan terhadap Kejadian Dislipidemia pada Pegawai Negeri Universitas Gadjah Mada Peserta Medical Check Up di GMC Health Center Yogyakarta. *Skripsi*. Fakultas Kedokteran UGM.

IPAQ. 2005. *Guidelines for Data Processing and Analysis of the International Physical Activity Quistionnare (IPAQ)*. Revised November.

Kamble P., Deshmukh PR., Garg N. 2010. Metabolic Syndrome in Adult Population of Rural Wardha, Central India. *Indian J. Med* 132 : 701-705.

Kemenkes. 2013. *Riset Kesehatan Dasar 2013*. Diakses dari http://www.litbang.depkes.go.id/sites/download/rkd2013/Laporan_Riskes_das2013.PDF, pada 31 Oktober 2016.

Khairani, Rita dan Meike Sumiera. 2005. Profil Lipid pada Penduduk Lanjut Usia di Jakarta. *Universa Medicina* 24 (4) : 175-183.

Kiens and Lithell. 1989. Lipoprotein Metabolism Influenced bt Training-Induced Changes in Human Skeletal Muscle. *Journal of Clinical Investigation* volume 83 : 558-564.

Klop, B., Elle, J., Cabezas MC. 2013. Dyslipidemia in Obesity : Mechanism and Potential Target. *Nutrients* 5 : 1218-1240.

Kristianti, Ch, M. 2002. Kondisi Fisik Kurang Gerak dan Instrumen Pengukuran. *Media Litbang Kesehatan* 12 (1) : 1-5.

Kullberg J, VON Below C., Lonn L., Lind L., Ahlstrom H., Johansson L. Practical Approach for Estimation of Subcutaneous and Visceral Adipose Tissue. *Clin Physiol Funct Imaging* 27 : 148.

Kusmana. 2006. *Olahraga untuk Orang Sehat dan Penderita Jantung Trias SOK dan Senam 10 menit*. Jakarta :FK UI.

Kwiterovich PO. 2000. The metabolic pathways of high-density lipoprotein, low-density lipoprotein, and triglycerides: A current review. *Am J Cardiol*. 2000; 86: 5L-10L.

Laaksonen, DE., Lindstrom, J.M Lakka, TA., Eriksson, *et al.*,2005. Physical Activity in the Prevention of Type Diabetes, Finish Diabetes Prevention Study. *Diabetes* 54 : 158-165.

LeBlanc, Alana G dan Jansen Ian. 2010. Dose-response Relationship Between Physical Activity and Dilipidemia in Youth. *Can J Cardiol*. 2010 Jun-Jul : 26 (6) : 201-5

Lesmana, Lanlan. 2008. Hubungan Antara Aktivitas Fisik dan Kebiasaan Merokok dengan Kejadian Dislipidemia pada Pasien Poli Penyakit Dalam di RS Panti Rapih Yogyakarta. *Skripsi*. Fakultas Kedokteran UGM.

Libby P. 2001. Managing the risk of atherosclerosis: The role of high density lipoprotein. *Am J Cardiol*. 2001; 88 (suppl): 3N-8N.

Lima, S., Arrais, R., Almeida,M., Souza, Z., Pedrosa, L. 2004. Plasma Lipid Profile and Lipid Peroxidtion in Overweight or Obese Children and Adolescent. *Journal de Pediatria*. 80 (1) : 23-28.

Linawati, Yunita., Dita Maria Virginia. 2014. Korelasi Rasio Lingkar Pinggang Panggul (RLPP) terhadap Profil Lipid pada Pra-Geriatri dan Geriatri. *Jurnal Farmasi Sains dan Komunitas* 11 (2) : 58-63.

Lipoeto, NI. 2006. *Zat Gizi dan Makanan pada Penyakit Kardiovaskuler*. Andalas University Press.

Mangoenprasodjo dan Hidayati. 2005. *Hidup Sehat tanpa Rokok*. Pradipta Publishing : Yogyakarta.

Mangoenprasodjo et al, 2005. *Hidup Sehat tanpa Rokok*. Pradipta Publishing : Yogyakarta.

Mann, S., Beedie, C., Jimenez,A. 2014. Differential Effects of Aerobic Exercise, Resistance Training and Combined Exercise Modalities on Cholesterol and The Lipid Profile : Review, Synthesis and Recommendation. *Sport Med* 44: 211-221.

McFarlane, S.I., Banerji, M.A., James. 2001. Insulin Resistance and Cardiovascular Disease. *J.Clin Endocrinol Metab* 86 (2) : 710.

- NCEP III. 2002. *ATP III Guidelines At-A-Glance Quick Desk Refernce (National Cholesterol Education Program III)*. National Institute of Health (National Heart, Lung and Blood Institute).
- Norfazilah A., Julaina MS., Azmawati MN. 2015. Sex Differences in Correlates of obesity indices and blood pressure among Malay Adults in Selangor, Malaysia. *S Afr Fam Pract* 57 (4) : 277-281.
- Nuraini, Fitriana. 2015. Hubungan Aktivitas Fisik dengan Obesitas pada Anak Usia Sekolah di SD Muhammadiyah Sokonandi Yogyakarta. *Skripsi*. Universitas Gadjah Mada : Yogyakarta.
- Parjiono, Atma Setiawati. Asupan Zat Gizi, Aktivitas Fisik, Obesitas Sentral sebagai Faktor Risiko Terjadinya Dislipidemis pada Pasien di Laboratorium Pramita Yogyakarta. *Tesis*. Fakultas Kedokteran UGM.
- Pereira, S. M. P., Myung Ki., and Chris Power. 2012. Sedentary Behaviour and Biomarkers for Cardiovascular Disease and Diabetes in Mid Life : The Role of Television Viewing and Sitting Work. *PLoS ONE* 7 (2).
- Pranata, Rio., Rina Susilowati., Madarina Julia. 2009. Hubungan Antara Aktivitas Fisik dengan Profil Lipid pada Remaja Putri SMP Obes di Yogyakarta. *Skripsi*. Universitas Gadjah Mada : Yogyakarta.
- Purawidjaja, S. 1989. Pengaruh Anjuran Latihan Jasmani Terhadap Profil Lipid Plasma Penderita Diabetes Melitus. *Tesis*. Universitas Gadjah Mada : Yogyakarta.
- Puspitasari, Ajeng. 2014. Hubungan Rasio Lingkar Pinggang terhadap Tinggi Badan dengan kadar HDL dan Trigliserida. *Skripsi*. Universitas Diponegoro : Semarang.
- Puspitasari, Ajeng. 2014. Hubungan Rasio Lingkar Pinggang terhadap Tinggi dengan Kadar HDL dan Trigliserida. *Skripsi*. Fakultas Kedokteran UNDIP.
- Putri Steffanie. 2010. Hubungan Asupan Asam Lemak Trans dengan Profil Lipid pada Remaja di SMA N 5 Semarang. *Skripsi*. Fakultas Kedokteran UNDIP.
- Racette, S., Deusinger, S., Deusinger, E. 2003. Obesity : Overview of Prevalence, Etiology, and Treatment. *Physical Therapy. Journal of the American Physical Therapy Association*. 83 : 276-288.
- Rampengan, Starry H. 2015. Meningkatkan Kolesterol HDL Paradigma Baru dalam Pencegahan Penyakit Kardiovaskular. *Jurnal Biomedik* 7 (2) : 89-98.
- Rathnayake, Kumari M., Tharmini Roopasingam., and Michael J Dibley. 2014. High Carbohydrate Diet and Physical Inactivity Associated Central Obesity among Premenopausal Housewives in Sri Lanka. *BMC Research* 7 : 564.

Risikesdas DIY 2010. Riset Kesehatan Dasar (RISKESDAS 2010) : Laporan DIY 2010. Yogyakarta : Badan Litbangkes Depkes RI.

Rosito, G.A., Massaro, J.M., Hoffmann, U., *et al.*, 2008, Pericardial fat, visceral abdominal fat, cardiovascular disease risk factors, and vascular calcification in a community-based sample: the Framingham Heart Study. *Circulation*, 117, 605–613.

Saad HA., Bari AM., Kalmi ZN. 2015. Relationship between Glucose Level, Lipid Profiles, and Waist to Height Ratio (WHtR). *International Blood Research and Reviews* 4 (2) : 1-9.

Sailis, J.F., Patterson, T.L., Buono, M.J., Nader, P.R. 1988. Relation of Cardiovascular Fitness and Physical Activity to Cardiovascular Disease and Risk Factors to Children and Adults. *Am J Epidemiol* 127:933-941.

Sanlier, N., Yabanci, N. 2007. Realyionship between Body Mass Index, Lipids, and Homocysteine Levels in University Students. *Journal of Pakistan Medical Association* : 491-495.

Sepriati. 2011. Pengaruh Latihan Fisik Terstruktur Terhadap High Density Lipoprotein (HDL) pada Pasien Hipertensi di Poliklinik Ginjal dan Hipertensi RSUP M. Djamil Padang. *Skripsi*. Unversitas Andalas : Padang.

Septiana, Tenta., Martalena Purba., Yayuk Hartriyanti. 2010. Studi Validasi Indeks Massa Tubuh dn Rasio Lingkar Pinggang Panggul terhadap Profil Lipid Pasien Rawat Jalan di Poli Jantung RSUP Dr. Sardjto Yogyakarta. *Jurnal Gizi Klinik Indonesia* 7 (1) : 34-40.

Shahraki, T., Shahraki, M., and Roudbari, M. 2009. Waist circumference: a better index of fat location than WHR for predicting lipid profile in overweight/obese Iranian women. *Eastern Mediterranean Health Journal*, 15(4), 899-905.

Sheehan, M.T., Jensen, M.D. 2000. Metabolic Complications of Obesity Pathhophysiologic Consideration. *Med Clin North Am* 84 (2) : 363-385.

Shuger, Sara L., Vaughn W. B., Xuemei Sui., *et al.*, 2011. Electronic Feedback in a Diet and Physical Activity-based Lifestyle Intervention for Weight Loss : A Randomized Controlled Trial. *International Journal of Behaviour Nutrition and Physical Activity* 8 : 41.

Singh IM, Shishehbor MH, Ansell BJ. 2007. High-density lipoprotein as a therapeutic target: a systematic review. *JAMA*. 2007;298:786-98.

Soeharto, I. 2004. *Serangan Jantung dan Stroke Hubungannya dengan Lemak dan Koleserol*. Jakarta : PT. Gramedia Pustaka Umum.

- Soetmadji, D.W. 2002. Biological Roles of Resistin in Obesity; Promising Clinical Implication dalam a.Tjokropawiro, Hendromartono, A. Sutjahjo. H. Tandra, A. Pranoto S. Murtiwi, Adi (eds). *National Obesity Symposium I*. Surabaya. Perkeni, 23-28.
- Sudaryanto, Lisa., Laurensius Imus Ventora., Venty. 2015. Kadar HbA1c dan Rasio Lipid pada Wanita Dewasa dengan Obesitas Sentral. *Jurnal Farmasi Sains dan Komunikasi* 12 (2) : 61-65.
- Sudikno., Hidayat Syarief., Cesilia Meti Dwiriani., Hadi Riyadi., Julianti Pradono. 2016. Hubungan Obesitas Sentral dengan Profil Lipid pada Orang Dewasa umur 25-65 tahun di Kota Bogor. *Journal of The Nutrition Association* 39 (2) : 81-92.
- Supriyono, Mamat. 2008. Faktor-Faktor Risiko yang Berpengaruh Terhadap Kejadian Penyakit Jantung Koroner pada Kelompok Usia ≤ 45 tahun. *Tesis*. Universitas Diponegoro : Semarang.
- Tanasescu, M., Leitzmann, M.F., Rimm, EE.B., Hu, F.F. 2003. *Physical Activity in Relation to Cardiovascular Disease and Mortality Among Men With Type*
- Taylor, R.W., Jones, I.E., Williams, S.M., Goulding, A. 2000. Evaluation of Waist Circumference, waist-to-hip ratio, and the Conicity Index as Screening Tools for High Trunk Fat Mass, as measured by dual-energy X-ray Absorptiometry, in children aged 3-19 years. *The American Journal of Clinical Nutrition* 72 (2) : 490-495.
- Thorlad, W.C., Cilliam, T.B. 1981. Comparison of Serum Lipids between Habitually High and Low Active pro-adolescent males. *Med Sci Sports Exerc* 13:316-321.
- Vaughan, Clare., Adrian Schoo., Edward D. J., Benjamin Philpot., et al., 2009. The Association of Levels of Physical Activity with Metabolic Syndrome in Rural Australian Adults. *BMC Public Health* 9 : 273.
- Wardani, Diana Kusuma. 2015. Hubungan Rasio Lingkar Pinggang Pinggul dan Indeks Massa Tubuh terhadap Kadar HDL dan LDL Pasien Penyakit Jantung Koroner di Poliklinik Jantung RSUD Dr. Moewardi Surakarta. *Skripsi*. Universitas Muhammadiyah Surakarta : Solo.
- Waspadji., Sarwono., et al., 2003. *Pengkajian Status Gizi*. FKUI : Jakarta.
- WHO. 2000. *Obesity : Preventing and Managing the Global Epidemic*. Geneva : World Health Organization.
- WHO. 2008. *Waist Circumference and Waist-Hip Ratio*. Geneva : World Helath Organization.
- WHO. 2010. *Global Recommendations on Physical Activity for Health*. Geneva : World Health Organization.

- Winjndaele, K., N. Duvigneaud., L. Matton., W. Duquet., et al., 2009. Sedentary Behaviour, Physical Activity and a Countinous Metabolic Syndrome Risk Score in Adults. *European Journal of Clinical Nutrition* 63 : 421-429.
- Wiramiharja, K. K. 2004. *Obesitas dan Penanggulangannya*. Bandung : Granada.
- Wong, PC., Chin, M., Tsou, IY., et al., 2008. Effect of A 12-week Exercise Training Programme on Aerobic Fitness, Body Composition, Blood Lipids and C-Reactive Protein in Adolescent with Obesity. *Ann Acad Med Singapore* 37 : 286-293.
- Yogyantini, Maria Dora Tri. 2008. Pengaruh Parameter Lingkar Pinggang (Obesitas Abdominal) dan Kebiasaan Mengkonsumsi Makanan Berlemak Terhadap Kejadian Dislipidemia pada Pasien Rawat Jalan di Rumah Sakit Panti Rapih Yogyakarta. *Skripsi*. Fakultas Kedokteran UGM.
- Zhang, B., Kawachi, E., Miura, S., Uehara, Y., Matsunaga, A., Kuroki, M., Saku K. 2013. Therapeutic Approaches to the Regulation of Metabolism of High-Density Lipoprotein. *Circulation Journal* volume 77.
- Zhu, SK., Zimian Wang., Stanley Heshka., Moonseong Heo., Myles S Faith., Steven B Heymsfield. 2002. Waist Circumference and Obesity-associated risk factors among whites in the third National Health and Nutrition Examination Suvery : Clinical Action Thersholds. *American Journal of Clinical Nutrition* 76 (4) : 743.