

DAFTAR PUSTAKA

- [1] P. Lubina and M. Rudzki, “Artificial neural networks in accelerometer-based human activity recognition,” in *Mixed Design of Integrated Circuits & Systems (MIXDES), 2015 22nd International Conference*, 2015, pp. 63–68.
- [2] A. D. Ignatov and V. V Strijov, “Human activity recognition using quasiperiodic time series collected from a single tri-axial accelerometer,” *Multimed. Tools Appl.*, vol. 75, no. 12, pp. 7257–7270, 2016.
- [3] A. M. Khan and M. Lawo, “Wearable Recognition System for Sports Activities,” *Sixth Int. Conf. eHealth, Telemedicine, Soc. Med. Wearable*, pp. 1–5, 2014.
- [4] N. Hosein and S. Ghiasi, “Wearable Sensor Selection, Motion Representation and their Effect on Exercise Classification,” in *Connected Health: Applications, Systems and Engineering Technologies (CHASE), 2016 IEEE First International Conference on*, 2016, pp. 370–379.
- [5] D. Nanda, “Pengaruh Latihan Circuit Bodyweight Terhadap Kebugaran Jasmani, Indeks Massa Tubuh, Persentase Lemak Tubuh dan Fleksibilitas Member Fitness Center Lotus Nusantara Bersinar Ros-In Hotel Yogyakarta.” Fakultas Ilmu Keolahragaan, 2017.
- [6] S. Ha, J.-M. Yun, and S. Choi, “Multi-modal convolutional neural networks for activity recognition,” in *Systems, Man, and Cybernetics (SMC), 2015 IEEE International Conference on*, 2015, pp. 3017–3022.
- [7] Y. Zheng, Q. Liu, E. Chen, Y. Ge, and J. L. Zhao, “Time series classification using multi-channels deep convolutional neural networks,” in *International Conference on Web-Age Information Management*, 2014, pp. 298–310.
- [8] F. Nurwanto, I. Ardiyanto, and S. Wibirama, “Light sport exercise detection based on smartwatch and smartphone using k-Nearest Neighbor and Dynamic Time Warping algorithm,” in *Information Technology and Electrical Engineering (ICITEE), 2016 8th International Conference on*,

- 2016, pp. 1–5.
- [9] T. Marasović and V. Papić, “Accelerometer based gesture recognition system using distance metric learning for nearest neighbour classification,” in *Machine Learning for Signal Processing (MLSP), 2012 IEEE International Workshop on*, 2012, pp. 1–6.
- [10] T. Marasovic and V. Papic, “A novel feature descriptor for gesture classification using smartphone accelerometers,” in *Computers and Communications (ISCC), 2013 IEEE Symposium on*, 2013, pp. 951–955.
- [11] E. Keogh, S. Chu, D. Hart, and M. Pazzani, “Segmenting time series: A survey and novel approach,” *Data Min. time Ser. databases*, vol. 57, pp. 1–22, 2004.
- [12] C. Wang, Y. Xu, J. Zhang, and W. Yu, “SW-HMM: A Method for Evaluating Confidence of Smartphone-Based Activity Recognition,” in *Trustcom/BigDataSE/I SPA, 2016 IEEE*, 2016, pp. 2086–2091.
- [13] Y. Liang, X. Zhou, Z. Yu, and B. Guo, “Energy-efficient motion related activity recognition on mobile devices for pervasive healthcare,” *Mob. Networks Appl.*, vol. 19, no. 3, pp. 303–317, 2014.
- [14] L. Guo and H. Fang, “Real-time human activity recognition in smart home with binary tree SVM,” in *Control Conference (CCC), 2016 35th Chinese*, 2016, pp. 6977–6981.
- [15] Y. Ling and H. Wang, “Unsupervised Human Activity Segmentation Applying Smartphone Sensor for Healthcare,” in *Ubiquitous Intelligence and Computing and 2015 IEEE 12th Intl Conf on Autonomic and Trusted Computing and 2015 IEEE 15th Intl Conf on Scalable Computing and Communications and Its Associated Workshops (UIC-ATC-ScalCom), 2015 IEEE 12th Intl Conf on*, 2015, pp. 1730–1734.
- [16] Q. Chen and S. Sun, “Hierarchical large margin nearest neighbor classification,” in *Pattern Recognition (ICPR), 2010 20th International Conference on*, 2010, pp. 906–909.
- [17] C. Domeniconi, J. Peng, and D. Gunopulos, “Locally adaptive metric nearest-neighbor classification,” *IEEE Trans. Pattern Anal. Mach. Intell.*,

- vol. 24, no. 9, pp. 1281–1285, 2002.
- [18] T. Hastie and R. Tibshirani, “Discriminant adaptive nearest neighbor classification,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 18, no. 6, pp. 607–616, 1996.
- [19] K. Q. Weinberger and L. K. Saul, “Fast solvers and efficient implementations for distance metric learning,” in *Proceedings of the 25th international conference on Machine learning*, 2008, pp. 1160–1167.
- [20] R. M. Marcacini, J. C. Carnevali, and J. Domingos, “On combining Websensors and DTW distance for kNN Time Series Forecasting,” in *Pattern Recognition (ICPR), 2016 23rd International Conference on*, 2016, pp. 2521–2525.
- [21] H. Yu, S. Cang, and Y. Wang, “A review of sensor selection, sensor devices and sensor deployment for wearable sensor-based human activity recognition systems,” in *Software, Knowledge, Information Management & Applications (SKIMA), 2016 10th International Conference on*, 2016, pp. 250–257.
- [22] F. Montalto, C. Guerra, V. Bianchi, I. De Munari, and P. Ciampolini, “MuSA: Wearable Multi Sensor Assistant for Human Activity Recognition and Indoor Localization,” in *Ambient Assisted Living*, Springer, 2015, pp. 81–92.
- [23] S. Chernbumroong, S. Cang, A. Atkins, and H. Yu, “Elderly activities recognition and classification for applications in assisted living,” *Expert Syst. Appl.*, vol. 40, no. 5, pp. 1662–1674, 2013.
- [24] Y. Kwon, K. Kang, and C. Bae, “Unsupervised learning for human activity recognition using smartphone sensors,” *Expert Syst. Appl.*, vol. 41, no. 14, pp. 6067–6074, 2014.
- [25] L. Sun, D. Zhang, B. Li, B. Guo, and S. Li, “Activity recognition on an accelerometer embedded mobile phone with varying positions and orientations,” in *International Conference on Ubiquitous Intelligence and Computing*, 2010, pp. 548–562.
- [26] A. Bulling, U. Blanke, and B. Schiele, “A tutorial on human activity

- recognition using body-worn inertial sensors,” *ACM Comput. Surv.*, vol. 46, no. 3, p. 33, 2014.
- [27] M. Uddin, A. Salem, I. Nam, and T. Nadeem, “Wearable sensing framework for human activity monitoring,” in *Proceedings of the 2015 workshop on Wearable Systems and Applications*, 2015, pp. 21–26.
- [28] L. Gao, A. K. Bourke, and J. Nelson, “Evaluation of accelerometer based multi-sensor versus single-sensor activity recognition systems,” *Med. Eng. Phys.*, vol. 36, no. 6, pp. 779–785, 2014.
- [29] Z. He and X. Bai, “A wearable wireless body area network for human activity recognition,” in *Ubiquitous and Future Networks (ICUFN), 2014 Sixth International Conf on*, 2014, pp. 115–119.
- [30] B.-K. Han, J. G. Lim, and D. Kwon, “Acceleration feature extraction for handwritings with natural similarities,” in *ICCAS-SICE, 2009*, 2009, pp. 1095–1099.
- [31] L. Wang, T. Gu, H. Xie, X. Tao, J. Lu, and Y. Huang, “A wearable rfid system for real-time activity recognition using radio patterns,” in *International Conference on Mobile and Ubiquitous Systems: Computing, Networking, and Services*, 2013, pp. 370–383.
- [32] N. A. Capela, E. D. Lemaire, and N. Baddour, “Novel algorithm for a smartphone-based 6-minute walk test application: algorithm, application development, and evaluation,” *J. Neuroeng. Rehabil.*, vol. 12, no. 1, p. 19, 2015.
- [33] Y. Zheng, W.-K. Wong, X. Guan, and S. Trost, “Physical Activity Recognition from Accelerometer Data Using a Multi-Scale Ensemble Method.,” in *IAAI*, 2013.
- [34] N. Ravi, N. Dandekar, P. Mysore, and M. L. Littman, “Activity recognition from accelerometer data,” in *Aaai*, 2005, vol. 5, no. 2005, pp. 1541–1546.
- [35] L. Atallah, B. Lo, R. King, and G.-Z. Yang, “Sensor placement for activity detection using wearable accelerometers,” in *Body Sensor Networks (BSN), 2010 International Conference on*, 2010, pp. 24–29.
- [36] I. A. Arif Rohmawan, “Pengembangan Buku Ajar Pendidikan Jasmani

- Untuk Siswa Kelas XI Semester 1 SMA,” *J. olahraga Pendidik. (Kementrian Pemuda dan Olahraga Republik Indones.,* vol. 1, no. 3, pp. 68–72, 2014.
- [37] J. Sumpeno and D. J. B. Santoso, “Pendidikan Jasmani, Olahraga, dan Kesehatan untuk SMA/MA Kelas XII,” *Jakarta CV. Teguh Karya*, 2010.
- [38] F. Zulkarnain, W. Wiyono, and S. Suranto, “Pengaruh Latihan Squat-Jump dan Skipping Terhadap Peningkatan Power Tungkai pada Tendangan Penalti,” *JUPE*, vol. 1, no. 1, 2013.
- [39] G. Budiman, L. Novamizanti, S. Si, and N. N. Santoso, “Perancangan dan Implementasi Unlock Screen Memanfaatkan Sensor Accelerometer Pada Ponsel Berbasis Android,” Universitas Telkom.
- [40] M. Abadi and A. Saleh, “Rancang Bangun Alat Pengukur Langkah Kaki dengan Sensor Accelerometer dan Fasilitas Komunikasi Wireless 2, 4 GHz,” *EEPIS Final Proj.*, 2010.
- [41] C. Surjoputro, H. Harianto, and I. Puspasari, “Pemanfaatan Accelerometer Pada Telepon Genggam Berbasis Android Sebagai Kendali Mobile Robot,” *J. JCONES*, vol. 1, no. 2, 2012.
- [42] I. H. Witten, E. Frank, M. A. Hall, and C. J. Pal, *Data Mining: Practical machine learning tools and techniques*. Morgan Kaufmann, 2016.
- [43] S. A. Noah, A. Abdullah, H. Arshad, A. A. Bakar, Z. A. Othman, S. Sahran, N. Omar, and Z. Othman, “Soft computing applications and intelligent systems,” in *2nd International Multi-Conference on Artificial Intelligence Technology, M-CAIT 2013*, 2013.
- [44] A. D. Calin, “Gesture Recognition on Kinect Time Series Data Using Dynamic Time Warping and Hidden Markov Models,” in *Symbolic and Numeric Algorithms for Scientific Computing (SYNASC), 2016 18th International Symposium on*, 2016, pp. 264–271.
- [45] R. Saputra, *STATISTIK TERAPAN*. Padang: STIKES Perintis, 2013.
- [46] R. E. Walpole, R. H. Myers, S. L. Myers, and K. Ye, *Probability and statistics for engineers and scientists*, vol. 5. Macmillan New York, 1993.