

DAFTAR PUSTAKA

- Aaronson, L. S. & Macnee, C. L. (1989) Tobacco, Alcohol, and Caffeine Use during Pregnancy. *JOCNN*.
- ACC/SCN (2000) Low Birth Weight, A report based on the International Low Birthweight Symposium and Workshop held on 14-17 June 1999 at the International Centre for Diarrhoeal Disease Research in Dhaka, Bangladesh.
- Aday, L. A. (1993) Equity accessibility and ethics. Is The US. health care reform debate asking the right question. *Am Behave. Sci*, 36(6): 724-40.
- Agrawal, A. (2012) Does Place of Birth Matter, Spatial Analysis of Infant and Under-five Mortality Rates in India. *Institute of Economic Growth*, Doctor, University of Delhi Enclave.
- Aguilera, I., Guxens, M., Garcia-Esteban, R., Corbella, T., Nieuwenhuijsen, M. J., Foradada, C. M. & Sunyer, J. (2009) Association between GIS-based exposure to urban air pollution during pregnancy and birth weight in the INMA Sabadell Cohort. *Environ Health Perspect*, 117(8): 1322-7.
- Ahern, M., Mullett, M., Mackay, K. & Hamilton, C. (2011) Residence in coal-mining areas and low-birth-weight outcomes. *Maternal Child Health J*, 15(7): 974-9.
- Allamano, P., Claps, P. & Laio, F. (2009) Global warming increases flood risk in mountainous areas. *Geo. Research Letters*, 36(24).
- Allamano, P., Claps, P., Laio, F. & Thea, C. (2009) A data-based assessment of the dependence of short-duration precipitation on elevation. *Physics and Chemistry of the Earth*, 635-641.
- Anderson, D. M. (2000) Guidelines for Growth Charts and Gestational Age Adjustment for Low Birth Weight and Very Low Birth Weight Infants. *Precept Press*, 33-10.
- Anselin, L. (1988) GIS Research Infrastructure for Spatial Analysis of Real Estate Markets. *J Housing Research* 9(113).
- Anselin, L. (1998) Spatial Econometrics. *Blackwell Publishing Ltd*, (14): 310-330.
- Anselin, L., Syabri, I. & Kho, Y. (2004) GeoDa, An Introduction to Spatial Data Analysis.
- Anselin, L., Syabri, I. & Kho, Y. (2004) GeoDa, An Introduction to Spatial Data Analysis. *Spatial Analysis Laboratory Department of Agricultural and Consumer Economics University of Illinois*.
- Anthopoulos, R., James, S., Gelfand, A. E. & Lynn, M. M. (2011) A spatial measure of neighborhood level racial isolation applied to low birthweight, preterm birth, and birthweight in North Carolina. *Spatial and Spatio-temporal Epidemiol*, 2 235-246.

- Argotsinger, B. C. (2012) Prenatal Care Adequacy in the U.S.-Mexico Border Region, An Analysis of Spatial Distribution and the Factors Associated with Low or Late Utilization. *Rollins School of Public Health of Emory University*.
- Arslan, Epni, M. S. C. & Etiler, N. (2013) Spatial analysis of perinatal mortality rates with geographic information systems in Kocaeli, Turkey. *Public health* 127 369-379.
- Asamoah, B. O., Agardh, A. & Cromley, E. K. (2014) Spatial analysis of skilled birth attendant utilization in Ghana. *Glob J Health Sci*, 6(4): 117-27.
- Asdak, C. (1995) *Hidrologi dan Pengelolaan Daerah Aliran Sungai*, Yogyakarta:Gadjah Mada University Press.
- Asundep, N. N., Carson, A. P., Turpin, C. A., Tameru, B., Agidi, A. T., Zhang, K. & Jolly, P. E. (2013) Determinants of Access to Antenatal Care and Birth Outcomes in Kumasi, Ghana. *J Epidemiol. Global Health*, 3(4): 279-88.
- Attar, M. A., Hanrahan, K., Lang, S. W., Gates, M. R. & Bratton, S. L. (2006) Pregnant mothers out of the perinatal regionalization's reach. *J Perinatol*, 26(4): 210-4.
- Awini, E., Mattah, P., Sankoh, O. & Gyapong, M. (2010) Spatial variations in childhood mortalities at the Dodowa Health and Demographic Surveillance System site of the INDEPTH Network in Ghana. *Trop Med Int Health*, 15(5): 520-8.
- Balk, D. (2003) spatial analysis of childhood mortality in west africa. Center for International Earth Science Information Network: Columbia University.
- Barker DJP. Developmental Origins of Chronic Disease. *Public Health* 126 (2012) 185-9
- Bashore, C. J., Geer, L. A., He, X., Puett, R., Parsons, P. J., Palmer, C. D., Steuerwald, A. J., Abulafia, O., Dalloul, M. & Sapkota, A. (2014) Maternal mercury exposure, season of conception and adverse birth outcomes in an urban immigrant community in Brooklyn, New York, U.S.A. *Int J Environ Res Public Health*, 11(8): 8414-42.
- Bazile, P. (2011) GIS: concepts, methods & tools, Introduction to GIS-structuring geographic information. *Information Management in Environ Sci*.
- Black RE, Allen LH, Bhutta ZA, et al for the Maternal and Child Undernutrition Study Group. Maternal and child undernutrition: global and regional exposures and health consequences. *Lancet* 2008. published online Jan 17. DOI: 10.1016/S0140-6736(07)61690-0.
- BLH (2015) Laporan Akhir Kegiatan Pemantauan Kualitas Air Tahun Anggaran 2015. Puruk Cahu: Badan Lingkungan Hidup Kabupaten Murung Raya.

- BPS (2014) Data Pokok Pembangunan Kabupaten Murung Raya Tahun 2013. Puruk Cahu: Badan Pusat Statistik dan Badan Perencanaan Pembangunan Daerah
- Brauer, M., Lencar, C., Tamburic, L., Koehoorn, M., Demers, P. & Karr, C. (2008) A cohort study of traffic-related air pollution impacts on birth outcomes. *Enviro Health Perspect*, 116(5): 680-6.
- Buckley, D. J. (1997) The GIS Primer, an introduction to geographic Information Systems. Fort Collins, Colorado: Pacific Meridian Resources.
- Buka, S. L., Brennan, R. T., Rich-Edwards, J. W., Raudenbush, S. W. & Earls, F. (2003) Neighborhood support and the birth weight of urban infants. *American J Epidemiol*, 157:1-8.
- Burch, J. B., Wagner Robb, S., Puett, R., Cai, B., Wilkerson, R., Karmaus, W., Vena, J. & Svendsen, E. (2014) Mercury in fish and adverse reproductive outcomes: results from South Carolina. *Int J Health Geogr*, 13:30.
- Canada, P. H. A. (2010) Low Birth Weight And Stillbirth Investigation 2010. Canada.
- Candelas, N., Teran, J. M., Lopez Barbancho, D., Diaz, M. C., Lomaglio, D. B. & Marrodan, M. D. (2015) Altitude effect on birth weight and prematurity in the Province of Catamarca (Argentina). *Am J Hum Biol*, 27(4): 526-9.
- Casey, P. H. (2008) Growth of low birth weight preterm children. *Semin Perinatol*, 32(1): 20-7.
- Cervigni, F., Suzuki, Y., Ishii, T. & Hata, A. (2008) Spatial accessibility to pediatric services. *J Community Health*, 33(6): 444-8.
- Cesar G Victora, Linda Adair, Caroline Fall, Pedro C Hallal, Reynaldo Martorell, Linda Richter, Harshpal Singh Sachdev, and for the Maternal and Child Undernutrition Study Group. Maternal and child undernutrition: consequences for adult health and human capital. *Lancet* 2008. published online Jan 26. DOI: 10.1016/S0140-6736(07)61692-4
- Chamberlain, G. & Morgan, M. (2002) *ABC OF Antenatal Care, Fourth edition*, London:BMJ Publishing Group.
- Cheng Luo, Z., Kierans, W. J., Wilkins, R., Liston, R. M., Mohamed J. & Kramer M. S. (2004) Disparities in Birth Outcomes by Neighborhood Income Temporal Trends in Rural and Urban Areas, British Columbia. *Epidemiol*, 15(6): 679-686.
- Chong, S., Nelson, M., Byun, R., Harris, L., Eastwood, J. & Jalaludin (2013) Geospatial analyses to identify clusters of adverse antenatal factors for targeted interventions. *Int. J. ealth Geographics*, 12(46).
- Chong, S., Nelson, M., Byun, R., Harris, L., Eastwood, J. & Jalaludin, B. (2013) Geospatial analyses to identify clusters of adverse antenatal factors for targeted interventions. *Inter J Health Geographics*, 12:46.

- Chuku, S., N., (2008) Low Birth Weight in Nigeria Does Antenatal Care Matter. *Institute of Social Studies*.
- Chung, M. Y., Fang, P. C., Chung, C. H., Chen, C. C., Hwang, K. P. & Chen, F. S. (2009) Comparison of neonatal outcome for inborn and outborn very low-birthweight preterm infants. *Pediatr Int*, 51(2): 233-6.
- Clark, M. (2011) *Data Vector Spatial Analysis*.
- Coleman, M., Coleman, M., Mabuza, A. M., Kok, G., Coetzee, M. & Durrheim, D. N. (2009) Using the SaTScan method to detect local malaria clusters for guiding malaria control programmes. *Malar J*, 868.
- Dale, M. R. T., Dixon, P., Fortin, M. J., Rosenberg, M. S., Legendre, P. & Myers, D. E. (2002) Conceptual and Mathematical Relationships Among Methods for Spatial Analysis. *Ecography* 25558-577.
- de Smith, M. J., Goodchild, M. F. & Longley, P. A. (2013) *Geospatial Analysis A Comprehensive Guide to Principles, Techniques and Software Tools*.
- de Vocht, F., Hannam, K., Baker, P. & Agius, R. (2014) Maternal residential proximity to sources of extremely low frequency electromagnetic fields and adverse birth outcomes in a UK cohort. *Bioelectromagnetics*, 35(3): 201-9.
- Debbink, M. P. & Bader, M. D. M. (2011) Racial Residential Segregation and Low Birth Weight in Michigan's Metropolitan Areas. *American J Public Health* 101(9).
- del Pozo, J., Gandarillas, A., Berjón, F. D., Soto, M. J., López, L., Marta, I., Abad, I., ZorrillaB. & DuqueI. (2010) Chronic liver disease and cirrhosis mortality and social deprivation, a spatial analysis in small areas of Madrid region. *Nutr Hosp*, 25(4): 597-605.
- Dever, G. E. A. (1984) *Epidemiology in Health Services Management*. :USA: An Aspen Publisher, Inc.
- Dinkes (2014) Profil Dinas Kesehatan Kabupaten Murung Raya Tahun 2013. Puruk Cahu.
- Dinkes (2015) Profil Dinas Kesehatan Kabupaten Murung Raya Tahun 2014. Puruk Cahu.
- Donnelly, F. (2013) Introduction to GIS Using Open Source Software. *Geospatial data librarian Baruch College CUNY*
- Dorwie, F. M. & Pacquiao, D. F. (2014) Practices of traditional birth attendants in Sierra Leone and perceptions by mothers and health professionals familiar with their care. *J Transcult Nurs*, 25(1): 33-41.
- Escobar, F., Hunter, G., Bishop, I. & Zerger, A. (2012) Introduction to GIS. Department of Geomatics, The University of Melbourne.
- Esri (2011) Arcgis Spatial Analysis, Advanced GIS Spatial Analysis Using Raster and Vector Data.

- Esri (2012) what is GIS. Redland, California, USA: National Geographic Society.
- Filho, J. B. F., Valiati, F. B., Eckert, G. U., daCosta, M. C., Silveira, R. C. & Procianoy, R. S. (2009) Is being small for gestational age risk factor for retinopathy of prematurity a study with 345 very low birthweight preterm infants. *J Pediatr (Rio J)* 85(1): 48-54.
- Fiorentino, M. (2010) Basic Spatial Analysis
- Fotheringham, A. S. & Rogerson, P. A. (1993) GIS and spatial analytical problems. *Inter J Geographical Information system*, 7(1): 3-19.
- Francis , M. R., Rakesh. P.S. , Mohan , V. R., Vinohar, B. & George, K. (2012) Examining spatial patterns in the distribution of Low Birth Weight babies in Southern India- the role of maternal, socio-economic and environmental factors. *Inter J Biological & Medical Research*, 3(1): 1255-1259.
- Gagnon, P., Rousseau, A. N. & Caya, D. (2013) A gibbs sampling disaggregation model for orographic precipitation. *Inter J Applied Earth Observation and Geoinformation*, 16-26.
- Galvan, L., Olias, M., Izquierdo, T., Ceron, J. C. & Villaran, R. F. D. (2013) Rainfall estimation in SWAT: an alternative method to simulate orographic precipitation. *J Hydrology*, 257-265.
- Goddard, M. & Smith, P. (2001) Equity of access to health care services: theory and evidence from UK. *Soc. Sci. Med*, , 531149-1162.
- Goodchild, M. & Longley, P. (1996) The future of GIS and spatial analysis.
- Grady, S. C. & Enander, H. (2009) Geographic analysis of low birthweight and infant mortality in Michigan using automated zoning methodology. *Int J Health Geogr*, 810.
- Griffith, D. A. (2009) Spatial-Autocorrelation University of Texas at Dallas, Richardson, TX, USA. *Elsevier Inc.*
- Haghdost, M. S. A. A. & Majdzadeh, S. R. (2008) The Application of Geographical Information System in Explaining Spatial Distribution of Low Birth Weight; a Case Study in North of Iran. *IJMS*, 33.
- Hamilton & Persis, M. (1995) *Dasar- dasar Kerperawatan Maternitas*, Jakarta::EGC.
- Hanson, C. E. & Wieczorek, W. F. (2002) Alcohol mortality: a comparison of spatial clustering methods. *Social Science & Medicine* 55791-802.
- Harish, S. P. (2013) An Introduction to GIS using ArcGIS. *Department of Politics New York University*.
- Hebert, P. L., Chassin, M. R. & Howell, E. A. (2011) The contribution of geography to black/white differences in the use of low neonatal mortality hospitals in New York City. *Med Care*, 49(2): 200-6.

- Hendryx, M., Luo, J., Knox, S. S., Zullig, K. J., Cottrell, L., Hamilton, C. W., John, C. C. & Mullett, M. D. (2014) Identifying multiple risks of low birth weight using person-centered modeling. *Womens Health Issues*, 24(2): e251-6.
- Hillemeier, M. M., Weisman, C. S., Chase, G. A. & Dyer, A. M. M. S. (2007) Individual and Community Predictors of Preterm Birth and Low Birthweight Along the Rural-Urban Continuum in Central Pennsylvania. *National Rural Health Association*, 42 (23).
- Hogenboom, K. (2010) An Introduction to GIS, Numeric and Spatial Data Librarian Scholarly Commons. *University of Illinois*.
- Huisman, O. & de By, R. A. (2009) *Principles of Geographic Information Systems*, Enschede, The Netherlands:ITC.
- Izugbara, C. O. & Ukwayi, J. K. (2004) An intercept study of persons attending traditional birth homes in rural southeastern Nigeria. *culture, health & sexuality*, 6(2): 101-114
- Jaddoe, V. W., Bakker, R., Hofman, A., Mackenbach, J. P., Moll, H. A., Steegers, E. A. & Witteman, J. C. (2007) Moderate alcohol consumption during pregnancy and the risk of low birth weight and preterm birth. The generation R study. *Ann Epidemiol*, 17(10): 834-40.
- Jammeh, A., Sundby, J. & Vangen, S. (2011) Maternal and obstetric risk factors for low birth weight and preterm birth in rural Gambia a hospital-based study of 1579 deliveries. *Journal of Obstetrics and Gynecology*, 1 94-103.
- Jamtsho, S., Corner, R. & Dewan, A. (2015) Spatio-Temporal Analysis of Spatial Accessibility to Primary Health Care in Bhutan. *ISPRS Inter J Geo-Information*, 4(3): 1584-1604.
- Jashvanta, P., Arno, M. F. G., Erwin, B., Semiha, D., Eric, S. A. P. & Gouke, B. J. (2013) Social deprivation and adverse perinatal outcomes among Western and non-Western pregnant women in a Dutch urban population. *Social Sci & Med*, 83 42-49.
- Jason, D. B., Powers, D. A., Padilla, Y. C. & Hummer, R. A. (2002) Low Birth Weight, Social Factors, and Developmental Outcomes among Children in The United States. *Demography*, 39(2): 353-368.
- Joost, S., Bonin, A., Bruford, M. W., Despres, L., Conord, C., Erhardt, G. & Taberlet, P. (2007) A spatial analysis method (SAM) to detect candidate loci for selection: towards a landscape genomics approach to adaptation. *Mol Ecol*, 16(18): 3955-69.
- Julian, C. G. (2011) High Altitude During Pregnancy. *Clinics in Chest Medicine*, 32(1): 21-31.
- Kaaresena, P. I., Rønning, J. A., Tunby, J., Nordhova, S. M., Ulvundb, S. E. & Dahl, L. B. (2008) A randomized controlled trial of an early intervention

program in low birth weight children Outcome at 2 years. *Early Human Development*, 84201-209.

Katz, J., Wu, L. A., Mullany, L. C., Coles C. L., Lee A. C. C., Kozuki, N. & Tielsch J. M. (2014) Prevalence of Small-for-Gestational-Age and Its Mortality Risk Varies by Choice of Birth-Weight-for-Gestation Reference Population. *PLoS ONE* 9(3).

Kemenkes (2012) Pedoman Pelayanan Antenatal Terpadu. *Kementerian Kesehatan Direktur Jenderal Bina Kesehatan Masyarakat 2010*. Jakarta.

Kemenkes (2015) Profil-Kesehatan-Indonesia-2014. Jakarta: Kementerian Kesehatan Republik Indonesia.

Kementerian Kesehatan Indonesia (2013) *Profil Kesehatan Indonesia 2012*.

Kent, S. T., McClure, L. A., Zaitchik, B. F. & Gohlke, J. M. (2013) Area-level risk factors for adverse birth outcomes: trends in urban and rural settings. *BMC Pregnancy Childbirth*, 13129.

Kihal-Talantikite, W., Padilla, C. M., Lalloue, B., Rougier, C., Defrance, J., Zmirou-Navier, D. & Deguen, S. (2013) An exploratory spatial analysis to assess the relationship between deprivation, noise and infant mortality an ecological study. *Envi Health*, 12109.

Kitsantas, P., Hollander, M. & Li, L. (2006) Using classification trees to assess low birth weight outcomes. *Artif Intell Med*, 38(3): 275-89.

Kitsantas, P. & Hollander, M. L. L. (2006) Using classification trees to assess low birth weight outcomes. *Artificial Intelligence in Med* (38275-289).

Klug, G. M., Wand, H., Boyd, A., Law, M., Whyte, S., Kaldor, J., Masters, C. L. & Collins, S. (2009) Enhanced geographically restricted surveillance simulates sporadic Creutzfeldt-Jakob disease cluster. *Brain*, 132(Pt 2): 493-501.

Koh, Y. (2014) Update in acute respiratory distress syndrome. *Koh J Intensive Care*, 2(2).

Kotelchuck, M. (1994) The Adequacy of Prenatal Care Utilization Index Its US Distribution and Association with Low Birthweight *American J Public Health*, 84(9).

Kramer, M. S. (1987) Determinants of Low Birth Weight, Methodological Assessment and Meta-Analysis. *Bulletin of WHO*, 65 663-737.

Krebs, J. C. (1989) Ecological Methodology. *University of British Columbia*, (2).

Kruk, M. E., Paczkowski, M., Mbaruku, G., de Pinho, H. & Galea, S. (2009) Women's preferences for place of delivery in rural Tanzania: a population-based discrete choice experiment. *Am J Public Health*, 99(9): 1666-72.

Kulldorff, M. (2014) Current Version- SaTScan

Kulldorff, M. (2015) SaTScan_Users_Guide. <http://www.satscan.org/>, 9.22.

- Kulldroff, M. (2010) *SatScan TM User Guide for Version 9.0*.
- Kumar, S. G., Kumar, H. N. H., Jayaram, S. & Kotian, M. S. (2010) Determinants of Low Birth Weight A Case Control Study in a District Hospital in Karnataka. *Indian J Pediatr* 77 (1): 87-89.
- LAKIP (2015) Laporan Akuntabilitas Pemerintah Daerah Dinas Kesehatan Kabupaten Murung Raya Tahun 2014. Puruk Cahu.
- Legerski, E. M. & Thayn, J. B. (2013) The effects of spatial patterns of neighborhood risk factors on adverse birth outcomes. *The Social Science Journal*, 50(4): 635-645.
- Legerski, E. M. & Thayn, J. B. (2013) The Effects of Spatial Patterns of Neighborhood Risk Factors on Adverse Birth Outcomes. *The Social Sci J* 50635-645.
- LeSage (1999) *The Theory and Practice of Spatial Econometrics*: Department of Economics University of Toledo.
- Libraries, U. M. (2012) Spatial Analysis Using ArcGIS 10.
- Lincetto, O., Mothebesoane-Anoh, S., Gomez, P. & Munjanja, S. (2012) Antenatal Care. *Opportunities for Africa's Newborns*.
- Lloyd, C. D. (2000) Local Models for Spatial Analysis.
- Lloyd, C. D. (2010) An Introduction to GIS.
- Löchl, M. (2010) Application of Spatial Analysis Methods for Understanding Geographic Variation of Prices, Demand and Market Success Doctor, University of Dortmund.
- Lopez Camelo, J. S., Campana, H., Santos, R. & Poletta, F. A. (2006) Effect of the interaction between high altitude and socioeconomic factors on birth weight in a large sample from South America. *Am J Phys Anthropol*, 129(2): 305-10.
- Luo, W. & Wang, F. (2003) Measures of spatial accessibility to health care in a GIS environment synthesis and a case study in the Chicago region. *Planning and Design*, volume pages, 30 865 - 884.
- Maneewongvatana, S. & Mount, D. M. (2002) Analysis of Approximate Nearest Neighbor Searching with Clustered Point Sets. *Am Mathematical Society*.
- Mariscal, M., Palma, S., Llorca, J., Perez-Iglesias, R., Pardo-Crespo, R. & Delgado-Rodriguez, M. (2006) Pattern of alcohol consumption during pregnancy and risk for low birth weight. *Ann Epidemiol*, 16(6): 432-8.
- Marques, R. C., Bernardi, J. V., Dorea, J. G., Brandao, K. G., Bueno, L., Leao, R. S. & Malm, O. (2013) Fish consumption during pregnancy, mercury transfer, and birth weight along the Madeira River Basin in Amazonia. *Int J Environ Res Public Health*, 10(6): 2150-63.

- Mayr, S., Erdfelder, E., Buchner, A. & Faul, F. (2007) A Short Tutorial of GPower. *Tutorials in Quantitative Methods for Psychology* 3(2): 51-59.
- Meng, G., Hall G. B., Thompson, M. E. & Seliske, P. (2013) Spatial and Environmental Impacts on Adverse Birth Outcomes in Ontario. *Le G'eographe Canadien* 57154-172.
- Meng, G., Thompson, M. E. & Hall, G. B. (2013) Pathways of neighbourhood-level socio-economic determinants of adverse birth outcomes. *Int J Health Geogr*, 1232.
- Miranda, M. L., Maxson, P. & Edwards, S. (2009) Environmental contributions to disparities in pregnancy outcomes. *Epidemiol Rev*, 3167-83.
- Mishra, V. & Retherford, R. D. (2008) The Effect of Antenatal Care on Professional Assistance at Delivery in Rural India *Population Research and Policy Review*,, 27307-320.
- Misra, D. P., Guyer, B. & Allston, A. (2003) Integrated perinatal health framework. *Am J Preventive Me*, 25(1): 65-75.
- Miyake, Y., Tanaka, K., Okubo², H., Sasaki, S. & Arakawa, M. (2014) Alcohol consumption during pregnancy and birth outcomes the Kyushu Okinawa Maternal and Child Health Study. *BMC Pregnancy and Childbirth* 14(79).
- Morenoff, J. D. (2003) Neighborhood mechanisms and the spatial dynamics of birth weight. *Am J Sociology* 108(5): 976-1017.
- Morenoff, J. D. (2003) Neighborhood Mechanisms and the Spatial Dynamics of Birth Weight. *Am J Sociology* 108(5): 976-1017.
- Mortola, J. P., Frappell, P. B., Aguero, L. & Armstrong, K. (2000) Birth weight and altitude: A study in Peruvian communities. *The Journal of Pediatrics*, 136(3): 324-329.
- Mura, D. (2015) *Profil_Kesehatan Kabupaten Murung Raya 2014*, Dinas Kesehatan Kabupaten Murung Raya.
- Nagy, Z., Jbabdi, S., Andersson, J., Skare, S. & Lagercrant, H. (2009) Investigating The Long-Term Effects Of Preterm Birth On Brain White Matter Using Tract-Based Spatial Statistics and Fractional Anisotropy. *Proc. Intl. Soc. Mag. Reson. Med.*, 17
- Neelon, B., Anthopolos, R. & Miranda, M. L. (2014) A spatial bivariate probit model for correlated binary data with application to adverse birth outcomes. *Stat Methods Med Res*, 23(2): 119-33.
- Nelson, R. (1998) Low Birthweights Spatial and Socioeconomic Patterns in Kamloops. *Western Geography*, 8(9): 31-59.
- Nepomnyaschy, L. (2010) Race disparities in low birth weight in the U.S. South and the rest of the nation. *Soc Sci Med*, 70(5): 684-91.

- Nieboer, E. & Richardson, H. S. D. (1980) The Replacement of the Nonescript Term Heavy Metals by a Biologically and Chemically Significant Classification of Metal Ions. *Environ Pollution*, 3-26.
- Nyaken, S. (2008) Spatial data analysis as a tool for mineral prospectivity mapping. *Geological Survey of Finland*, 274.
- Nykänen, V. (2008) Spatial data analysis as a tool for mineral prospectivity mapping. *Geological Survey of Finland*, 274.
- Odabae, M., Freeman, W. J., Colditz, P. B., Ramon, C. & Vanhatalo (2013) Spatial patterning of the neonatal EEG suggests a need for high number of electrodes. *Neuro Image*, 68229-235.
- Oladeinde, H. B., Oladeinde, O. B., Omoregie, R. & Onifade, A. A. (2015) Prevalence and determinants of low birth weight: the situation in a traditional birth home in Benin City, Nigeria. *Afr Health Sci*, 15(4): 1123-9.
- Overmars, K. P., de Koning, G. H. J. & Veldkamp, A. (2003) Spatial autocorrelation in multi-scale land use models. *Ecological Modelling*, 164(2-3): 257-270.
- Ozdenerol, E., Williams, B. L., Kang, S. Y. & Magsumbol, M. S. (2005) Comparison of spatial scan statistic and spatial filtering in estimating low birth weight clusters. *Int J Health Geogr*, 419.
- Pabico, A. P. (2006) Mercury in Health Care. The Daily PCIJ.
- Padilla, C. M., Deguen, B., Lalloue, B., Blanchard, O., Beaugard, C., Troude, F., Navier, D. Z. & Vieira, V. M. (2013) Cluster analysis of social and environment inequalities of infant mortality. A spatial study in small areas revealed by local disease mapping in France. *Sci the Total Environ*, 454-455.
- Pamenter, B. (2007) Basic Data Structure for GIS. *Tufts University*.
- Paulucci, R. S., Nascimento, L. F. C. & Schulze, C. A. (2011) Spatial analysis of premature delivery in Taubaté, SP, Brazil. *Rev Paul Pediatr.*, 29(3): 336-40.
- Permenkes (2012) Peraturan Menteri Kesehatan Republik Indonesiatentang Penanggulangan Daerah Bermasalah Kesehatan. In: Indonesia, K. K. (ed.). Jakarta.
- Perry, M. S. (2008) A Framework to Support Spatial, Temporal and Thematic Analytics over Semantic Web Data. *The University of Georgia*.
- Pfeiffer, D. U. (1996) Issues Related to Handling of Spatial Data. *Department of Veterinary Clinical Sciences Massey University, Palmerston North, New Zealand*, 83-105.

- Pierre, M. (2007) GIS, Concepts, Methods & Tool Analysis In Raster Spatial Analysis In Raster And Vector Mode. *Information Management in Environ Sci*.
- PWSKIA (2015) Laporan Pemantauan Wilayah Sekitar Kesehatan Ibu Anak Dinas Kesehatan Kabupaten Murung Raya Tahun 2014. Puruk Cahu.
- Riskesdas (2010) *Riset Kesehatan Dasar 2010*.
- Rosero-Bixby, L. (2004) Spatial access to health care in Costa Rica and its equity: a GIS-based study. *Social Sci & Med*, 58(7): 1271-1284.
- Sastroasmoro, S. & Ismael, S. (2002) *Dasar Dasar Metodologi Penelitian Klinis*, Jakarta: Sagung Seto.
- Schlesselman, J. J. (1982) *Case Control Studies, design, conduct, analysis*, New York: Oxford University Press.
- Schuurman, N., BÉRubÉ, M. & Crooks, V. A. (2010) Measuring potential spatial access to primary health care physicians using a modified gravity model. *Canadian Geographer / Le Géographe canadien*, 54(1): 29-45.
- Shi, X., Ayotte, J. D., Onda, A., Miller, S., Rees, J., Gilbert-Diamond, D., Onega, T., Gui, J., Karagas, M. & Moeschler, J. (2014) Geospatial association between adverse birth outcomes and arsenic in groundwater in New Hampshire, USA. *Environ Geochem Health*.
- Shortridge, A. Introduction to Applied Spatial Analysis *Department of Geography, Michigan State University* www.yesiteach.org/fall.htm.
- Silva, D. I., Quevedo, L. A., Silva, R. A., Oliveira, S. S. & Pinheiro, R. T. (2011) Association between alcohol abuse during pregnancy and birth weight. *Rev Saúde Pública*, 45(5).
- Siza, J. E. (2008) Risk factors associated with low birth weight of neonates among pregnant women attending a referral hospital in northern Tanzania. *Tanzania J Health Research* 10(1).
- Song, C. & Kulldorff, M. (2003) Power evaluation of disease clustering tests. *Inter J Health Geographics*, 2.
- Speer, S. A., Semenza, J. C., Kurosaki, T. & Anton-Culver, H. (2002) Risk factors for acute myeloid Leukemia and multiple myeloma: a combination of GIS and case-control studies. *J. Environ Health*, 64(7): 9-16; quiz 35-6.
- Staffan, B., S., & Goodburn, E. (2005) The Role of Traditional Birth Attendants in the Reduction of Maternal Mortality. *Reproductive Health Advisor, Centre for Sexual and Reproductive Health*.
- Stahl, L. L., Snyder, B. D., Olsen, A. R. & Pitt, J. L. (2009) Contaminants in fish tissue from US lakes and reservoirs: a national probabilistic study. *Environ Monit Assess*, 150(1-4): 3-19.

- start.org, B. (2005) Supporting Change Preventing and adressing alcohol use in pregnancy. 180 Dundasstreet West, suite 1900 Ontario, Canada: New and Early Child Development resources centre.
- Susan Legg, A. M. D., Rachel Prywes, Velimir V. Sterk and Pearl Weiskopf (2013) Patterns of Low Birth Weight in West Jerusalem with Special Reference to Maternal Origin. *British J Preventive and Social Med*, 24(2): 89-96.
- Sutton, T., Dassau, O. & Sutton, M. (2009) A Gentle Introduction to GIS. Eastern Cape, South Africa: Spatial Information Management Unit,.
- Sutton, T. O. & Sutton, M. D. (2009) A Gentle Introduction to GIS. Eastern Cape: Spatial Planning & Information, Department of Land Affairs (DLA).
- Taylor, C. M., Golding, J. & Emond, A. M. (2016) Blood mercury levels and fish consumption in pregnancy: Risks and benefits for birth outcomes in a prospective observational birth cohort. *Int J Hyg Environ Health*, 219(6): 513-20.
- Teklehaimanot, N., Hailu, T. & Assefa, H. (2014) Prevalence and factors associated with low birth weight in Axum and Laelay Maichew Districts, North Ethiopia A comparative cross sectional study. *Inter J Nutrition and Food Sci*, 3(6): 560-566.
- Thang, N. M. & Ahn, D. N. (2002) Accessibility and use of contraceptives in Vietnam. *Int. Fam. Plan Perpect*, 28(4): 214-219.
- Tian, J., Tu, W., Tedders, S. & Chen, D. (2013) A spatial-temporal analysis of low birth weight prevalence in Georgia, USA. *Geo Journal*.
- Tian, J., Tu, W., Tedders, S. & Chen, D. (2013) A spatial-temporal analysis of low birth weight prevalence in Georgia, USA. *Geo Journal*, 78(5): 885-895.
- Tripathy, V. & Gupta, R. (2005) Birth weight among Tibetans at different altitudes in India: are Tibetans better protected from IUGR? *Am J Hum Biol*, 17(4): 442-50.
- Tu, J., Tu, W. & Tedders, S. H. (2012) Spatial variations in the associations of birth weight with socioeconomic, environmental, and behavioral factors in Georgia, USA. *Applied Geography* 34331-344.
- UCSF (2004) Very Low and Extremely Low Birthweight Infants. *Intensive Care Nursery House Staff Manual*. The Regents of the University of California.
- UCSF (2004) Very Low and Extremely Low Birthweight Infants. *Intensive Care Nursery House*. California: University of California.
- Uddenfeldt Wort, U., Warsame, M. & Brabin, B. J. (2008) Potential use of birthweight indicators in rural Tanzania for monitoring malaria control in pregnancy. *Public Health*, 122(9): 923-32.
- UN (2000) Handbook on geographic information systems and digital mapping.

- UNICEF (2011) Statistics by area/child nutrition: Low birthweight Tracking Progress on Child and Maternal Nutrition
- Urquia, M. L., Glazier, R. H., Blondel, B., Zeitlin, J., Gissler, M., Macfarlane, A., Ng, E., Heaman, M., Stray-Pedersen, B., Gagnon, A. J. & collaboration, R. (2010) International migration and adverse birth outcomes: role of ethnicity, region of origin and destination. *J Epidemiol Community Health*, 64(3): 243-51.
- van Wijngaarden, E., Harrington, D., Kobrosly, R., Thurston, S. W., O'Hara, T., McSorley, E. M., Myers, G. J., Watson, G. E., Shamlaye, C. F., Strain, J. J. & Davidson, P. W. (2014) Prenatal exposure to methylmercury and LCPUFA in relation to birth weight. *Ann Epidemiol*, 24(4): 273-8.
- Velentgas, P., Benga-De, E. & Williams, M. A. (1994) Chronic Hypertension, Pregnancy-Induced Hypertension, and Low Birthweight. *Epidemiol*, 5(3): 345-348.
- WHO (2011) Guidelines on Optimal feeding of low birthweight infants in low- and middle-income countries.
- WHO (2013) Optimal feeding of low birth- weight infants in low-and middle-income countries.
- WHO (2004) Low Birthweight Country, Regional And Global Estimates. New York: United Nations Children's Fund and World Health Organization.
- Wimmer, G. & Pihlstrom, B. L. (2008) critical assessment of adverse pregnancy outcome and periodontal disease. *J Clin Periodontol* 35(8): 380-397.
- Wing, M. & Bettinger, P. (2015) Geographic Information Systems Applications in Natural Resource Management, Buffering Landscape Features.
- World Bank, 2006: Repositioning Nutrition as Central to Development A Strategy for Large-Scale Action, USA p:1-30
- Yanga, T. C., Shoff, C. & Matthews, S. A. (2013) Examining the Spatially Non-Stationary Associations Between the Second Demographic Transition and Infant mortality: A Poisson GWR Approach. *Spatial Demography* 1(1): 17-40.
- Zelege, B. M., Zelalem, M. & Mohammed, M. (2012) Incidence and correlates of low birth weight at a referral hospital in Northwest Ethiopia. *Pan African Med J*, 12(4).