



DAFTAR PUSTAKA

- Abbas, K.A., Lichtmant, A.H., Pillai, S., 2007. *Cellular and molecular immunologi*, 6th edition, Philadelphia: W. B. Saunders Company.
- Afzali, A., Noel, S.W., Edward, J.B., George, N.L., 2010. Association Between Serum Uric Acid Level and Chronic Liver Disease in the United States. *Hepatol.* 52(2): 578-589.
- Ahr, H.J., King, L.J., Nastainczyk, W., Ullrich, V., 1980. The metabolism of chloroform and carbon monoxide formation from carbon tetrachloride by microsomal cytochrome P-450. *Biochem. Pharmacol.* 29: 285-261.
- Attia, Y.M., Elalkamy, E.F., Hammam, O.A., Mahmoud, S.S., El-Khatib, A.S., 2013. Telmisartan, an AT1 receptor blocker and a PPAR gamma activator, alleviates liver fibrosis induced experimentally by Schistosoma mansoni infection. *J. Parasitol. Vector.* 6: 199.
- Bangun, R., 2008. *Hubungan kadar albumin serum dan outcome fungsional penderita stroke iskemik dengan diabetes*. Sumatera Utara : Fakultas Kedokteran USU. pp: 5-7.
- Baroni, G.S., D'Ambrosio, L., Curto, P., Casini, A., Mancini, R., Jezequel, A.M., Benedetti, A., 1996. Interferon gamma decreases hepatic stellate cell activation and extracellular matrix deposition in rat liver fibrosis. *Hepatol.* 23: 189–199.
- Bataller, R., & Daud, A.B., 2005. Liver fibrosis. *J. Clin. Invest.* 115: 2-18
- Bergman, R.A., Afih, A.K., Heidger P.M., 1996. *The Digestive System. In Saunders Text and Review Series Histology*. Philadelphia: W. B. Saunders. pp: 208.
- Boyd, C., Statham, N., Longo, N.S., 1979. The pulmonary clara cell as a target for toxic chemicals requiring metabolic activation studies with carbon tetrachloride. *J. Pharmacol. Exp. Ther.* 212: 109-114.
- Christa V.T.M., 2003. *Organ Physiology from Phenomenological point of view. Driebergen*. Louis Bolk Institut. pp: 40.
- Colby, H.D. & Eacho, P.I., 1985. Chemical-induced adrenal injury: role of metabolic activation, in Thomas, J.A., *Endocrine toxicol*. New York: Raven Press.
- Crozier, A., Clifford, M.N., Ashihara, H., 2006. Plant Secondary Metabolites: Occurrence, Structure and Role in the Human Diet. Oxford: Blackwell Publishing Ltd. pp: 12-14. ISBN-13: 978-1-4051-2509-3 Expert Rev. Gastroenterol. *Hepatol.* 4: 59–72.
- Dedy, S., 2008. *Pengaruh proteksi vitamin C terhadap enzim transaminase dan gambaran histopatologi hati mencit yang di papar plumbun*. Naskah Tesis. Sumatera Utara: Universitas Sumatera Utara.
- Duval, F., Jorge, E.M.C., Maria, T.G.G., Carmen, M.B., Delia, E.C.V., 2015. Liver fibrosis and mechanism of the protective action of medicinal plants targeting inflammation and the immune response. *Int. J. Inflam.* 2015: 1-14.



- English, J.C. & Anders, M.W., 1985. Evidence for the metabolism of N-nitrosodimethylamine and carbon tetrachloride by a common isozyme of cytochrome P-450. *Drug Metab. Dispos.* 13: 49-52.
- EPA, 2008. *Toxicological review of carbon tetrachloride*. Wahington DC: Environmental Protection Agency.
- Fan, X., Qiannan, Z., Shuang, L., Yifei, L., Houqiang, S., Heiping, J., Zhimeng, H., 2013. Attenuation of CCl₄ induced hepatic fibrosis in mice by vaccinating against TGF-β. *J. Gastrointestine*. 8(12): 1-13.
- Farah, A., Mariana, M., Carmen, M.D., Sophie, L., 2008. Chlorogenic acids from green coffee extract are highly bioavailable in humans. *J. Nutr.* 138: 9-15.
- Fiore, M., 1996. *Atlas Histologi Manusia*, 6th edition, Jakarta: EGC.
- Friedman, S.L. & Arthur, 2002. Hepatic Fibrosis- role of Hepatic Stellate Cell Activation. *Med. Gen. Med.* 4: 27.
- Friedman, S.L., Rockey, D.C., Bissell, D.M., 2006. Hepatic fibrosis: report of the third AASLD single topic conference. *Hepatol.* 45: 2-9.
- Friedman, S.L., 2008. Mechanism of Hepatic Fibrogenesis. *J. Gastroenterol.* 134: 65-69.
- Gaascht, F., Mario, D., Marc, D., 2015. Coffee provides a natural multitarget pharmacopeia against the hallarks of cancer. *Genes. nutr.* 15:10-51.
- Gallagher, J.T., Lyon, M., 2000. *Molecular Structure of Heparan Sulfate and Interactions with Growth Factor and Morphogens*. New york. pp: 27-59
- Gerberding, J.L., 2015. *Toxicological profil carbon tetrakloride*. United States: Departement of Health and Human Services.
- Gonthier, M.P., Marie, A.V., Catherine, B., Christian, R., Augustin, S., 2003. Chlorogenic acid bioavailability largely depends on metabolism of the gut microflora in rats. *J. Nutr.* 133: 58-59.
- Gressner, A.M., Weiskirchen, R., Breitkopf, K., Dooley, S., 2002. Roles of TGF-beta in hepatic fibrosis. *Front. Biosci.* 7: 793–807.
- Guyton, H., 1997. Buku Ajar Fisiologi Kedokteran, 9th edition, Jakarta: EGC.
- Inagaki, Y. & Okazaki, I., 2007. Emerging insights into transforming growth factor β Smad signal in hepatic fibrogenesis. *GUT*. 56: 84–92.
- Iwaisako, K., David, A. B., and Tatiana, K., 2012. The Origin of myofibroblast in liver fibrosis. *J.Gastroenterol Hepatol.* 27(20):65-68.
- Junieva, P.N., 2006. *Pengaruh Pemberian Ekstrak Meniran (Phyllanthus sp.) Terhadap Gambaran Mikroskopik Paru Tikus Wistar yang Diinduksi Karbon Tetraklorida*. Semarang: Fakultas Kedokteran Universitas Diponegoro.
- Kitani, A., Fuss, I., Nakamura, K., Kumaki, F., Usui, T., Strober, W., 2003. Transforming growth factor (TGF)-β1-producing regulatory T cells induce Smad-mediated interleukin 10 secretion that facilitates coordinated immunoregulatory activity and amelioration of TGF-β1-mediated fibrosis. *J. Exp. Med.* 198: 79–88.
- Kleiner, D.E., 2005. Design validation of histologic scoring system for non alcohoic fatty liver. *Hepatol.* 41:13-21.



- Korim, K.M.M. & Rowan, E.S., 2014. Chlorogenic and caffeic acids in liver stress induced by methamphetamine. *Hindawi publish corp.*
- Kuehnel, W., 2003. *Color Atlas Cytology, Histology and Microscopic Anatomy*. New York: Thieme Basic Sciene.
- Li, J.T., Zhang, X.L., Jie, P., Dan, X., Hui, W., 2008. Molecular Mechanism of Hepatic Stellate Cell Activation and Anti Fibrotic Therapeutic Strategies. *J. Gastroenterol*, 43: 19-28
- Liedtke, C., Tom, L., Tilman, S., David, S., Konrad, S., Frank, T., Rene, T., Christian, T., Jonel, T., Ralf, W., 2013. Experimental liver fibrosis research: update on animal model, legals issues and translational aspects. *Fibrogenesis and tissues repair*. 6:19.
- Lopa, A., T., Rusli, M., Arif, Hardjono, 2007. Analysis of serum albumin level with` ratio de ritis in hepatitis hepatitis B patients. *Ind. J. Of Path And Med. Lab.* 13(2): 60-62.
- Mauviel, A., 2005. Transforming growth factor- β : a key mediator of fibrosis. *Meth. Mol. Med.* 117: 69–80.
- McCay, P.B., Lai, E.K., Poyer, J.L., 1984. Oxygen and carbon-centered free radical formation during carbon tetrachloride metabolism. Observation of lipid radicals in vivo and in vitro. *J. Biol.Chem.* 259: 35-43.
- McLean, A.E.M. & McLean, E.K., 1966. The effect of diet and 1, 1, 1, -trichloro-2,2-bis-(p-chlorophenyl)-ethane (DDT) on microsomal hydroxylating enzymes and on sensitivity of rats to carbon tetrachloride poisioning. *Biochem. J.* 100: 64-71.
- Meyes, P.A., Granner, V.W., Rodwell, Martin, 1991. *Biokimia*. Alih. Bahasa Iyan Darmawan, Jakarta: Buku Kedokteran EGC.
- Michalopaulus, G.K., 2007. Liver Regeneration. *J Cell Physiol* 213(2): 286-300.
- Iwaisako, K., David, A., B., and Tatiana, K., 2012. The Origin of miofibroblast in liver fibrosis. *J.Gastroenterol Hepatol.* 27(20): 65-68.
- Mori, S., Matsuzali, K., Yoshida, K., Furukawa, E., Tahashi,Y., Yamosata, H., Silumoto, G., Seki,T., Matsu,H., Nislizawa,M., Fyisawa,J., Okazaki,K., 2004. TGF β and HGF transmit the signals through JNK-dependent Smad2/3 phosphorylation at the linker regions. *J.Onc.* 23(44): 16-29.
- Mungunsukh, O., Elizabeth, A.M., Regina, M.D., 2014. Hepatocyte Growth Factor Isoforms in Tissue Repair, Cancer and Fibrotic Remodelling. *J. Biomed.* 2: 1-26.
- Nakagami, H., Morishita, R., Yamamoto, K., Taniyama, Y., Aoki, M., Matsumoto, K., Nakamura, T., Kaneda, Y., Horiuchi, M., Ogihara, T., 2001. Mitogenic and Antiapoptotic Actions of Hepatocyte Growth Factor through ERK, STAT3 and AKT in Endotelial cells. *Hypertension* 37: 58-60.
- Olthof, M.R., Hollman, P.C.H., Buijsman, M.N.C.P., Van A.J.M..M., Katan, M. B., 2003 Chlorogenic acid, quacertin-3-rutinoside and black tea phenol are extensively metabolized on humans. *J. Nutr.* 133: 6-14
- Paulsen, F.D., 2000. *Histology of Cell Biology*. Lange Medical Book. pp: 206.
- Price, S. & Wilson, L., 2005. *Patofisiologi: Konsep Klinis Proses-Proses Penyakit*, 6th edition, Jakarta: EGC. pp : 37-43.



- Rockey, D.C., 2013. Translating and understanding of the pathogenesis of hepatic fibrosis to novel therapies. *Clin. Gastroenterol. Hepatol.* 11: 24–31.
- Ruwart, M.J., Wilkinson, K.F., Rush, B.D., Vidmar, T.J., Peters, K.M., Henley, K.S.,Appelman, H.D., Kim, K.Y., Schuppan, D., Hahn, E.G., 1989. The integrated value of serum procollagen III peptide over time predicts hepatic hydroxyproline content and stainable collagen in a model of dietary cirrhosis in the rat. *Hepatol.* 10: 1–6.
- Salisbury, F.B. & Ross, C.W., 1995. *Fisiologi Tumbuhan, Jilid 2*. penerjemah: Lukman DR, Sumaryono. Bandung: Penerbit ITB. ISBN 979-8591-27-5. pp: 145-147
- Sato, Y., Shiro I., Toshimitsu, K., Jiro, O., Masaki,K., Takeshi, H., Mitsuru, S., Ken, I., 2010. In Vitro and In Vivo Antioxidant Properties of Chlorogenic Acid and Cafeic Acid. *Int. J. Pharmaceutics.* 403: 36-38.
- Shi, H., Lei, D., Yanhua, B., Juhui, Z., Yong, Z., Li, Z., 2009. Chlorogenic acid against carbon tetrachloride induced liver fibrosis in rats. *Europ. J. Pharmacol.* 623: 19-24.
- Shi, H., Lei, D., Yanhua, B., Juhui, Z., Yong, Z., Li, Z., 2012. Chlorogenic acid against carbon tetrachloride-induced liver fibrosis in rats. *Eur. J. Pharmacol* 623: 19–24.
- Shi, H., Lei, D., Jiong, J., Juhui, Z., Gang, Z., Xiaoyan, D., Xiaolan, L., Miao, J., 2013. Chlorogenic acid reduces liver inflammation and fibrosis through inhibition of toll-like receptor 4 signalling pathway. *Toxicol.* 303(13): 7-14.
- Shi, H., Dong, L., Dang, X., Liu, Y., Jiang, J., Wang, J., Lu, X., Guo, X., 2013. Effect of chlorogenic acid on LPS-induced proinflammatory signaling in hepatic stellate cells. *J. Gastroenterol.* 62(6): 5-7.
- Snells, R.S., 2006. *Anatomi Klinik untuk Mahasiswa Kedokteran*, 6th edition, Jakarta: EGC.
- Surya, H.D., 2009. *Efek Ekstrak Buah Mengkudu (Morinda citrifolia L) Terhadap Kadar Enzim SGOT Dan SGPT Pada Mencit Dengan Induksi Karbon Tetraklorida*, Surakarta: Fakultas Kedokteran Universitas Sebelas Maret.
- Syaharuddin, 2013. *Penentuan aktvititas enzim SGOT dan SGPT pada hewan uji kelinci yang telah diberi ekstrak tiram Casostrea iredaki asal pantai takalar sulawesi selatan*. Makassar: Fakultas Farmasi Universitas Hasanuddin. pp: 1-6.
- Sylvia, A.P., Lorraine, M., Wilson, 2006. *Patofisiologi Konsep Klinis Proses Penyakit*, 6th edition, Jakarta: EGC.
- Takahashi, M., Taiji, N., Kozo, Y., 1999. Quantitative analysis of cytokine gene expression in the liver. *Immunol. Cell. Biol.* 77: 39-42.
- Tappi, E.S., Poppy, L., dan Lily, L., L., 2013. Gambaran Histopatologi Hati Tikus Wistar Yang Diberikan Jus Tomat (**Solanum Lycopersicum**) Pasca Kerusakan Hati Wistar Yang Diinduksi Karbon Tetraklorida (CCl₄). 1(3): 26-27.



- Tice, R., *Chlorogenic acid dan caffeic acid review of toxicological literature.* North Carolina: Research Triangle Park.
- Waller, R.L. & Recknagel, R.O., 1982. Evaluation of a role for phosgene production in the hepatotoxic mechanism of action carbon tetrachloride and bromotrichlorometane. *Toxicol. Appl. Pharmacol.* 66: 72-81.
- Wallace, K., Burt, A.D., Wirght, M.C., 2008. Liver fibrosis. *Biochem. J.* 411:1-8.
- Wang, M.Y., Liehr, J.G., 1995. Lipid hydroperoxideinduced endogeneous DNA adduct in hamster: possible mechanism of lipid hydroperoxide- mediated carcinogenesis. *Arch. Biochem. Biophys.* 316: 38-46.
- WHO (World Health Organization), 1999. *Carbon tetrachloride IPCS-environmental health criteria.* Genefa: WHO.
- Winwood, P.J., Schuppan, D., Iredale, J.P., Kawser, C.A., Dochert, A.J., Arthur, M.J., 1995. Kupffer cell-derived 95-kd type IV collagenase/gelatinase B: characterization and expression in cultured cells. *Hepatol.* 22: 4–15.
- Wolf, C.R., Mansuy, D., Nastainczyk, W., Deutschmann, G., Ulrich, V., 1977. The reduction of polyhalogenated methanes by liver microsomal cytochrome P-450. *Mol. Pharmacol.* 13: 698-705.
- Xiao,G.H., Jeffers,M., Bellacosa, A., Mitsuuchi, Y., Vande, W,G,F., Testa, J.R.,2001. Anti-Apoptotic signalling by hepatocyte growth factor/met via the phosphatidylinositol 3 kinase/Akt and mitogen-activated protein kinase pathway, *Pub. Nat. Acad. Sci. USA.* 98(1): 47-52.
- Xu, Z., Huang, H., Tingting, Y., Yin, Y., Jianhua, S., Zhimin, Y., 2010. Chlorogenic acid protects mice against lipopolysaccharide-induced acute lung injury. *Int. J. Care. Injur.* 41: 46-52.
- Yu, Q. & Stamenkovic, I., 2000. Cell surface-localized matrix metalloproteinase- 9 proteolytically activates TGF-beta and promotes tumor invasion and angiogenesis. *Genes. Dev.* 14: 63-76.
- Zhou, Y., Zheng, R., Lili, Z., Xugang, S., Xiaohong, S., Shumei, M.,Yuhui, Y., Yulong, Y., 2016. Chlorogenic acid ameliorates endotoxin-induced liver injury by promoting mitochondrial oxidative phosphorylation. *J. Biochem. Bophys. Res. Commun.* 469(4): 3-9.