

DAFTAR PUSTAKA

- Abdella, E. M., Mahmoud, A. M. dan El-Derby, A. M. (2016). Brown seaweeds protect against azoxymethane-induced hepatic repercussions through up-regulation of peroxisome proliferator-activated receptor gamma and attenuation of oxidative stress. *Pharmaceutical Biology* **209**: 1-9.
- Abell, G. C. J., Christophersen, C. T., McOrist, A. L. dan Clarke, J. M. (2011). Dietary resistant and butyrylated starches have different effects on the faecal bacterial flora of azoxymethane-treated rats. *British Journal of Nutrition* **105**: 1480-1485.
- Achayuthakan, P. dan Suphantharika, M. (2008). Pasting and rheological properties of waxy corn starch as affected by guar gum and xanthan gum. *Carbohydrate Polymers* **71**: 9-17.
- Adebooye, O. C. dan Singh, V. (2008). Physico-chemical properties of the flours and starches of two cowpea varieties (*Vigna unguiculata* (L.) Walp). *Innovative Food Science and Emerging Technologies* **9**: 92-100.
- Aguilera, Y., Esteban, R. M., Benitez, V., Molla, E. dan Martin-Cabrejas, M. A. (2009). Starch, functional properties, and microstructural characteristics in chickpea and lentil as affected by thermal processing. *Journal of Agricultural and Food Chemistry* **57**: 10682-10688.
- Aguilera, Y., Benítez, V., Mollá, E., Esteban, R. M. dan Martín-Cabrejas, M. A. (2011). Influence of dehydration process in Castellano chickpea: Changes in bioactive carbohydrates and functional properties. *Plant Foods for Human Nutrition* **66**: 391-400.
- Akibode, S. dan Maredia, M. (2011). Global and regional trends in production , trade and consumption of food legume crops. Michigan State University.
- Ambigaipalan, P., Hoover, R., Donner, E., Liu, Q., Jaiswal, S., Chibbar, R., Nantanga, K. K. M. dan Seetharaman, K. (2011). Structure of faba bean, black bean and pinto bean starches at different levels of granule organization and their physicochemical properties. *Food Research International* **44**: 2962-2974.
- Ambigaipalan, P., Hoover, R., Donner, E. dan Liu, Q. (2014). Starch chain interactions within the amorphous and crystalline domains of pulse starches during heat-moisture treatment at different temperatures and their impact on physicochemical properties. *Food Chemistry* **143**: 175-184.

- Andhika, A. O. (2015). Phytopreventive effect of buah merah (*Pandanus conoideus* Lam.) oil in Colitis-Associated Carcinogenesis. *Journal of Medicine and Health* **1**: 126-142.
- AOAC. (2005). Official Methods of Analysis of AOAC International, 18th ed. AOAC International, Maryland, USA.
- Aparicio-Saguilan, A., Flores-Huicochea, E., Tovar, J., Garcia-Suarez, F., Gutierrez-Meraz, F. dan Bello-Perez, L. A. (2005). Resistant starch-rich powders prepared by autoclaving of native and lintnerized banana starch: Partial characterization. *Starch/Starke* **57**: 405-412.
- Asp, N.G. (1992). Resistant Starch: Proceeding from the Second Plenary Meeting of EURESTA: European FLAIR Concerted Action, 11 on Physiological Implications of the Consumption of Resistant Starch in Man. *European Journal of Clinical Nutrition* **46**, S1.
- Ashogbon, A. O. dan Akintayo, E. T. (2013). Isolation and characterization of starches from two cowpea (*Vigna unguiculata*) cultivars. *International Food Research Journal* **20**: 3093-3100.
- Ashogbon, A. O. dan Akintayo, E. T. (2014). Recent trend in the physical and chemical modification of starches from different botanical sources. *Starch/Starke* **66**: 41-57.
- Ashwar, B. A., Gani, A., Wani, I. A., Shah, A., Masoodi, F. A. dan Saxena, D. C. (2016). Production of resistant starch from rice by dual autoclaving-retrogradation treatment: *In vitro* digestibility, thermal and structural characterization. *Food Hydrocolloids* **56**: 108-117.
- Avanza, M. V., Chaves, M. G., Acevedo, B. A. dan Añón, M. C. (2012). Functional properties and microstructure of cowpea cultivated in North-East Argentina. *LWT - Food Science and Technology* **49**: 123-130.
- Bassaganya-Riera, J., Diguardo, M., Viladomiu, M., de Horna, A., Sanchez, S., Einerhand, A. W. C., Sanders, L. dan Hontecillas, R. (2011). Soluble fibers and resistant starch ameliorate disease activity in interleukin-10 deficient mice with inflammatory bowel disease. *The Journal of Nutrition* **141**: 1318-1325.
- Bauer-Marinovic, M., Florian, S., Müller-Schmehl, K., Glatt, H. dan Jacobasch, G. (2006). Dietary resistant starch type 3 prevents tumor induction by 1,2-dimethylhydrazine and alters proliferation, apoptosis and dedifferentiation in rat colon. *Carcinogenesis* **27**: 1849-1859.

- BeMiller, J. dan Whistler, R. (2009). *Starch Chemistry and Technology*. 3rd Edition. Edited by J. BeMiller and R. Whistler. New York, USA: Academic Press.
- Bernalier-Donadille, A. (2010). Fermentative metabolism by the human gut microbiota. *Gastroenterologie Clinique et Biologique* **34**: S16-S22.
- Bird, R. P. (1995). Role of aberrant crypt foci in understanding the pathogenesis of colon cancer. *Cancer Letters* **93**: 55-71.
- Blazek, J. dan Copeland, L. (2008). Pasting and swelling properties of wheat flour and starch. *Carbohydrate Polymers* **71**: 380-387.
- Bogacheva, T. Y., Meares, C. dan Hedley, C. L. (2006). The effect of heating on the thermodynamic characteristics of potato starch. *Carbohydrate Polymers* **63**: 323-330.
- Brouns, F., Kettlitz, B. dan Arrigoni, E. (2002). Resistant starch and the butyrate revolution. *Trends in Food Science and Technology* **13**: 251-261.
- Buleon, A., Colonna, P., Planchot, V. dan Ball, S. (1998). Starch granules: Structure and biosynthesis. *International Journal of Biological Macromolecules* **23**: 85-112.
- Burlamaqui, I. M. B., Dornelas, C. A., Almeida, P. R. C., Jamaru, F. V. F., Mota, D. M. C., Mesquita, F. J. C., de Brito, L. A., Veras, L. B. dan Rodrigues, L. V. (2013). Hepatic repercussions of azoxymethane-induced colorectal carcinogenesis. *Revista Do Colegio Brasileiro De Cirurgioes* **40**: 137-141.
- Byrne, C. S., Chambers, E. S., Morrison, D. J. dan Frost, G. (2015). The role of short chain fatty acids in appetite regulation and energy homeostatis. *International Journal of Obesity* **39**: 1331-1338.
- Cai, C. dan Wei, C. (2013). *In situ* observation of crystallinity disruption patterns during starch gelatinization. *Carbohydrate Polymers* **92**: 469-478.
- Cai, J., Cai, C., Man, J., Zhou, W. dan Wei, C. (2014). Structural and functional properties of C-type starches. *Carbohydrate Polymers* **101**: 289-300.
- Chandrasoma, P. dan Taylor, C. R. (2005). *Concise Pathology*. 3rd edition. McGraw-Hill Inc., New York, USA.
- Cheetham, N. W. dan Tao, L. (1998). Variation in crystalline type with amylose content in maize starch granules an X-ray powder diffraction study. *Carbohydrate Polymers* **36**: 277-284.

- Chung, H., Cho, S., Chung, J., Shin, T., Son, H. dan Lim, S. T. (1998). Physical and molecular characteristics of cowpea and acorn starches. *Food Science and Biotechnology* **7**: 269-275.
- Chung, H. J., Liu, Q., Pauls, K. P., Fan, M. Z. dan Yada, R. (2008). *In vitro* starch digestibility, expected glycemic index and some physicochemical properties of starch and flour common bean (*Phaseolus vulgaris* L.) varieties grown in Canada. *Food Research International* **41**: 869-875.
- Chung, H. J., Liu, Q. dan Hoover, R. (2009). Impact of annealing and heat-moisture treatment on rapidly digestible, slowly digestible and resistant starch levels in native and gelatinized corn, pea and lentil starches. *Carbohydrate Polymers* **75**: 436-447.
- Chung, H. J., Liu, Q. dan Hoover, R. (2010). Effect of single and dual hydrothermal treatments on the crystalline structure, thermal properties, and nutritional fractions of pea, lentil, and navy bean starches. *Food Research International* **43**: 501-508.
- Clarke, J. M., Topping, D. L., Bird, A. R., Young, G. P. dan Cobiac, L. (2008). Effects of high-amylose maize starch and butyrylated high-amylose maize starch on azoxymethane-induced intestinal cancer in rats. *Carcinogenesis* **29**: 2190-2194.
- Clarke, J. M., Young, G. P., Topping, D. L., Bird, A. R., Cobiac, L., Scherer, B. L., Winkler, J. G. dan Lockett, T. J. (2012). Butyrate delivered by butyrylated starch increases distal colonic epithelial apoptosis in carcinogen-treated rats. *Carcinogenesis* **33**: 197-202.
- Colotta, F., Allavena, P., Sica, A., Garlanda, C. dan Mantovani, A. (2009). Cancer-related inflammation, the seventh hallmark of cancer: Links to genetic instability. *Carcinogenesis* **30**: 1073-1081.
- Conlon, M. A., Kerr, C. A., McSweeney, C. S., Dunne, R. A., Shaw, J. M., Kang, S., Bird, A. R., Morell, M. K., Lockett, T. J., Molloy, P. L., Regina, A., Toden, S., Clarke, J. M. dan Topping, D. L. (2012). Resistant starches protect against colonic DNA damage and alter microbiota and gene expression in rats fed a Western diet. *The Journal of Nutrition* **142**: 832-840.
- Cooke, D. dan Gidley, M. J. (1992). Loss of crystalline and molecular order during starch gelatinisation origin of the enthalpic transition. *Carbohydrate Research* **227**: 103-112.
- Correa, R. O., Fachi, J. F., Vieira, A., Sato, F. T. dan Vinolo, M. A. R. (2016). Regulation of immune cell function by short chain fatty acids. *Clinical Translational Immunology* **5**: e73.

- Cummings, J. H. (1997). *The Large Intestine in Nutrition and Disease*. Danone Chair Monograph. Brussels: Institute Danone.
- Davis, C. D. dan Milner, J. A. (2009). Gastrointestinal microflora, food components and colon cancer prevention. *Journal of Nutritional Biochemistry* **20**: 743-752.
- Den Besten, G., Van Eunen, K., Groen, A. K., Venema, K., Reijngoud, D. J. dan Bakker, B. M. (2013). The role of short-chain fatty acids in the interplay between diet, gut microbiota and host energy metabolism. *Journal of Lipid Research* **54**: 2325-2340.
- Den Besten, G., Bleeker, A., Gerding, A., Van Eunen, K., Havinga, R., Van Dijk, T. H., Oosterveer, M. H., Jonker, J. W., Groen, A. K., Dirk-Jan Reijngoud, D. J. dan Bakker, B. M. (2015). Short-chain fatty acids protect against high-fat diet-induced obesity via a PPARgamma-dependent switch from lipogenesis to fat oxidation. *Diabetes* **64**: 2398-2408.
- Direktorat Gizi Departemen Kesehatan Republik Indonesia. (1989). *Daftar Komposisi Bahan Makanan*.
- Dronamraju, S. S., Coxhead, J. M., Kelly, S. B., Burn, J. dan Mathers, J. C. (2009). Cell kinetics and gene expression changes in colorectal cancer patients given resistant starch: A randomised controlled trial. *Gut* **58**: 413-420.
- Du, S. K., Jiang, H., Ai, Y. and Jane, J. L. (2014). Physicochemical properties and digestibility of common bean (*Phaseolus vulgaris* L.) starches. *Carbohydrate Polymers* **108**: 200-205.
- Dundar, A. N. dan Gocmen, D. (2013). Effects of autoclaving temperature and storing time on resistant starch formation and its functional and physicochemical properties. *Carbohydrate Polymers* **97**: 764-771.
- Dupuis, J. H., Liu, Q. dan Yada, R. Y. (2014). Methodologies for increasing the resistant starch content of food starches: A review. *Comprehensive Reviews in Food Science and Food Safety* **13**: 1219-1234.
- Eerlingen, R. C., Crombez, M. dan Delcour, J. A (1993a). Enzyme-resistant starch. I. Quantitative and qualitative influence of incubation time and temperature of autoclaved starch on resistant starch formation. *Cereal Chemistry* **70**: 339-344.
- Eerlingen, R. C., Deceuninck, M. dan Delcour, J. (1993b). Enzyme-resistant starch. II. Influence of amylose chain length on resistant starch formation. *Cereal Chemistry* **70**: 345-350.

- El Faki, H. A., Desikachar, H. S. R., Paramahans, S. V. dan Tharanathan, R. N. (1983). Physico-chemical characteristics of starches from chickpea, cowpea and horse gram. *Starch* **35**: 118-122.
- Englyst, H. N., Wiggins, H. S. dan Cummings, J. H. (1982). Determination of the Non-Starch Polysaccharides in plant foods by Gas-Liquid Chromatography of constituent sugars as alditol acetates. *Analyst* **107**: 307-318.
- Englyst, H. N., Kingman, S. M. dan Cummings, J. H. (1992). Classification and measurement of nutritionally important starch fractions. *European Journal of Clinical Nutrition* **46**: S33-50.
- Englyst, K. N., Englyst, H. N., Hudson, G. J., Cole, T. J. dan Cummings, J. H. (1999). Rapidly available glucose in foods: An *in vitro* measurement that reflects the glycemic response. *American Journal of Clinical Nutrition* **69**: 448-454.
- Englyst, K. N., Vinoy, S., Englyst, H. N. dan Lang, V. (2003). Glycaemic index of cereal products explained by their content of rapidly and slowly available glucose. *The British Journal of Nutrition* **89**: 329-340.
- Eyaru, R., Shrestha, A. K. dan Arcot, J. (2009). Effect of various processing techniques on digestibility of starch in red kidney bean (*Phaseolus vulgaris*) and two varieties of peas (*Pisum sativum*). *Food Research International* **42**: 956-962.
- Faridah, D. N. (2011). Perubahan karakteristik kristalin pati garut (*Maranta arundinaceae* L.) dalam pengembangan pati resisten tipe III. Disertasi. Sekolah Pascasarjana, Institut Pertanian Bogor, Bogor.
- Federer, W. T. (1991). *Statistics and Society: Data Collection and Interpretation*. 2nd. Marcell Dekker, CRC Press, US.
- Feregrino-Perez, A. A., Piñol-Felis, C., Gomez-Arbones, X., Guevara-González, R. G., Campos-Vega, R., Acosta-Gallegos, J. dan Loarca-Piña, G. (2014). A non-digestible fraction of the common bean (*Phaseolus vulgaris* L.) induces cell cycle arrest and apoptosis during early carcinogenesis. *Plant Foods for Human Nutrition* **69**: 248-254.
- Flores-Morales, A., Jiménez-Estrada, M. dan Mora-Escobedo, R. (2012). Determination of the structural changes by FT-IR, Raman, and CP/MAS ¹³C NMR spectroscopy on retrograded starch of maize tortillas. *Carbohydrate Polymers* **87**: 61-68.

- Food and Agricultural Organization. (2012). FAOSTAT Global cowpea production 2012.
- Forchielli, M. L dan Walker, W. A. (2005). The role of gut-associated lymphoid tissues and mucosal defense. *British Journal of Nutrition* **93**:S41-S48.
- Foster-Powell, K., Holt, S. H. A. dan Brand-Miller, J. C. (2002). International table of glycemic index and glycemic load. *American Journal of Clinical Nutrition* **76**: 5-56.
- Frost, K., Kaminski, D., Kirwan, G., Lascaris, E. dan Shanks, R. (2009). Crystallinity and structure of starch using wide angle X-ray scattering. *Carbohydrate Polymers* **78**: 543-548.
- Fuentes-Zaragosa, E., Riquelme-Navarrete, M. J., Sanchez-Zapata, E. dan Perez-Alvarez, J. A. (2010). Resistant starch as functional ingredient : A review. *Food Research International* **43**: 931-942.
- Gani, A., Jan, A., Shah, A., Masoodi, F. A., Ahmad, M., Ashwar, B. A., Akhter, R. dan Wani, I. A. (2016). Physico-chemical, functional and structural properties of RS3/RS4 from kidney bean (*Phaseolus vulgaris*) cultivars. *International Journal of Biological Macromolecules* **87**: 514-521.
- García-Rosas, M., Bello-Pérez, L. A., Yee-Madeira, H., Ramos, G., Flores-Morales, A. dan Mora-Escobedo, R. (2009). Resistant starch content and structural changes in maize (*Zea mays*) tortillas during storage. *Starch/Stärke* **61**: 414-421.
- Gentric, G., Desdouets, C. dan Celton-Morizur, S. (2012). Hepatocytes polyploidization and cell cycle control in liver physiopathology. *International Journal of Hepatology* **2012**: 1-8.
- Gidley, M., Cooke, D., Darke, A., Hoffmann, R., Russell, A. dan Greenwell, P. (1995). Molecular order and structure in enzyme-resistant retrograded starch. *Carbohydrate Polymer* **28**: 23-31.
- Gkouskou, K. K., Deligianni, C., Tsatsanis, C. dan Eliopoulos, A. G. (2014). The gut microbiota in mouse models of inflammatory bowel disease. *Frontiers in Cellular and Infection Microbiology* **4**: 1-8.
- Gonçalves, P. dan Martel, F. (2013). Butyrate and colorectal cancer: the role of butyrate transport. *Current Drug Metabolism* **14**: 994-1008.
- Goni, I., Garcia-Diz, L., Manas, E. dan Saura-Calixto, F. (1996). Analysis of resistant starch a method for foods. *Food Chemistry* **56**: 445-449.

- Goni, I., Garcia-Alonso, A. dan Saura-Calixto, F. (1997). A starch hydrolysis procedure to estimate glycemic index. *Nutrition Research* **17**: 427-437.
- Gonzalez-Soto, R. A., Mora-Escobedo, R., Hernandez-Sanchez, H., Sanchez-Rivera, M. dan Bello-Perez, L. A. (2007). The influence of time and storage temperature on resistant starch formation from autoclaved debranched banana starch. *Food Research International* **40**: 304-310.
- Govindasamy, S., Campanella, O. H. dan Oates, C. G. (1996). High moisture twin-screw extrusion of sago starch. *Carbohydrate Polymers* **30**: 275-286.
- Grizzi, F. dan Chiriva-Internati, M. (2007). Human binucleate hepatocytes: Are they a defence during chronic liver diseases? *Medical Hypotheses* **69**: 258-261.
- Guo, J., Liu, L., Lian, X., Li, L. dan Wu, H. (2014). The properties of different cultivars of Jinhai sweet potato starches in China. *International Journal of Biological Macromolecules* **67**: 1-6.
- Güzel, D. dan Sayar, S. (2010). Digestion profiles and some physicochemical properties of native and modified borlotti bean, chickpea and white kidney bean starches. *Food Research International* **43**: 2132-2137.
- Haenen, D., da Silva, C. S., Zhang, J., Koopmans, S. J., Bosch, G., Vervoort, J., Gerrits, W. J. J., Kemp, B., Smidt, H., Müller, M. dan Hooiveld, G. J. E. J. (2013). Resistant starch induces catabolic but suppresses immune and cell division pathways and changes the microbiome in proximal colon of male pigs. *The Journal of Nutrition* **143**: 1889-1898.
- Hamer, H. M., Jonkers, D., Venema, K., Vanhoutvin, S., Troost, F. J. dan Brummer, R. J. (2008). Review article: The role of butyrate on colonic function. *Alimentary Pharmacology and Therapeutics* **27**: 104-119.
- Hamer, H. M., Jonkers, D. M. A. E., Bast, A., Vanhoutvin, S. A. L. W., Fischer, M. A. J. G., Kodde, A., Troost, F. J., Venema, K. dan Brummer, R. J. M. (2009). Butyrate modulates oxidative stress in the colonic mucosa of healthy humans. *Clinical Nutrition* **28**: 88-93.
- Hanahan, D. dan Weinberg, R. A. (2000). The hallmarks of cancer. *Cell* **100**: 57-70.
- Hanahan, D. dan Weinberg, R. A. (2011). Hallmarks of cancer: The next generation. *Cell* **144**: 646-674.
- Haralampu, S. (2000). Resistant starch - A review of the physical properties and biological impact of RS3. *Carbohydrate Polymers* **41**: 285-292.

- Hartnett, L. dan Egan, L. J. (2012). Inflammation, DNA methylation and colitis-associated cancer. *Carcinogenesis* **33**: 723-731.
- Hasjim, J. (2009). Enzyme digestibility of starch and methods to produce enzyme-resistant starch to improve human health. Disertasi. Iowa State University, Iowa, USA.
- Hizukuri, S. (1985). Relationship between the distribution of the chain length of amylopectin and the crystalline structure of starch granules. *Carbohydrate Research* **141**: 295-306.
- Hold, G. L., Smith, M., Grange, C., Watt, E. R., El-Omar, E. M. dan Mukhopadhyaya, I. (2014). Role of the gut microbiota in inflammatory bowel disease pathogenesis: What have we learnt in the past 10 years? *World Journal of Gastroenterology* **20**: 1192-1210.
- Homayouni, A., Amini, A., Keshtiban, A. K., Mortazavian, A. M., Esazadeh, K. dan Pourmoradian, S. (2014). Resistant starch in food industry: A changing outlook for consumer and producer. *Starch/Starke* **66**: 102-114.
- Hoover, R. dan Sosulski, F. (1986). Effect of cross-linking on functional properties of legume starches. *Starch* **35**: 149-155.
- Hoover, R., Hughes, T., Chung, H. J. dan Liu, Q. (2010). Composition, molecular structure, properties, and modification of pulse starches: A review. *Food Research International* **43**: 399-413.
- Hu, X. P., Xie, Y. Y., Jin, Z. Y., Xu, X. M. dan Chen, H. Q. (2014). Effect of single, dual-, and triple-retrogradation treatments on *in vitro* digestibility and structural characteristics of waxy wheat starch. *Food Chemistry* **157**: 373-379.
- Hu, Y., Le Leu, R. K., Christophersen, C. T., Somashekar, R., Conlon, M. A., Meng, X. Q., Winter, J. M., Woodman, R. J., McKinnon, R. dan Young, G. P. (2016). Manipulation of the gut microbiota using resistant starch is associated with protection against colitis-associated colorectal cancer in rats. *Carcinogenesis* **37**: 366-375.
- Huang, J., Schols, H., Vansoest, J., Jin, Z., Sulmann, E. dan Voragen, A. (2007). Physicochemical properties and amylopectin chain profiles of cowpea, chickpea and yellow pea starches. *Food Chemistry* **101**: 1338-1345.
- Huang, T. T., Zhou, D. N., Jin, Z. Y., Xu, X. M. dan Chen, H. Q. (2016). Effect of repeated heat-moisture treatments on digestibility, physicochemical and structural properties of sweet potato starch. *Food Hydrocolloids* **54**: 202-210.

- Hughes, T., Hoover, R., Liu, Q., Donner, E., Chibbar, R. dan Jaiswal, S. (2009). Composition, morphology, molecular structure, and physicochemical properties of starches from newly released chickpea (*Cicer arietinum* L.) cultivars grown in Canada. *Food Research International* **42**: 627-635.
- Hung, P. V., Chau, H. T. dan Phi, N. T. L. (2016). *In vitro* digestibility and *in vivo* glucose response of native and physically modified rice starches varying amylose contents. *Food Chemistry* **191**: 74-80.
- Jacobasch, G., Dongowski, G., Schmiedl, D. dan Müller-Schmehl, K. (2006). Hydrothermal treatment of Novolose 330 results in high yield of resistant starch type 3 with beneficial prebiotic properties and decreased secondary bile acid formation in rats. *The British Journal of Nutrition* **95**: 1063-1074.
- Jagannadham, K., Parimalavalli, R. dan Babu, A. S. (2016). Effect of triple retrogradation treatment on chickpea resistant starch formation and its characterization. *Journal of Food Science and Technology* (August). doi: 10.1007/s13197-016-2308-7.
- Jane, J. (2006). Current understanding on starch granule structures. *Journal of Applied Glycoscience* **53**: 205-213.
- Ji, N., Li, X., Qiu, C., Li, G., Sun, Q. dan Xiong, L. (2015). Effects of heat moisture treatment on the physicochemical properties of starch nanoparticles. *Carbohydrate Polymers* **117**: 605-609.
- Jiang, H., Horner, H. T., Pepper, T. M., Blanco, M., Campbell, M. dan Jane, J. L. (2010). Formation of elongated starch granules in high-amylose maize. *Carbohydrate Polymers* **80**: 534-539.
- Joshi, M., Aldred, P., McKnight, S., Panozzo, J. F., Kasapis, S., Adhikari, R. dan Adhikari, B. (2013). Physicochemical and functional characteristics of lentil starch. *Carbohydrate Polymers* **92**: 1484-1496.
- Kaur, M., Sandhu, K. S. and Lim, S. T. (2010). Microstructure, physicochemical properties and *in vitro* digestibility of starches from different Indian lentil (*Lens culinaris*) cultivars. *Carbohydrate Polymers* **79**: 349-355.
- Kaur, M., Sandhu, K. S., Ahlawat, R. dan Sharma, S. (2015). *In vitro* starch digestibility, pasting and textural properties of mung bean: Effect of different processing methods. *Journal of Food Science and Technology* **52**: 1642-1648.
- Kemenkes RI. (2015). Situasi Penyakit Kanker. www.depkes.go.id/download.php?file.../infodatin/infodatin-kanker.pdf.

Khatoon, S., Sreerama, Y. N., Raghavendra, D., Bhatthacharya, S. dan Bhat, K. K. (2009). Properties of enzyme modified corn, rice and tapioca starches. *Food Research International* **42**: 1426-1433.

Khattab, R. Y., Arntfield, S. D. dan Nyachoti, C. M. (2009). Nutritional quality of legume seeds as affected by some physical treatments 2. Antinutritional factors. *LWT - Food Science and Technology* **42**: 1113-1118.

Kim, H. J. dan White, P. J. (2012). *In vitro* digestion rate and estimated glycemic index of oat flours from typical and high β -glucan oat lines. *Journal of Agricultural and Food Chemistry* **60**: 5237-5242.

Kingman, S. M. dan Englyst, H. N. (1994). The influence of food preparation methods on the *in vitro* digestibility of starch in potatoes. *Food Chemistry* **49**: 181-186.

Kinsella, J. E. (1979). Functional properties of soy proteins. *Journal of the American Oil Chemists' Society* **56**: 242-258.

Kizil, R., Irudayaraj, J. dan Seetharaman, K. (2002). Characterization of irradiated starches by using FT-Raman and FTIR spectroscopy. *Journal of Agricultural and Food Chemistry* **50**: 3912-3918.

Kleessen, B., Stoof, G., Proll, J., Schmiedl, D., Noack, J., Blaut, M., Kleessen, B., Stoof, G., Schmiedl, D., Noack, J. dan Blaut, M. (1997). Feeding resistant starch affects fecal and cecal microflora and short-chain fatty acids in rats. *Journal of Animal Science* **75**: 2453-2462.

Kobaek-Larsen, M., Fenger, C., Hansen, K., Nissen, I., Diederichsen, A., Thorup, I., Den, B. M., Vach, W. dan Ritskes-Hoitinga, M. (2002). Comparative study of histopathologic characterization of azoxymethane-induced colon tumors in three inbred rat strains. *Comparative Medicine* **52**: 50-57.

Köksel, H., Basman, A., Kahraman, K. dan Ozturk, S. (2007). Effect of acid modification and heat treatments on resistant starch formation and functional properties of corn starch. *International Journal of Food Properties* **10**: 691-702.

Köksel, H., Masatcioglu, T., Kahraman, K., Ozturk, S. dan Basman, A. (2008). Improving effect of lyophilization on functional properties of resistant starch preparations formed by acid hydrolysis and heat treatment. *Journal of Cereal Science* **47**: 275-282.

Kumar, V., Abbas, A. K. dan Aster, J. C. (2013). Robbins Basic Pathology. 9th edition. Elsevier Saunders Inc., Philadelphia, USA.

- Lahouar, L., Ghrairi, F., Arem, A. El, Sghaeir, W., Felah, M. El, Salem, H. Ben, Sriha, B. dan Achour, L. (2014). Attenuation of histopathological alterations of colon, liver and lung by dietary fibre of barley Rihane in azoxymethane-treated rats. *Food Chemistry* **149**: 271-276.
- Larrauri, J. A., Rupérez, P., Borroto, B. dan Saura-Calixto, F. (1996). Mango peels as a new tropical fibre: Preparation and characterization. *LWT - Food Science and Technology* **29**: 729-733.
- Le Leu, R. K., Brown, I. L., Hu, Y., Esterman, A. dan Young, G. P. (2007). Suppression of azoxymethane-induced colon cancer development in rats by dietary resistant starch. *Cancer Biology and Therapy* **6**: 1621-1626.
- Le Leu, R. K., Brown, I. L., Hu, Y., Esterman, A. dan Young, G. P. (2007). Suppression of azoxymethane-induced colon cancer development in rats by dietary resistant starch. *Cancer Biology and Therapy* **6**: 1621-1626.
- Le Leu, R., Hu, Y., Brown, I. dan Young, G. (2009). Effect of high amylose maize starches on colonic fermentation and apoptotic response to DNA-damage in the colon of rats. *Nutrition and Metabolism* **6**: 11-20.
- Le Leu, R. K., Young, G. P., Hu, Y., Winter, J. dan Conlon, M. A. (2013). Dietary red meat aggravates dextran sulfate sodium-induced colitis in mice whereas resistant starch attenuates inflammation. *Digestive Diseases and Sciences* **58**: 3475-3482.
- Lee, H. J. (2007). The isolation and characterisation of starches from legume grains and their application in food formulations. Disertasi. RMIT University, Melbourne, Australia.
- Lee, C. J. dan Moon, T. W. (2015). Structural characteristics of slowly digestible starch and resistant starch isolated from heat-moisture treated waxy potato starch. *Carbohydrate Polymers* **125**: 232-240.
- Leeman, A. M., Karlsson, M. E., Eliasson, A. C. dan Björck, I. M. E. (2006). Resistant starch formation in temperature treated potato starches varying in amylose/amylopectin ratio. *Carbohydrate Polymers* **65**: 306-313.
- Lehmann, U., Jacobasch, G. dan Schmiel, D. (2002). Characterization of resistant starch type III from banana (*Musa acuminata*). *Journal of Agricultural and Food Chemistry* **50**: 5236-5240.
- Leong, Y. H., Karim, A. A. dan Norziah, M. H. (2007). Effect of pullulanase debranching of sago (*Metroxylon sagu*) starch at subgelatinization temperature on the yield of resistant starch. *Starch/Starke* **59**: 21-32.

- Li, S., Ward, R. dan Gao, Q. (2011). Effect of heat-moisture treatment on the formation and physicochemical properties of resistant starch from mung bean (*Phaseolus radiatus*) starch. *Food Hydrocolloids* **25**: 1702-1709.
- Li, W., Xiao, X., Guo, S., Ouyang, S., Luo, Q., Zheng, J. dan Zhang, G. (2014). Proximate composition of triangular pea, white pea, spotted colored pea, and small white kidney bean and their starch properties. *Food and Bioprocess Technology* **7**: 1078-1087.
- Li, W., Guo, H., Wang, P., Tian, X., Zhang, W., Saleh, A. S., Zheng, J., Ouyang, S., Luo, Q. dan Zhang, G. (2015). Physicochemical characteristics of high pressure gelatinized mung bean starch during recrystallization. *Carbohydrate Polymers* **131**: 432-438.
- Liao, H. J. dan Hung, C. C. (2015). Chemical composition and in vitro starch digestibility of green banana (cv. Giant Cavendish) flour and its derived autoclaved/debranched powder. *LWT - Food Science and Technology* **64**: 639-644.
- Lin, H. V., Frassetto, A., Kowalik, E. J. Jr., Nawrocki, A. R., Lu, M. M., Kosinski, J. R., Hubert, J. A., Szeto, D., Yao, X., Forrest, G. dan Marsh, D. J. (2012). Butyrate and propionate protect against diet-induced obesity and regulate gut hormones via free fatty acid receptor 3-independent mechanisms. *PLoS ONE* **7**: e35240.
- Lin, L., Huang, J., Zhao, L., Wang, J., Wang, Z. dan Wei, C. (2015). Effect of granule size on the properties of lotus rhizome C-type starch. *Carbohydrate Polymers* **134**: 448-457.
- Lindeboom, N., Peter R. Chang, A. dan Tyler, R. T. (2004). Analytical, biochemical and physicochemical aspects of starch granule size, with emphasis on small granule starches: A review. *Starch/Starke* **56**: 89-99.
- Liu, C., Wang, S., Copeland, L. dan Wang, S. (2015). Physicochemical properties and *in vitro* digestibility of starches from field peas grown in China. *LWT - Food Science and Technology* **64**: 829-836.
- Liu, R. dan Xu, G. (2008). Effects of resistant starch on colonic preneoplastic aberrant crypt foci in rats. *Food and Chemical Toxicology* **46**: 2672-2679.
- Lopez-Rubio, A., Flanagan, B. M., And, E. P. G. dan Gidley, M. J. (2008). A novel approach for calculating starch crystallinity and its correlation with double helix content: A combined XRD and NMR study. *Biopolymers* **89**: 761-768.

- Ma, M., Wang, Y., Wang, M., Jane, J. L. dan Du, S. (2017). Physicochemical properties and *in vitro* digestibility of legume starches. *Food Hydrocolloids* **63**: 249-255.
- Ma, Z. dan Boye, J. I. (2016). Research advances on structural characterization of resistant starch and its structure-physiological function relationship: A review. *Critical Review in Food Science and Nutrition*. doi: 10.1016/j.joca.2009.09.009.
- Maaran, S., Hoover, R., Donner, E. dan Liu, Q. (2014). Composition, structure, morphology and physicochemical properties of lablab bean, navy bean, rice bean, tepary bean and velvet bean starches. *Food Chemistry* **152**: 491-499.
- MacFarlane, S. dan MacFarlane, G. T. (2003). Regulation of short-chain fatty acid production. *The Proceedings of the Nutrition Society* **62**: 67-72.
- MacFarlane, G. T. dan MacFarlane, S. (2011). Fermentation in the human large intestine: Its physiologic consequences and the potential contribution of prebiotics. *Journal of Clinical Gastroenterology* **45**: S120-S127.
- Machiels, K., Joossens, M., Sabino, J., De Preter, V., Arijs, I., Eeckhaut, V., Ballet, V., Claes, K., van Immerseel, F., Verbeke, K., Ferrante, M., Verhaegen, J., Rutgeers, P. dan Vermeire, S. (2014). A decrease of the butyrate-producing species *Roseburia hominis* and *Faecalibacterium prausnitzii* defines dysbiosis in patients with ulcerative colitis. *Gut* **63**: 1275-1283.
- Mahadevamma, S., Harish Prashanth, K. V. dan Tharanathan, R. N. (2003). Resistant starch derived from processed legumes - Purification and structural characterization. *Carbohydrate Polymers* **54**: 215-219.
- Marsono, Y. 1998. Resistant starch: Pembentukan, metabolisme dan aspek gizinya. *Agritech* **18**: 29-35.
- Marsono, Y., Wiyono, P. dan Noor, Z. (2002). Indeks glisemik kacang-kacangan. *Jurnal Teknologi dan Industri Pangan* **13**: 211-216.
- Meira, L., Bugni, J. dan Green, S. (2008). DNA damage induced by chronic inflammation contributes to colon carcinogenesis in mice. *The Journal of Clinical Investigation* **118**: 2516-2525.
- Mermelstein, N. H. (2009). Laboratory: Analyzing for resistant starch. *Food Technology* **63**: 80-84.
- Milašinović, M. S., Radosavljević, M. M. dan Dokić, L. P. (2010). Effects of autoclaving and pullulanase debranching on the resistant starch yield of normal maize starch. *Journal of the Serbian Chemical Society* **75**: 449-458.

- Miller, T. L. dan Wolin, M. J. (1996). Pathways of acetate, propionate, and butyrate formation by the human fecal microbial flora. *Applied and Environmental Microbiology* **62**: 1589-1592.
- Mohammadkani, A., Stoddard, F. L., Marshal, D. R., Uddin, M. N. dan Zhao, X. (1999). Starch extraction and amylose analysis from half seeds. *Starch/Stärke* **51**: 62-66.
- Moure, A., Sineiro, J., Dominguez, H. dan Parajo, J. C. (2006). Functionality of oilseed protein products: A review. *Food Research International* **39**: 945-963.
- Mun, S. H. dan Shin, M. (2006). Mild hydrolysis of resistant starch from maize. *Food Chemistry* **96**: 115-121.
- Murakoshi, S., Fukatsu, K., Omata, J., Moriya, T., Noguchi, M., Saitoh, D. dan Koyama, I. (2011). Effects of adding butyric acid to PN on gut-associated lymphoid tissue and mucosal immunoglobulin A levels. *Journal of Parenteral and Enteral Nutrition* **35**: 465-472.
- Mutungi, C., Rost, F., Onyango, C., Jaros, D. dan Rohm, H. (2009). Crystallinity, thermal and morphological characteristics of resistant starch type III produced by hydrothermal treatment of debranched cassava starch. *Starch/Starke* **61**: 634-645.
- Naguleswaran, S., Vasanthan, T., Hoover, R. dan Bressler, D. (2014). Amylolysis of amylopectin and amylose isolated from wheat, triticale, corn and barley starches. *Food Hydrocolloids* **35**: 686-693.
- Nayak, B., Berrios, J. D. J. dan Tang, J. (2014). Impact of food processing on the glycemic index (GI) of potato products. *Food Research International* **56**: 35-46.
- Nelson, B. (2013). Effect of dietary resistant starch on inhibition of preneoplasia in azoxymethane-induced rodent models. Disertasi. Iowa State University, US.
- Noda, T., Takahata, Y., Sato, T., And, H. I. dan Mochida, H. (1996). Physicochemical properties of starches from purple and orange fleshed sweet potato roots at two levels of fertilizer. *Starch* **48**: 395-399.
- Nolte, T., Brander-Weber, P., Dangler, C., Deschl, U., Elwell, M. R., Greaves, P., Hailey, R., Leach, M. W., Pandiri, A. R., Rogers, A., Shackelford, C. C., Spencer, A., Tanaka, T. dan Ward, J. M. (2016). Nonproliferative and proliferative lesions of the gastrointestinal tract, pancreas and salivary glands of the rat and mouse. *Journal of Toxicologic Pathology* **29**: 1S-124S.

- Nugent, A. P. (2005). Health properties of resistant starch. *Nutrition Bulletin* **30**: 27-54.
- Onyango, C., Bley, T., Jacob, A., Henle, T. dan Rohm, H. (2006). Influence of incubation temperature and time on resistant starch type III formation from autoclaved and acid-hydrolysed cassava starch. *Carbohydrate Polymers* **66**: 494-499.
- Ottenhof, M. A., MacNaughtan, W. dan Farhat, I. A. (2003). FT-IR study of state and phase transitions of low moisture sucrose and lactose. *Carbohydrate Research* **338**: 2195-2202.
- Ovando-Martínez, M., Whitney, K., Reuhs, B. L., Doehlert, D. C. dan Simsek, S. (2013). Effect of hydrothermal treatment on physicochemical and digestibility properties of oat starch. *Food Research International* **52**: 17-25.
- Ozturk, S., Koksel, H., Kahraman, K. dan Ng, P. K. W. (2009). Effect of debranching and heat treatments on formation and functional properties of resistant starch from high-amylose corn starches. *European Food Research and Technology* **229**: 115-125.
- Ozturk, S., Koksel, H. dan Ng, P. K. W. (2011). Production of resistant starch from acid-modified amylotype starches with enhanced functional properties. *Journal of Food Engineering* **103**: 156-164.
- Park, J. S., Lee, E. J., Lee, J. C., Kim, W. K. and Kim, H. S. (2007). Anti-inflammatory effects of short chain fatty acids in IFN-gamma-stimulated RAW 264.7 murine macrophage cells: Involvement of NF-kappaB and ERK signaling pathways. *International Immunopharmacology* **7**: 70-77.
- Patto, M. C. V., Amarowicz, R., Aryee, A. N. A., Boye, J. I., Martín-cabrejas, M. A., Domoney, C., Chung, H., Mart, M. A. dan Domoney, C. (2015). Achievements and challenges in improving the nutritional quality of food legumes. *Critical Reviews in Plant Sciences* **34**: 37-41.
- Perera, A., Meda, V. dan Tyler, R. T. (2010). Resistant starch : A review of analytical protocols for determining resistant starch and of factors affecting the resistant starch content of foods. *Food Research International* **43**: 1959-1974.
- Perez, C.M. dan Juliano, B. (1978). Modification of the simplified amylose test for milled rice. *Starch/Starke* **30**: 424-426.
- Perez, S., Baldwin, P. M. dan Gallant, D. J. (2009). Structural Features of Starch Granules I. Dalam BeMiller, J. dan Whistler, R. (2009). *Starch Chemistry and*

Technology. 3rd Edition. Edited by J. BeMiller and R. Whistler. New York, USA: Academic Press.

Perez, S. dan Bertoft, E. (2010). The molecular structures of starch components and their contribution to the architecture of starch granules: A comprehensive review. *Starch/Starke* **62**: 389-420.

Perše, M. dan Cerar, A. (2011). Morphological and molecular alterations in 1,2 dimethylhydrazine and azoxymethane induced colon carcinogenesis in rats. *Journal of Biomedicine and Biotechnology* **2011**: 1-14.

Piecyk, M., Druzynska, B., Worobiej, E., Wolosiak, R. dan Ostrowska-Ligeogonekza, E. (2013). Effect of hydrothermal treatment of runner bean (*Phaseolus coccineus*) seeds and starch isolation on starch digestibility. *Food Research International* **50**: 428-437.

Pierre, F., Perrin, P., Champ, M., Bornet, F., Meflah, K. dan Menanteau, J. (1997). Short-chain fructo-oligosaccharides reduce the occurrence of colon tumors and develop gut-associated lymphoid tissues in Min mice. *Cancer Research* **57**: 225-228.

Polesi, L. F., Sarmiento, S. B. S. dan Franco, C. M. L. (2011). Production and physicochemical properties of resistant starch from hydrolysed wrinkled pea starch. *International Journal of Food Science and Technology* **46**: 2257-2264.

Pomeranz, Y. (1985). *Functional Properties of Food Components*. First edition. Florida: Academic Press.

Prete, A. D., Allavena, P., Santoro, G., Fumarulo, R., Corsi, M. M. dan Mantovani, A. (2011). Molecular pathways in cancer-related inflammation. *Biochimica Medica* **21**: 264-275.

Prinyawiwatkul, W., McWatters, K.H., Beuchat, L.R., Phillips, R.D., dan Uebersak, M. A. (1996). Cowpea flour A potential ingredient in food products. *Critical Reviews in Food Science and Nutrition* **36**: 413-436.

Pryde, S. E., Duncan, S. H., Hold, G. L., Stewart, C. S. dan Flint, H. J. (2002). The microbiology of butyrate formation in the human colon. *FEMS Microbiology Letters* **217**: 133-139.

Rao, M. A., Okecbukwu, P. E., Da Silva, P. M. S. dan Oliveira, J. C. (1997). Rheological behavior of heated starch dispersions in excess water: Role of starch granule. *Carbohydrate Polymers* **33**: 273-283.

Ratnaningsih, N. (2007). Pembuatan tempe kacang tolo sebagai alternatif sumber protein nabati. *Prosiding Diseminasi Hasil Penelitian Dosen Muda dan*

Kajian Wanita Dikti. Lembaga Penelitian dan Pengabdian pada Masyarakat Universitas Negeri Yogyakarta.

Ratnaningsih, N. dan Marsono, Y. (2015). Karakteristik fisikokimia pati kacang-kacangan. *Prosiding Seminar Nasional PATPI 21-22 Oktober 2015*. Semarang.

Reddy, C. K., Suriya, M. dan Haripriya, S. (2013). Physico-chemical and functional properties of resistant starch prepared from red kidney beans (*Phaseolus vulgaris* L) starch by enzymatic method. *Carbohydrate Polymers* **95**: 220-226.

Reddy, C. K., Haripriya, S., Mohamed, A. N. dan Suriya, M. (2014). Preparation and characterization of resistant starch III from elephant foot yam (*Amorphophallus paeonifolius*) starch. *Food Chemistry* **155**: 38-44.

Reddy, C. K., Pramila, S. dan Haripriya, S. (2015). Pasting, textural and thermal properties of resistant starch prepared from potato (*Solanum tuberosum*) starch using pullulanase enzyme. *Journal of Food Science and Technology* **52**: 1594-1601.

Reddy, C. K., Suriya, M., Vidya, P. V. dan Haripriya, S. (2017). Synthesis and physico-chemical characterization of modified starches from banana (*Musa AAB*) and its biological activities in diabetic rats. *International Journal of Biological Macromolecules* **94**: 500-507.

Reeves, P. G., Nielsen, F. H. dan Fahey, G. C. (1993). AIN-93 purified diets for laboratory rodents - Final report of the American Institute of Nutrition Ad Hoc Writing Committee on the reformulation of the AIN-76A rodent diet. *The Journal of Nutrition* **123**: 1939-1951.

Rios-Covian, D., Ruas-Madeido, P., Margolles, A., Gueimonde, M., de los Reyes-Gavilan, C. G. dan Salazar, N. (2016). Intestinal short chain fatty acids and their link with diet and human health. *Frontiers in Microbiology* **7**: 185.

Rodríguez-Cabezas, M. E., Camuesco, D., Arribas, B., Garrido-Mesa, N., Comalada, M., Bailón, E., Cueto-Sola, M., Utrilla, P., Guerra-Hernández, E., Pérez-Roca, C., Gálvez, J. dan Zarzuelo, A. (2010). The combination of fructooligosaccharides and resistant starch shows prebiotic additive effects in rats. *Clinical Nutrition* **29**: 832-839.

Rubio, C. A., Befrits, R. dan Ericsson, J. (2013). Carcinoma in gut-associated lymphoid tissue in ulcerative colitis: Case report and review of literature. *World Journal of Gastrointestinal Endoscopy* **5**: 293-296.

- Rukmana, R. dan Yuniarsih, Y. 2000. Kacang Tunggak, Budi Daya dan Prospek Usaha Tani. Penerbit Kanisius, Yogyakarta.
- Russell, P.L., Berry, C.S. dan Greenwell, P. (1989). Characterisation of resistant starch from wheat and maize. *Journal of Cereal Science* **9**: 1-15.
- Sajilata, M. G., Singhal, R. S. dan Kulkarni, P. R. (2006). Resistant starch - A review. *Comprehensive Reviews in Food Science and Food Safety* **5**: 1-17.
- Sandhu, K. S., Singh, N. dan Kaur, M. (2004). Characteristics of the different corn types and their grain fractions: Physicochemical, thermal, morphological, and rheological properties of starches. *Journal of Food Engineering* **64**: 119-127.
- Sandhu, K. S. dan Lim, S. (2008). Digestibility of legume starches as influenced by their physical and structural properties. *Carbohydrate Polymers* **71**: 245-252.
- Santiago, C., Pagán, B., Isidro, A. A. dan Appleyard, C. B. (2007). Prolonged chronic inflammation progresses to dysplasia in a novel rat model of colitis-associated colon cancer. *Cancer Research* **67**: 10766-10773.
- Sauer, J., Richter, K. K. dan Pool-Zobel, B. L. (2007). Physiological concentrations of butyrate favorably modulate genes of oxidative and metabolic stress in primary human colon cells. *Journal of Nutritional Biochemistry* **18**: 736-745.
- Schirmer, M., Jekle, M. dan Becker, T. (2015). Starch gelatinization and its complexity for analysis. *Starch/Starke* **67**: 30-41.
- Shah, A., Masoodi, F. A., Gani, A. dan Ashwar, B. A. (2016). *In vitro* digestibility, rheology, structure, and functionality of RS3 from oat starch. *Food Chemistry* **212**: 749-758.
- Sharma, A., Yadav, B. S. and Ritika (2008). Resistant starch: Physiological roles and food applications. *Food Reviews International* **24**: 193-234.
- Sharma, S., Singh, N., Viridi, A. S. dan Rana, J. C. (2015). Himalayan kidney bean germplasm: Grain-flour characteristics, structural-functional properties and *in vitro* digestibility of starches. *Food Research International* **77**: 498-505.
- Shi, M. dan Gao, Q. (2011). Physicochemical properties, structure and *in vitro* digestion of resistant starch from waxy rice starch. *Carbohydrate Polymers* **84**: 1151-1157.
- Shimelis, E. A., Meaza, M. dan Rakshit, S. K. (2006). Physico-chemical properties, pasting behavior and functional characteristics of flours and starches from improved bean (*Phaseolus vulgaris* L.) varieties grown in East Africa. *Agricultural Engineering International* **8**: 1-19.

- Simsek, S., Caglar, M., Yao, Y. dan Schatz, B. (2009). Starch characteristics of dry peas (*Pisum sativum* L.) grown in the USA. *Food Chemistry* **115**: 832-838.
- Simsek, S. dan El, S. N. (2012). Production of resistant starch from taro (*Colocasia esculenta* L. Schott) corm and determination of its effects on health by *in vitro* methods. *Carbohydrate Polymers* **90**: 1204-1209.
- Simsek, S. dan El, S. N. (2015). *In vitro* starch digestibility, estimated glycemic index and antioxidant potential of taro (*Colocasia esculenta* L. Schott) corm. *Food Chemistry* **168**: 257-261.
- Singh, J., Dartois, A. dan Kaur, L. (2010). Starch digestibility in food matrix: A review. *Trends in Food Science and Technology* **21**: 168-180.
- Singh, N., Inouchi, N. dan Nishinari, K. (2005). Morphological, structural, thermal, and rheological characteristics of starches separated from apples of different cultivars. *Journal of Agricultural and Food Chemistry* **53**: 10193-10199.
- Singh, N., Singh Sandhu, K. dan Kaur, M. (2004). Characterization of starches separated from Indian chickpea (*Cicer arietinum* L.) cultivars. *Journal of Food Engineering* **63**: 441-449.
- Soison, B., Jangchud, K., Jangchud, A., Harnsilawat, T. dan Piyachomkwan, K. (2015). Characterization of starch in relation to flesh colors of sweet potato varieties. *International Food Research Journal* **22**: 2302-2308.
- Sreerama, Y. N., Sashikala, V. B., Pratape, V. M. dan Singh, V. (2012). Nutrients and antinutrients in cowpea and horse gram flours in comparison to chickpea flour: Evaluation of their flour functionality. *Food Chemistry* **131**: 462-468.
- Suhartina. (2005). Deskripsi Varietas Unggul Kacang-kacangan dan Umbi-umbian. Balai Penelitian Tanaman Kacang-kacangan dan Umbi-umbian, Malang.
- Svihus, B., Uhlen, A. K. dan Harstad, O. M. (2005). Effect of starch granule structure, associated components and processing on nutritive value of cereal starch: A review. *Animal Feed Science and Technology* **122**: 303-320.
- Taiwo, K. A. (1998). The potential of cowpea as human food in Nigeria. *Food Reviews International* **14**: 351-370.
- Tan, J., McKenzie, C., Potamitis, M., Thorburn, A. N., Mackay, C. R. dan Macia, L. (2014). The role of short-chain fatty acids in health and disease. *Advances in Immunology* **121**: 91-119.

- Tanaka, T. (2009). Colorectal carcinogenesis : Review of human and experimental animal studies. *Journal of Carcinogenesis* **8**: 1-19.
- Tanaka, S., Yamamoto, K., Yamada, K., Furuya, K. dan Uyeno, Y. (2016). Relationship of enhanced butyrate production by colonic butyrate-producing bacteria to immunomodulatory effects in normal mice fed an insoluble fraction of *Brassica rapa* L. *Applied and Environmental Microbiology* **82**: 2693-2699.
- Tester, R. F. (1997). Properties of damaged starch granules composition and swelling properties of maize, rice, pea and potato starch fractions in water at various temperatures. *Food Hydrocolloids* **11**: 293-301.
- Tester, R.F, Karkalas, J. dan Qi, X. (2004). Starch composition, fine structure and architecture. *Journal of Cereal Science* **39**: 151-165.
- Tharanathan, R. N. (2002). Food-derived carbohydrates - Structural complexity and functional diversity. *Critical Reviews in Biotechnology* **22**: 65-84.
- Toden, S., Bird, A. R., Topping, D. L. dan Conlon, M. A. (2006). Resistant starch prevents colonic DNA damage induced by high dietary cooked red meat or casein in rats. *Cancer Biology and Therapy* **5**: 267-272.
- Toden, S., Lockett, T. J., Topping, D. L., Scherer, B. L., Watson, E. J. L., Southwood, J. G. dan Clarke, J. M. (2014). Butyrylated starch affects colorectal cancer markers beneficially and dose-dependently in genotoxin-treated rats. *Cancer Biology and Therapy* **15**: 1515-1523.
- Topping, D. L. dan Clifton, P. M. (2001). Short-chain fatty acids and human colonic function: Roles of resistant starch and nonstarch polysaccharides. *Physiological Reviews* **81**: 1031-1064.
- Topping, D. L., Fukushima, M. dan Bird, A. R. (2003). Resistant starch as a prebiotic and synbiotic: State of the art. *The Proceedings of the Nutrition Society* **62**: 171-176.
- van Soest, J. J. G., Tournois, H., de Wit, D. dan Vliegthart, J. F. G. (1995). Short range structure crystalline potato starch determined ATR FTIR. *Carbohydrate Research* **279**: 201-214.
- Venning, F. A., Claesson, M. H. dan Kissow, H. (2013). The carcinogenic agent azoxymethane (AOM) enhances early inflammation-induced colon crypt pathology. *Journal of Cancer Science and Therapy* **5**: 377-383.
- Vieira, E. L. M., Leonel, A. J., Sad, A. P., Beltrao, N. L. M., Costa, T. F., Ferreira, T. M. R., Gomes-Santos, A. C., Faria, A. M. C., Peluzio, M. C. G., Cara, D.

- C. dan Alvarez-Leite, J. I. (2011). Oral administration of sodium butyrate attenuates inflammation and mucosal lesion in experimental acute ulcerative colitis. *Journal of Nutritional Biochemistry*. doi: 10.1016/j.nutbio.2011.01.007.
- Vinolo, M. A. R., Rodrigues, H. G., Hatanaka, E., Sato, F. T., Sampaio, S. C. dan Curi, R. (2011). Suppressive effect of short-chain fatty acids on production of proinflammatory mediators by neutrophils. *Journal of Nutritional Biochemistry* **22**: 849-855.
- Wang, S., Li, C., Copeland, L., Niu, Q. dan Wang, S. (2015). Starch retrogradation: A comprehensive review. *Comprehensive Reviews in Food Science and Food Safety* **14**: 568-585.
- Wang, T. L., Bogracheva, T. Y. dan Hedley, C. L. (1998). Starch: as simple as A, B, C? *Journal of Experimental Botany* **49**: 481-502.
- Wani, A. A., Singh, P., Shah, M. A., Schweiggert-Weisz, U., Gul, K. dan Wani, I. A. (2012). Rice starch diversity: Effects on structural, morphological, thermal, and physicochemical properties - A review. *Comprehensive Reviews in Food Science and Food Safety* **11**: 417-436.
- Wani, I. A., Sogi, D. S., Wani, A. A. dan Gill, B. S. (2013). Physico-chemical and functional properties of flours from Indian kidney bean (*Phaseolus vulgaris* L.) cultivars. *LWT - Food Science and Technology* **53**: 278-284.
- Waterschoot, J., Gomand, S. V., Fierens, E. dan Delcour, J. A. (2015). Production, structure, physicochemical and functional properties of maize, cassava, wheat, potato and rice starches. *Starch/Starke* **67**: 14-29.
- Wei, C., Qin, F., Zhou, W., Xu, B., Chen, C., Chen, Y., Wang, Y., Gu, M. dan Liu, Q. (2011). Comparison of the crystalline properties and structural changes of starches from high-amylose transgenic rice and its wild type during heating. *Food Chemistry* **128**: 645-652.
- Williams, E. A., Coxhead, J. M. dan Mathers, J. C. (2003). Anti-cancer effects of butyrate: use of micro-array technology to investigate mechanisms. *The Proceedings of the Nutrition Society* **62**: 107-115.
- Williamson, G., Belshaw, N. J., Self, D. J., Noel, T. R., Ring, S. G., Cairns, P., Morris, V. J., Clark, S. A. dan Parker, M. A. (1992). Hydrolysis of A- and B-type crystalline polymorphs of starch by α -amylase, β -amylase and glucoamylase. *Carbohydrate Polymers* **18**: 179-187.

- Xie, X., Liu, Q. dan Cui, S. W. (2006). Studies on the granular structure of resistant starches (type 4) from normal, high amylose and waxy corn starch citrates. *Food Research International* **39**: 332-341.
- Xie, Y. Y., Hu, X. P., Jin, Z. Y., Xu, X. M. and Chen, H. Q. (2014). Effect of repeated retrogradation on structural characteristics and *in vitro* digestibility of waxy potato starch. *Food Chemistry* **163**: 219-225.
- Yadav, B. S., Sharma, A. dan Yadav, R. B. (2010). Resistant starch content of conventionally boiled and pressure-cooked cereals, legumes and tubers. *Journal of Food Science and Technology* **47**: 84-88.
- Zavareze, E. D. R. dan Dias, A. R. G. (2011). Impact of heat-moisture treatment and annealing in starches: A review. *Carbohydrate Polymers* **83**: 317-328.
- Zavareze, E. D. R., Mello El Halal, S. L., De Los Santos, D. G., Helbig, E., Pereira, J. M. dan Guerra Dias, A. R. (2012). Resistant starch and thermal, morphological and textural properties of heat-moisture treated rice starches with high-, medium- and low-amylose content. *Starch/Starke* **64**: 45-54.
- Zeng, S., Wu, X., Lin, S., Zeng, H., Lu, X., Zhang, Y. dan Zheng, B. (2015). Structural characteristics and physicochemical properties of lotus seed resistant starch prepared by different methods. *Food Chemistry* **186**: 213-222.
- Zhang, J., Chen, F., Liu, F. dan Wang, Z. W. (2010). Study on structural changes of microwave heat-moisture treated resistant *Canna edulis* Ker starch during digestion *in vitro*. *Food Hydrocolloids* **24**: 27-34.
- Zhang, Y., Zeng, H., Wang, Y., Zeng, S. dan Zheng, B. (2014). Structural characteristics and crystalline properties of lotus seed resistant starch and its prebiotic effects. *Food Chemistry* **155**: 311-318.
- Zhao, X. H. dan Lin, Y. (2009). The impact of coupled acid or pullulanase debranching on the formation of resistant starch from maize starch with autoclaving-cooling cycles. *European Food Research and Technology* **230**: 179-184.
- Zhao, Y., Hasjim, J., Li, L., Jane, J., Hendrich, S. dan Birt, D. F. (2011). Inhibition of azoxymethane-induced preneoplastic lesions in the rat colon by a cooked stearic acid complexed high-amylose corn starch. *Journal of Agricultural and Food Chemistry* **59**: 9700-9708.
- Zhou, Y., Meng, S., Chen, D., Zhu, X. dan Yuan, H. (2014). Structure characterization and hypoglycemic effects of dual modified resistant starch from indica rice starch. *Carbohydrate Polymers* **103**: 81-86.

- Zhu, F. (2015). Composition, structure, physicochemical properties, and modifications of cassava starch. *Carbohydrate Polymers* **122**: 456-480.
- Zhu, K., Kanu, P. J., Claver, I. P., Zhu, K., Qian, H. dan Zhou, H. (2009). A method for evaluating Hunter whiteness of mixed powders. *Advanced Powder Technology* **20**: 123-126.
- Zhu, L. J., Liu, Q. Q., Wilson, J. D., Gu, M. H. dan Shi, Y. C. (2011). Digestibility and physicochemical properties of rice (*Oryza sativa* L.) flours and starches differing in amylose content. *Carbohydrate Polymers* **86**: 1751-1759.
- Zhu, Q., Jin, Z., Wu, W., Gao, R., Guo, B., Gao, Z., Yang, Y. dan Qin, H. (2014). Analysis of intestinal lumen microbiota in an animal model of colorectal cancer. *PloS ONE* **9**: e90849.
- Zobel, H. F. (1988). Starch crystal transformations and their industrial importance. *Starch/Starke* **40**: 1-7.