

## DAFTAR PUSTAKA

- Alvira P, Tomás-Pejó E, Ballesteros M, Negro MJ. Pretreatment technologies for an efficient bioethanol production process based on enzymatic hydrolysis: a review. *Bioresource Technology* 2010;101:4851–61.
- Balat M, Balat H, dan Oz C. 2008. Progress in bioethanol processing. *Progress in Energy and Combustion Science* 34: 551–573.
- BeMiller, J.N. dan Whistler, R.L. 2009. *Starch: Chemistry and Technology*. Amsterdam: Academic Press.
- Bussemaker MJ, Zhang DK. Effect of ultrasound on lignocellulosic biomass as a pretreatment for biorefinery and biofuel applications. *Ind Eng Chem Res* 2013;52:3563e80.
- Datta, R., (1981), “ Acidogenic Fermentation of Lignocellulose- Acid Yield and Conversion of Components,” *Biotechnology and Bioengineering*, Vol (9), PP. 2167-2170.
- Easson MW, Condon B, Dien BS, Iten L, Slopek R, Yoshioka-Tarver M, et al. The application of ultrasound in the enzymatic hydrolysis of switchgrass. *Appl Biochem Biotechnol* 2011;165:1322e31.
- El-Zawawy, W. K., Ibrahim, M. M., Abdel-Fattah, Y. R., Soliman, N. A., Mahmoud, M. M., 2010, “ Acid and Enzyme Hydrolysis to Convert Pretreated Lignocellulosic Materials into Glucose for Ethanol Production”, *Carbohydr. Polym.*, 84, 856-871.
- Felby, C., Larsen, J., Jorgensen, H., and Vibe-Pedersen, J., 2010, “ *Enzymatic Hydrolysis of Biomass Having a High Dry Matter (DM) Content*”, U.S. Patent No. 7.842.490 B2.
- Feldman, D. (1985). "Wood—chemistry, ultrastructure, reactions, by D. Fengel and G. Wegener, Walter de Gruyter, Berlin and New York, 1984, 613 pp. Price: 245 DM." *Journal of Polymer Science: Polymer Letters Edition* 23(11): 601-602.
- Foody, B., Rahme, Z., and Tolan, J. S., 2010, “Upflow Reactor for Enzymatic Hydrolysis of Cellulose”, U.S. Patent No. 7.727.746 B2.
- Hamelinck, C.N., Van Hooijdonk, G. and Faaij, A.P.C., (2005) Ethanol from lignocellulosic biomass: techno-economic performance in short-, middle- and long-term. *Biomass Bioenergy* 28 384-410.

- Harun, R. dan Danquah, M.K. 2011. Enzymatic hydrolysis of microalgal biomass for bioethanol production. *Chem. Eng. J.* 168. 1079–1084.
- Hermsen, P.F.H., Huijgen, W.J.J., Bermudez opez, L.M., and Bakker, R.R.C., (2010)., “Literature review of physical and chemical pretreatment processes for lignocellulosic biomass biosynergy project”, Food and Biobased Research Center, Wageningen University, The Netherlands.
- Husin, A., Sarto, Syamsiah, S., dan Prasetyo, I., (2014), Produksi Biohidrogen dari Hidrolisat Ampas Tahu Secara Fermentasi Anaerob Menggunakan Kultur Campuran, *Reaktor*, 15(2), 87-96.
- Karki B, Lamsal BP, Jung S, van Leeuwen J, Pometto III AL, Grewell D, et al. Enhancing protein and sugar release from defatted soy flakes using ultrasound technology. *J Food Eng* 2010;96:270e8.
- Karray, R., Hamza, M., Sami, S. 2015. Evaluation of ultrasonic, acid, thermo-alkaline and enzymatic pre-treatments on anaerobic digestion of *Ulva rigida* for biogas production *Bioresource Technology* 187: 205–213.
- Keller FA, Hamilton J, Nguyen QA. 2003. Microbial pretreatment of biomass. *Appl. Biotechnol. Bioeng.* 105: 27–41.
- Kim, M.S. and Lee, D.Y., (2010), Fermentative hydrogen production from tofu-processing waste and anaerobic digester sludge using microbial consortium, *Bioresource Technology*, 101, pp. S48-S52.
- Kumar P, Barrett DM, Delwiche MJ, Stroeve P. 2009. Methods for pretreatment of lignocellulosic biomass for efficient hydrolysis and biofuel production. *Ind.Eng. Chem. Res.* 48, 3713–3729.
- Lavigne, J. A., Hill, C. M. D., Tremblay, A., St-Pierre, P., and Tomasshek, J. J., 2011, “Cellulase Variant with Reduced Inhibition by Glucose”, U.S. Patent No. 8.012.734 B2.
- Lynd, L.R., Weimer, P.J., Van Zyl, W.H., Pretorius, I. S. 2002. Microbial cellulose utilization: Fundamentals and biotechnology. *Microbiol. Mol. Biol. Rev.* 66(3). 506-577.
- Marsden, W.L. and P.P. Gray. 1986. Enzymatic Hydrolysis of Cellulose In Lignocellulosic Material. CRC. Critical Reviews In Biotechnology 3: 235-276
- Mason, T. J. and J. P. Lorimer (2003). Front Matter and Subject Index. Applied Sonochemistry, Wiley-VCH Verlag GmbH & Co. KGaA: i-x.

- Menristek, (2010), *Biogas dari limbah tahu*, Sumber: <http://www.technologyindonesia.com/energi/bahan-bakar/120-biogas-dari-limbah-tahu> (15 juni, 2015).
- Menon V dan Rao M. 2012. Trends in bioconversion of lignocellulose: Biofuels, platform chemicals & biorefinery concept. *Progress in Energy and Combustion Science* 8(4): 522–550.
- Miller, G.L., (1972), Use of dinitrosalicylic acid reagent for determination of reducing sugar, *Analytical Chemistry*, 31(3), pp. 426-428.
- Ninomiya K, Kamide K, Takahashi K, Shimizu N. Enhanced enzymatic saccharification of kenaf powder after ultrasonic pretreatment in ionic liquids at room temperature. *Bioresour Technol* 2012;103:259e65.
- O'Toole, D., 1999. Characteristics and use of okara, the soybean residue from soy milk production-A review, *J. Of Agric. Food Chem.*, Vol. 47: 363-371.
- Pejin DJ, Mojovi\_c LV, Pejin JD, Gruji\_c OS, Markov SL, Nikoli\_c SB, et al. Increase in bioethanol production yield from triticale by simultaneous saccharification and fermentation with application of ultrasound. *J Chem Technol Biotechnol* 2012;87:170e6.
- Phillip, B., 1984, "Degradation of cellulose-mechanisms and application", *Pure Appl. Chem.*, 56, 391-402.
- Redondo-Cuenca, A., Villanueva-Sqarez, M.J., and Mateos-Aparicio, L., 2008. soybean seeds and uts by-product okara as sources of dietary fibre. Measurement by AOAC and Englyst methods, *Food Chemistry*, Vol. 108:
- Rehman, M. S. U., M. A. Umer, N. Rashid, I. Kim and J.-I. Han (2013). "Sono assisted sulfuric acid process for economical recovery of fermentable sugars and mesoporous pure silica from rice straw." *Industrial Crops and Products* 49: 705-711. 1099-1105.
- Rolz, C., M. C. de Arriola, J. Valladares and S. de Cabrera (1986). "Effects of some physical and chemical pretreatments on the composition and enzymatic hydrolysis and digestibility of lemon grass and citronella bagasse." *Agricultural Wastes* 18(2): 145-161.
- Sanchez C. 2009. Lignocellulosic residues: biodegradation and bioconversion by fungi. *Biotechnol. Adv.* 27: 185–194.
- Shi J, Sharma-Shivappa RR, Chinn M, dan Howell N. 2009. Effect of microbial pretreatment on enzymatic hydrolysis and fermentation of cotton stalks for ethanol production. *Biomass Bioenerg.* 33: 88–96.

- Shuler, M.L., Kargi F., 2002, “Bioprocess Engineering Basic Concept” 2<sup>nd</sup> ed., Prehlice-Hall International. Inc., New Jersey.
- Sun R, Lawther JM, dan Banks WB. 1995. Influence of alkaline pre-treatments on the cell wall components of wheat straw. *Industrial crops and products*, 4(2): 127-145.
- Taherzadeh, M.J. and Karimi, K., (2007), Acid-Based Hyddrolysis Processes For Ethanol From Ligocellulosic Materials: A Review, *BioResources* 2(3), 472-499.
- Taherzadeh, M.J. and Karimi, K., (2008), Pretreatment of lignosellulosic wastes to improve ethanol and biogas production: A Review, *Int. J. of Molecular Sciences*, 9, pp. 1621-1651.
- Tian S, Luo XL, Yang XS, dan Zhu JY. 2010. Robust cellulosic ethanol production from SPORL-pretreated lodgepole pineusing an adapted strain *Saccharomycescerevisiae* without detoxification. *Bioresour. Technol.* 101: 8678–8685.
- Tomas-Pejo E, Alvira P, Ballesteros M, Negro MJ. 2011. Pretreatment Technologies for Lignocellulose-to Bioethanol Conversion. Di dalam Pandey A (ed.), *Biofuels: Alternative Feedstocks and Conversion Processes*, pp: 149-176.
- Verardi, A., Isabella D.B., Emanuele R., Vincenza C. 2012. Hydrolysis of Lignosellulosic Biomass : Current Status of Proseses and Technolgies and Future Perspectives, ISBN: 978-953-51-0008-9, InTech, Available from: <http://www.intechopen.com/books/bioethanol/hydrolysis-of-lignocellulosic-biomass-current-status-ofprocesses-and-technologies-and-future-pespe>(diakses 25 januari 2016).
- Winarno, 1986, “Enzim Pangan”, Penerbit PTGramedia Utama, Jakarta.
- Wyman, C.E., Dale, B.E., Elander, R.T., Holtzapple, M., Ladisch, M.R. and Lee,Y.Y., (2005) Coordinated development of leading biomass pretreatment technologies. *Bioresour.Technol.* 96 1959-1966
- Yachmenev, V., Condon, B., Klasson, T., Lambert, A., 2009. Acceleration of the enzymatic hydrolysis of corn stover and sugar cane bagasse celluloses by low intensity uniform ultrasound. *J. Biobased Mater. Bioenergy* 3, 25–31.
- Yat, S.T., Alan Berger, David R. Shonnard, 2008. Kinetic characterization for dilute sulfuric acid hydrolysis of timber varieties and swithchgrass. *Bioresource Technology* 99 (9), 3855-3863.

Yunus R, Salleh SF, Abdullah N, dan BiakDRA. 2010. Effect of ultrasonic pretreatment on low temperature acid hydrolysis of oil palm empty fruit bunch. *Bioresource technology*, 101(24): 9792-9796.

Zhang, Y. Q., E. H. Fu and J. H. Liang (2008). "Effect of Ultrasonic Waves on the Saccharification Processes of Lignocellulose." *Chemical Engineering & Technology* **31**(10): 1510-1515.

Zheng, Y., Pan, Z., Zhang, R. 2009. Overview of biomass pretreatment for cellulosic ethanol production. *Int. J. Agric. Biol. Eng.* 2(3). 51-58.

Whither, S.G. dan Aebersold, R. 1995. Approaches to labelling and identification of active site residues in glucosidases. *J. Protein. Sci.* 4. 361-372.