

## Daftar Pustaka

- Adioetomo, S. M., Howell, F., McPherson, A., & Priebe, J. (2013). *Asistensi Sosial untuk Usia Lanjut di Indonesia: Kajian Empiris Program Asistensi Sosial Lanjut Usia Terlantar*. Jakarta: Tim Nasional Percepatan Penanggulangan Kemiskinan.
- Amalia, F., Aflanie, I., & Mashuri. (2016). Korelasi Panjang Lengan Atas dengan Tinggi Badan pada Wanita Suku Banjar. *Berkala Kedokteran*, 12 (1), 11-18.
- Arisman. (2010). *Gizi dalam Daur Kehidupan* (Edisi 2 ed.). Jakarta: EGC.
- Aurora, R., Sinambela, A., & Noviyanti, C. (2012). Peran Konseling Berkelanjutan pada Penanganan Pasien Hiperkolesterolemia. *J Indon Med Assoc*, 62 (5), 194-201.
- Badan Pusat Statistik. (2013). *Proyeksi Penduduk Indonesia 2010-2035*. Jakarta: Badan Pusat Statistik.
- Badan Pusat Statistik. (2015). *Statistik Penduduk Lanjut Usia 2014*. Jakarta: Badan Pusat Statistik.
- Balitbang Kemenkes RI. (2013). *Riset Kesehatan Dasar: Riskesdas 2013*. Jakarta: Kemenkes RI.
- Beydoun, M., Beydoun, H., & Wang, Y. (2008). Obesity and central obesity as risk factors for incident dementia and its sub-types: A systematic review and meta-analysis. *Obes Rev*, 9 (3), 204–218.
- Brito, W. A., Mendes, L., Sales, M. M., Neto, J. B., Brito, C. J., Grigoletto, M. E., *et al.* (2016). Cognitive profile associated with functional and anthropometric aspects in elderly. *Rev Andal Med Deporte*, 9 (4), 154–159 .
- Cakrabawa, D., Hakim, M., & Hasanah, L. (Eds.). (2014). *Statistik Penduduk 1971-2015*. Jakarta: Pusat Data dan Sistem Informasi Pertanian, Sekretariat Jenderal, Kementerian Pertanian Republik Indonesia.
- Casazza, K., & Nagy, T. (2012). Body Composition Evaluation. In J. Erdman, I. Macdonald, & S. Zeisel (Eds.), *Present Knowledge in Nutrition* (10th Edition ed., pp. 1000-1011). Oxford: Wiley-Blackwell.
- Castro-Costa, É., Peixoto, S., Firmo, J., Uchoa, E., & Lima-Costa, M. (2013). The association between nutritional status and cognitive impairment in Brazilian community-dwelling older adults assessed using a range of anthropometric measures – the Bambui Study. *Dement Neuropsychol*, 7 (4), 403-409.
- Choi, S., Chung, D., Lim, J., Lee, M., Shin, J., Chung, C., *et al.* (2017). Relationship between Regional Body Fat Distribution and Diabetes Mellitus: 2008 to 2010 Korean National Health and Nutrition Examination Surveys. *Diabetes Metab J*, 41, 51-59.
- Cui, G.-H., Guo, H.-D., Xu, R.-F., Jiang, G.-X., Chen, S.-D., & Cheng, Q. (2013). The association of weight status with cognitive impairment in the elderly population of a Shanghai suburb. *Asia Pac J Clin Nutr*, 22 (1), 74-82.
- Durazzo, T., Meyerhoff, D., & Nixon, S. (2010). Chronic Cigarette Smoking: Implications for Neurocognition and Brain Neurobiology. *Int J Environ Res Public Health*, 7, 3760-3791.

- Fogal, A., Franceschini, S., Priore, S., Cotta, R., & Ribeiro, A. (2015). Stature estimation using the knee height measurement amongst Brazilian elderly. *Nutr Hosp*, 31 (2), 829-834.
- Friedman, J. I., Wallenstein, S., Moshier, E., Parrella, M., White, L., Bowler, S., et al. (2010). The Effects of Hypertension and Body Mass Index on Cognition in Schizophrenia. *Am J Psychiatry*, 167, 1232-1239.
- Gandy, J., Madden, A., & Holdsworth, M. (2014). *Gizi dan Dietetika* (Edisi 2 ed.). Jakarta: EGC.
- Gavriilidou, N., Pihlsgård, M., & Elmståhl, S. (2015). Anthropometric reference data for elderly Swedes and its disease-related pattern. *EJCN* (69), 1066–1075.
- Handajani, P., & Prima, A. (2014). Panjang Tulang Femur dapat Menjadi Penentu Tinggi Badan Pria Dewasa Muda. *J Ked Syiah Kuala*, 14 (1), 38-42.
- Hastuti, J., Kagawa, M., Byrne, N., & Hills, A. (2017). Determination of new anthropometric cut-off values for obesity screening in Indonesian adults. *Asia Pac J Clin Nutr (in press)*, 26 (4), xxx-xxx.
- Heckman, G., Patterson, C., Demers, C., Onge, J., Turpie, I., & McKelvie, R. (2007). Heart failure and cognitive impairment: Challenges and opportunities. *Clinical Interventions in Aging*, 2 (2), 209–218.
- Hernan, M., Alonso, A., & Logroscino, G. (2008). Cigarette Smoking and Dementia. *Epidemiology*, 19 (3), 448-450.
- Huang, T., Carlson, M., Fitzpatrick, A., Kuller, L., Fried, L., & Zandi, P. (2008). Knee height and arm span: A reflection of early life environment and risk of dementia. *Neurology*, 70, 1818–1826.
- Huang, W., Lei, X., Ridder, G., Strauss, J., & Zhao, Y. (2013). Health, Height, Height Shrinkage, and SES at Older Ages: Evidence from China. *Am Econ J Appl Econ*, 5 (2), 86–121.
- Hughes, T., & Ganguli, M. (2009). Modifiable Midlife Risk Factors for Late-Life Cognitive Impairment and Dementia. *Curr Psychiatry Rev*, 5 (2), 73-92.
- James, B., & Schneider, J. (2010). Increasing incidence of dementia in the oldest old: evidence and implications. *Alzheimer's Research & Therapy* 2010, 2:9, 2, 1-2.
- Jones, M. M., Olds, T., Stewart, A., & Carter, L. (2006). *International Standards for Anthropometric Assessment*. Potchefstroom: ISAK.
- Li, Y., Li, Y., Li, X., Zhang, S., Zhao, J., Zhu, X., et al. (2017). Head Injury as a Risk Factor for Dementia and Alzheimer's Disease: A Systematic Review and Meta-Analysis of 32 Observational Studies. *PLoS ONE*, 12 (1), 1-17.
- Lilyasari, O. (2007). Hipertensi Dengan Obesitas: Adakah Peran Endotelin-1? *Jurnal Kardiologi Indonesia*, 28 (6), 460-475.
- Mehlig, K., Skoog, I., Guo, X., Schutze, M., Gustafson, D., Waern, M., et al. (2008). Alcoholic Beverages and Incidence of Dementia: 34-Year Follow-up of the Prospective Population Study of Women in Goteborg. *Am J Epidemiol*, 167, 684–691.
- Murbawani, E. A., Puruhita, N., & Yudomurti. (2012). Tinggi Badan yang Diukur dan Berdasarkan Tinggi Lutut Menggunakan Rumus Chumlea pada Lansia. *Media Med Ind*, 46 (1), 1-6.

- Novak, V. (2012). Cognition and Hemodynamics. *Curr Cardiovasc Risk Rep*, 6, 380-396.
- Ong, P., & Machfoed, M. H. (2015). *Panduan Praktik Klinik Diagnosis dan Penatalaksanaan Demensia*. Jakarta: Perhimpunan Dokter Spesialis Saraf Indonesia.
- Osterlund, L. (2014). Wisdom in the Counseling Relationship. *Jesuit Higher Edu*, 3 (2), 74-84.
- Pangkahila, J. A. (2013). Pengaturan Pola Hidup dan Aktivitas Fisik Meningkatkan Umur Harapan Hidup. *Sport and Fitness Journal*, 1 (1), 1-7.
- Papachristou, E., Ramsay, S., Lennon, L., Papacosta, O., Iliffe, S., Whincup, P., et al. (2015). The relationships between body composition characteristics and cognitive functioning in a population-based sample of older British men. *BMC Geriatrics*, 15 (172), 1-11.
- Parigi, A. D., Panza, F., Capurso, C., & Solfrizzi, V. (2006). Nutritional factors, cognitive decline, and dementia. *Brain Res Bull*, 69, 1-19.
- Perdana, A., Ichsan, B., & Rosyidah, D. (2013). Hubungan Tingkat Pengetahuan Tentang Penyakit DM dengan Pengendalian Kadar Glukosa Darah pada Pasien DM Tipe II di RSUD Muhammadiyah Surakarta. *Biomedika*, 5 (2), 17-21.
- Presiden Republik Indonesia. (1998). *Undang-undang Republik Indonesia Nomor 13 Tahun 1998 tentang Kesejahteraan Lanjut Usia*. Jakarta.
- Prince, M., Comas-Herrera, A., Knapp, M., Guerchet, M., & Karagiannidou, M. (2016). *World Alzheimer Report 2016: Improving healthcare for people living with dementia*. London: Alzheimer's Disease International.
- Quan, S., Jeong, J., & Kim, D. (2013). The Relationship between Height and Cognitive Function among Community-dwelling Elderly: Hallym Aging Study. *Epidemiology and Health* 2013;35:e2013002, 35, 1-6.
- Roberts, R., Geda, Y., Knopman, D., Teresa, J., Christianson, B., Pankratz, V., et al. (2008). Duration and Severity of Diabetes Are Associated with Mild Cognitive Impairment. *Arch Neurol*, 65 (8), 1066–1073.
- Sánchez-García, S., García-Peña, C., Duque-López, M., Juárez-Cedillo, T., Cortés-Núñez, A., & Reyes-Beaman, S. (2007). Anthropometric measures and nutritional status in a healthy elderly population. *BMC Public Health*, 7 (2), 1-9.
- Sahadevan, S., Saw, S. M., Gao, W., Tan, L., Chin, J., Hong, C., et al. (2008). Ethnic Differences in Singapore's Dementia Prevalence: The Stroke, Parkinson's Disease, Epilepsy, and Dementia in Singapore Study. *JAGS*, 56 (11), 2061–2068.
- Strauss, J., Witoelar, F., & Sikoki, B. (2016). *The Fifth Wave of the Indonesia Family Life Survey (IFLS5): Overview and Field Report*. Santa Monica: RAND Corporation.
- Suriastini, N., Turana, Y., Witoelar, F., Supraptilah, B., Wicaksono, T., & Dwi, E. (2016). *Angka Prevalensi Demensia: Perlu Perhatian Kita Semua*. SurveyMETER. Yogyakarta: SurveyMETER.
- Susanto, Y., & Alfian, R. (2015). Perbaikan Perilaku dan Tekanan Darah Pasien Hipertensi di RSUD Dr. H. Moch. Ansari Saleh Banjarmasin Setelah

- Pemberian Leaflet Edukasi Hipertensi dan Terapinya. *Jurnal Ilmiah Manuntung*, 1 (2), 140-144.
- Swan, G., & Lessov-Schlaggar, C. (2007). The Effects of Tobacco Smoke and Nicotine on Cognition and the Brain. *Neuropsychol Rev*, 17, 259-273.
- Turana, Y. (2013). Stimulasi Otak pada Kelompok Lansia di Komunitas. *Buletin Jendela Datinkes*, pp. 19-24.
- Wadsworth, M., Hardy, R., Paul, A., Marshall, S., & Cole, T. (2002). Leg and trunk length at 43 years in relation to childhood health, diet and family circumstances; evidence from the 1946 national birth cohort. *Int J Epidemiol*, 31, 383-390.
- Wellman, N., & Kamp, B. (2008). Nutrition in Aging. In Y. Alexopoulos, K. Heberd, & H. Bays (Eds.), *Krause's Food & Nutrition Therapy* ( 12th Edition ed., pp. 286-308). St. Louis: Saunders.
- Wozakowska-Kapłon, B., Opolski, G., Kosior, D., Jaskulska-Niedziela, E., Maroszyńska-Dmoch, E., & Włosowicz, M. (2009). Cognitive disorders in elderly patients with permanent atrial fibrillation. *Kardiol Pol*, 67, 487-493.
- Won, H., Manaf, Z., Ludin, A., Omar, M., Razali, R., & Shahar, S. (2017). The cut-off values of anthropometric variables for predicting mild cognitive impairment in Malaysian older adults: a large population based cross-sectional study. *Clinical Interventions in Aging* (12), 275–282.
- Woodward, M. (2007). *Dementia Risk Reduction: The Evidence*. Alzheimer's Australia. Alzheimer's Australia.
- Wreksoatmodjo, B. R. (2014). Beberapa Kondisi Fisik dan Penyakit yang Merupakan Faktor Risiko Gangguan Fungsi Kognitif. *CDK*, 41 (1), 25-32.
- Wreksoatmodjo, B. R. (2013). Perbedaan Karakteristik Lanjut Usia yang Tinggal di Keluarga dengan yang Tinggal di Panti di Jakarta Barat. *CDK*, 40 (10), 738-745.
- Zalukhu, M. L., Phyma, A. R., & Pinzon, R. T. (2016). Proses Menua, Stres Oksidatif, dan Peran Antioksidan. *CDK*, 43 (10), 733-736.
- Zelvya, P. (2014). Hubungan Status Gizi Terhadap Kebugaran Lansia di Paguyuban Senam Karang Weda Jambangan Surabaya. *J Kes Olahraga*, 2 (2), 50-57.
- Zhou, Y., Flaherty, J., Huang, C.-Q., Lu, Z.-C., & Dong, B.-R. (2010). Association between Body Mass Index and Cognitive Function among Chinese Nonagenarians/Centenarians. *Dement Geriatr Cogn Disord*, 30, 517-524.