

DAFTAR PUSTAKA

- Artik, N. 1. 1988. Isıl is, lemin meyvelerde neden olduđu deđgis, iklimler. *Gida* 13, 245–252.
- ATSDR. 2004. Toxicological Profile For Copper. Agency for Toxic Substances and Disease Registry Division of Toxicology/Toxicology Information Branch 1600 Clifton Road NE, Mailstop F-32.
- Al-Zuhair, S., El-Naas, H. M., & Al-Hassani. 2008. Sulfate inhibition effect on sulfate. *J. Biochem. Technol* 1, 39-44.
- Andriyanto. 2016. Pengaruh Zeolit Alam Terhadap Aktivitas Pengendapan Logam Cu Oleh Konsorsium BPS. Tesis Pascasarjana Biologi UGM.
- Barakat, M. 2011. New trends in removing heavy metals from industrial wastewater. *Arabian J. Chem.* 4, 361-377.
- Bartzas, G., Komnitsas, K., & Paspaliaris, I. 2006. Laboratory evaluation of Fe_ barriers to treat acidic leacdates. *Minerals Eng.* 19, 505-514.
- Bayat, Z., Hassanshahian, M., & Cappello, S. 2015. Immobilization of microbes for bioremediation of crude oil polluted environments: A mini review. *Open Microbiol*, 9:48–54.
- Bayat, Z., Hassanshahian, M., & S, C. 2015. Immobilization of microbes for bioremediation of crude oil polluted environments: A mini review. *Open Microbiol J*, 48-54.
- Bayoumy, B., Torem, M., Molina, F., & Mesquita, L. D. 1998. Biosorption of lead (II), chromium (III) and copper (II) by *R. opacus*: equilibrium and kinetic studies. *Miner. Eng.* 21, 65-75.
- Bratkova, S., Koumanova, B., & Beschkov, V. 2002. Biological treatment of mining wastewaters by fixed-bed bioreactors at high organic loading. *Bioresour. Technol.* 137, 409–413.
- Berdichevsky, A. Z. 2008. Preform permeability prediction's by self consistent method and finite element simulation. *PolymComp*, 14(2).132-143.
- Boetius, A. R. 2000. A marine microbial consortium apparently mediating anaerobic oxidation of methane. *Nature*, 407(6804): 623-6.

- Bueno, B., Torem, M., Molina, F., & Mesquita, L. D. 2008. Biosorption of lead (II), chromium (III) and copper (II) by *R. opacus*: equilibrium and kinetic studies. *Miner. Eng.* 21, 65-75.
- Cao, J., Zhang, G., Mao, Z., Li, Y., Fang, Z., & Yang, C. 2012. Influence of electron donors on the growth and activity of sulfate-reducing bacteria. *Int J Miner Process* 106, 58-64.
- Cabrera, G. P. 2006. Toxic effects of dissolved heavy metals on *Desulfovibrio vulgaris* and *Desulfovibrio sp.* strains. *Journal of Hazardous Material.*, 135 (1-3): 40-46.
- Castro. 1993. Estudio de la melaza de ca~na como sustrato de la fermentacion acetobutílica, Universidad Nacional de Colombia. Facultad de Ingeniería. Colombia.
- Champagne, P., Geel, P., & Parker, W. 2005. A bench-scale assessment of a combined passive system to reduce concentration of metals and sulphate in acid mine drainage. *Mine Water Environ.* 24 (3), 124-133.
- Chen, L. P. 1994. Isolation and characterization of a high molecular weight cytochrome from the sulfate reducing bacterium *Desulfovibrio gigas*. *FEBS Lett.* , 347, 295–299.
- Chen, Z.-F., Zhao, Y.-S., & Li, Q. 2016. Influence of Fe(III) on Cr(VI) Reduction by Organic Reducing Substances from Sugarcane Molasses. *Water Air Soil Pollut*, 227: 19 DOI 10.1007/s11270-015-2678-x.
- Coates, J. A. 1996. Anaerobic hydrocarbon degradation in petroleum-contaminated harbor sediments under sulfatereducing and artificially imposed iron-reducing conditions. *Environ Sci Technol*, 30 (9): 2784–2789.
- Colleran, Finnegan, S., & O’Kefee, R. B. 1994. Anaerobic digestion of high sulphate. *Water Science and Technology*, 263-273.
- Costerton J. W., Lewandowski Z., Caldwell D. E., Korber D. R. and Lappin-scott H. M. 1995. Microbial biofilms. *Ann. Rev. Microbiol.* 49, 711–745.
- Darmono. 2001. *Lingkungan Hidup dan Pencemaran* . Jakarta: Universitas Indonesia Press.
- Das Surajit, P. L. 2006. Marine microbial diversity and ecology:importance and future perspective. *Current science*, vol.90, No.10.

- Detmers G., Alonso, R., Freire, S., Gonzáles-Álvarez, J., & Antorrena, G. 2006. Uptake of phenol from aqueous solutions by adsorption in a Pinus pinaster bark packed bed. *J. Hazard. Mater.* B133, 61-67.
- Dickschat, J. 2010. Quorum sensing and bacterial biofilms. *Nat. Prod. Rep.* 27, 343-369.
- Dogan, M. 2011. Rheological and physicochemical characteristics of ice cream mix with molasses in a model system. *Milchwiss. Milk Sci. Int.* 62 (2), 195–198.
- Dougherty, M. 1999. *Dough Physico-Chemical Characterization of Sulphidation*. Science Publication: Pressmud.
- Drury, W. 1999. Treatment of acid mine drainage with anaerobic solid substrate reactors. *Water Environ. Res.* 71 : 1244–1250.
- Dvorak, D., Hedin, R., Edenborn, H., & McIntire, P. 1992. Treatment of metal-contaminated water using bacterial sulfate reduction: Results from pilot-scale reactors. *Biotechnol. Bioeng.* 40, 609-616.
- Edwards, S. d. 2001. Interest Rate Determination In Developing Countries: a Conceptual Framework. NBER Working Paper Series, Working Paper No. 1531.
- Elghasira, R., & Philip, L. 2012. Performance evaluation of various bioreactors for the removal of Cr(VI) and organic matter from industrial effluent. *Biochem.* 174–186.
- Eksi., & Artik. 1984. Preparation of antioxidants from sugarcane molasses. *Food Chemistry*, 152, 552–557.
- Fahrudin. 2010. *Bioteknologi Lingkungan*. Bandung: Alfabeta.
- Garcia, C., Moreno, D., Ballester, A., Blazquez, M., & Gonzalez, F. 2001. Bioremediation of an industrial acid mine water by metal-tolerant sulphate reducing bacteria. *Miner. Eng.* 14 (9), 997-1008.
- Geets, J. B. 2006. DsrB gene-based DGGE for community and diversity surveys of sulfate-reducing bacteria. *Journal of Microbial Methods*, 66: 194-105.
- Glombitza, F. 2001. Treatment of acid lignite mine flooding water by means of microbial sulphate reduction. *Waste Management.*, 21: 197–203.

- González, J., Rivera, A., Borja, R., & Sánchez, E. 1998. Influence of organic volumetric loading rate, nutrient balance and alkalinity: COD ratio on the anaerobic sludge granulation of an UASB reactor treating sugar cane molasses. *Int Biodeterior Biodegrad*, 127-131.
- Gorbushina, A., & Broughton, W. 2009. Microbiology of the a how biological interactions and physical stresses modulate a sophisticated microbial ecosystem. *Annu. Rev. Microbiol*, 63, 431–450.
- Guzik U, H.-K. K. 2014. Enhancement of bio-degradation potential of catechol 1, 2-dioxygenase through its immobilization in calcium alginate gel. *Electron J Biotechnol*, 17:83-88.
- Hamilton, W. 1985. ‘Sulphate reducing bacteria and anaerobic corrosion’. *Ann. Rev. Microbiol.* 39, 195-217.
- Havlin, J. B. 1999. *Soil Fertility and Fertilizers*. New Jersey. 528 p.: An Introduction to Nutrient Management. Prentice Hall.
- Hawkes, J. 1997. Heavy metals. *J Chem Edu*: 74:1369–1374.
- Hecht, S. B. 2007. *An Overview of Sensory Effects on Juvenile Salmonids Exposed to Dissolved Copper*. Springfield. 38p: NOAA Technical Memorandum.
- Hendricks, D. 2006. *Water Treatment Unit Processes, Physical and Chemical*. New York: CRC Press Taylor & Francis Group.
- Herawati, N., Suzuki, S., Hayashi, K., Rivai, I., & Koyoma, H. 2000. Cadmium, copper and zinc levels in rice and soil of Japan, Indonesia and China by soil type. *Bull Environ Contam Toxicol* 64, 33–39.
- Herzberg, M., Dosoretz, C., Tarre, S., Beliaevski, M., & Green, M. 2004. Biological granulated activated carbon fluidized bed reactor for atrazine remediation. *Technol*, 49:215 - 222.
- Hesketh, A., Broadhurst, J., & Harrison, S. 2010. Mitigating the generation of acid mine drainage from copper sulphide tailings impoundments in perpetuity: a case study for an integrated management strategy. *Miner. Eng.* 23 (3), 225-229.
- Hines, M. E.-V. 1999. Molecular phylogenetic and biogeochemical studies of sulfate-reducing bacteria in the rhizosphere of *Spartina alterniflora*. *Appl. Environ. Microbiol*, 65: 2209–2216.

- Holt, J. G., R.Krieg, N., Sneath, P. H., Staley, J. T., & Wiliams, S. T. 1994. *Bergey's Manual of Determinative Bacteriology*. Maryland USA: Sanstacne.
- Ito, T., Okabe, S., Satoh, H., Watanabe, Y. 2002. Successional development of sulfatereducing bacterial populations and their activities in a wastewater biofilm growing under microaerophilic conditions. *Appl. Environ. Microbiol.* 68,1392–1402.
- Janyasuthiwong, S. R. 2015. Effect of pH on Cu, Ni and Zn removal by biogenic sulfide precipitation in an inversed fluidized bed bioreactor. *Hydrometallurgy.*, 158: 94–100.
- Jarup, L. 2003. Hazards of heavy metal contamination. *British Medical Bulletin*, 68: 167–182.
- Jeanthon, C. H. 2002. *Thermodesulfobacterium hydrogeniphilum* sp. nov., a thermophilic, chemolithoautotrophic, sulfate-reducing bacterium isolated from a deep-sea hydrothermal vent at Guaymas Basin, and emendation of the genus *Thermodesulfobacterium*. *International Journal of Systematic and Evolutionary Microbiology*, 52: 765-772.
- Kleikemper, H., S. M., V., S. W., Schmucki, M., Bernasconi, S. M., & Zeyer, J. 2002. Activity and Diversity of Sulfate-Reducing Bacteria in a Petroleum Hydrocarbon-Contaminated Aquifer. *Appl Environ Microbiol.* doi: 10.1128/AEM.68.4.1516-1523, 68(4): 1516–1523.
- Koncena & Fintova. 2007. Hexavalent chromium bioaccumulation by *Micrococcus* sp. isolated from tannery wastewaters, *Fresen. Environ*, 1571–1577.
- Konecna, R. a. 2012. *Copper and Copper Alloys: Casting, Classification and Characteristic Microstructures.* . Rijeka, Croatia. Pp. 1-30.: Intech.
- Kourkoutas, Y., Bekatorou, A., Banat, I., Marchant, R., & Koutinas, A. 2004. Immobilization technologies and supportmaterials suitable in alcohol beverages production: A re- view. *Food Microbiol*, 21:377–97.
- Kovacik, W. 2006. Molecular analysis of deep subsurface Cretaceous rock indicates abundant Fe(III)- and S⁰-reducing bacteria in a sulfate-rich environment. *Environ. Microbiol*, 8: 141–155.
- Lens, P., Vallero, M., Esposito, G., & Zandvoor, M. 1998. Perspectives of sulfate reducing bioreactors in environmental biotechnology. *Sci. Biotechno*, 311-325.

- Lenntech, R. 2004. *Water Treatment and Air Purification*. Netherlands: Lenntech Water TreaWater treatment(<http://www.excelwater.com/thp/filters/Water-Purification.htm>) .
- Li, J., & Bishop, P.L. 2004. Time course observations of nitrifying biofilm development using microelectrodes. *J. Environ. Eng. Sci.* 3, 523–528.
- Liamleam, W., & PAnnachhatre, A. 2007. Electron donors for biological sulphate reduction. *Biotechnol. Adv.* 25, 452–463.
- Madigan, M. M. 2015. *Brock Biology of Microorganisms*. England, 510 p.: Pearson Education.
- Matias, P. S. 2001. [NiFe] hydrogenase from *Desulfovibrio desulfuricans* ATCC 27774: gene sequencing, three-dimensional structure determination and refinement at 1.8 Å and modelling studies of its interaction with the tetrahaem cytochrome c. *J. Biol. Inorg. Chem.* 6, 63–81.
- McMahon, M. 2007. *Development of a Sulfate Reducing Packed Bed Bioreactor For Use in a Sustainable Hydrogen Production Process*. Ontario, Canada. 163p: Thesis.QUEEN'S UNIVERSITY Kingston.
- Marsh, H., & Rodríguez-Reinoso, F. 2006. *Activated Carbon*, first ed. Oxford: Elsevier.
- Meyer, B., & Kuever, J. 2007. Phylogeny of the alpha and beta subunits of the dissimilatory adenosine-50-phosphosulfate (APS) reductase from sulfatereducing prokaryotesorigin and evolution of the dissimilatory sulfatereduction pathway. *Microbiol.* 153.
- Mikhail K Michailides, A. G. 2014. Molasses as an efficient low-cost carbon source for biological Cr(VI)removal. *Journal of Hazardous Materials*, 281.95–105.
- Michailides, M. K., Tekerlekopoulou, A. G., Akrotosa, C. S., Colesa, S., Pavloub, S., & Vayenasa, D. V. 2015. Molasses as an efficient low-cost carbon source for biological Cr(VI)removal. *Journal of Hazardous* 281, 95-105.
- Mohammadi, A., & Nasernejad, B. 2008. Enzymatic degradation of anthracene by the white rot fungus *Phanerochaete chrysosporium* immobilized on sugarcane bagasse. *J HazardMater*, 534-537.

- Moncur, M. J. 2009. Mine drainage from the weathering of sulfide minerals and magnetite. *Appl. Geochem*, 24: 2362–2373.
- Moodie, A., & Ingledew, W. 1991. *Microbial Anaerobic Respiration*. Tempest, Advances in Microbial Physiology. Vol 31. USA: Academic Press Limited.
- Moosa, S. N. 2002. A kinetic study of anaerobic reduction of sulphate: part I. Effect of Sulphate concentration. *Chemical Engineering Science*, 57: 2773–2780.
- Muyzer, G., & Stams, A. 2008. The ecology and biotechnology of sulphate-reducing bacteria. *Nature* 6, 441–455.
- Nakagawa, A. H. 1990. S-class cytochromes c have a variety of folding patterns: structure of cytochrome c-553 from *Desulfovibrio vulgaris* determined by the multi-wavelength anomalous dispersion method. *J. Biochem*, (Tokyo) 108, 701–703.
- Nilsen, R. B. 1996. Distribution of Thermophilic Marine Sulfate Reducers in North Sea Oil Field Waters and Oil Reservoirs. *Applied And Environmental Microbiology*, 62(5): 1793–1798.
- Odom, J. P. 1981. Hydrogen cycling as a general mechanism for energy coupling in the sulfate-reducing bacteria, *Desulfovibrio* sp. *FEMS Microbiol., Lett.* 12, 47–50.
- Palar, H. 1994. *Pencemaran dan Toksikologi Logam Berat*. Penerbit Rineka Cipta. 23- 56.
- Peters, R., Ku, Y., & Bhattacharyya, D. 1985. Evaluation of recent treatment techniques for removal of heavy metals from industrial wastewaters. *AIChE Symp. Ser.* 81, 165-203.
- Pitt, J., & Hocking, A. 1997. *FUNGI AND FOOD SPOILAGE*. North Ryde, New South Wales: University Press, Cambridge.
- Postgate, J. 1984. *The sulphate-reducing bacteria*. 2nd ed. Cambridge: Cambridge: University Press.
- Prasad, D., Wai, M., Berube, P., & Henry, J. 1999. Evaluating substrates in the treatment of acid mine drainage. *Environ Technol* 20, 449–459.
- Prescott, S. G and C. G. Dunn. 1959. “*Industrial Microbiology*”. McGraw-Hill BookCompany, New York.

- Purnamaningsih, N. 2016. Pengaruh Zeolit Alam Terhadap Aktivitas Konsorsium BPS Dalam Pengendapan Logam Mn. Tesis Pascasarjana Biologi UGM.
- Risatti, J., Capman, & Stahl, D. 1994. Community structure of a microbial mat: the phylogenetic • dimension . . Proceeding of National Academy Science. USA, 10173-10177.
- Rzeczycka, M. and Blaszczyck. 2005. Growth and Activity of Sulphate-Reducing Bacteria in Media Containing Phosphogypsum and Different Sources of Carbon. Polish Journal of Environmental Studies, 14(6): 891-895.
- Santini, T. C., Degens, B. P., & Rate, A. W. 2010. Organic Substrates in Bioremediation of Acidic Saline. Water Air Soil Pollut DOI 10.1007/s11270-009-0196-4, 209:251–268.
- Sass, H. W. 1998. High genetic and physiological diversity of sulfate-reducing bacteria isolated from an oligotrophic lake sediment. Arch. Microbiol, 170: 243–251.
- Sen, A. M. 2001. Acidophilic Sulphate Reducing Bacteria: Candidates for Bioremediation of Acid Mine Drainage Pollution. Wales: Thesis. Univ. Wales.
- Shemesh, M., R Kolter, R., & Losick, R. 2010. The biocide chlorine dioxide stimulates biofilm formation in *Bacillus subtilis* by activation of the histidine kinase KinC. *J. Bacteriol*, 192, 6352–6356.
- Shrivastava, A. 2004. A Review on Copper Pollution and its Removal From Water Bodies by Pollution Control Technologies. IJEP, 29(6): 552-560.
- Silva, A., Hirasawa, J., Varesche, M., Forest, E., & Zaiat, M. 2006. Evaluation of support materials for the immobilization of sulfate-reducing bacteria and methanogenic archaea. *Anaerobe* 12, 93-98.
- Solomon, F. 2009. Impacts of Copper on Aquatic Ecosystems and Human Health. Environment & Communities.
- Somasundaram, V., & Philip, L. 2011. Laboratory scale column studies on transport and biotransformation of Cr(VI) through porous media in presence of CRB, SRB and IRB, Chem. *Eng J*, 171:572–581.
- Stadnitskaia, A. M. 2005. Biomarker and 16S rDNA evidence for anaerobic oxidation of methane and related carbonate precipitation in deep sea mud volcanoes of the Sorokin Trough, Black Sea. *Marine Geology*, 217: 67 – 96.

- Teclu, D. 2008. Bioremediation of Arsenic Contaminated Groundwater. KwaZulu-Natal. Pp. 65: Disertasi. University of .
- Uberoi, V. a. 1997. Effects of chlorophenols and nitrophenols on the kinetics of propionate degradation in sulfate-reducing anaerobic systems. *Environmental Science & Technology*, 31 (6): 1607–1614.
- USGS. 2008. Copper-A Metal for Age. U.S: Geological Survey.
- Watnick, P., Kolter, R., 2000. Biofilms, city of microbes. *J. Bacteriol.* 13, 20–26.
- Webser, T., & Ahn, E. 2006. Nanostructured biomaterials for tissue engineering bone. *Tissue Engineering II. Springe*, 275–308.
- Weiß, S. Z. (2011). Investigation of microorganisms colonising activated zeolites during anaerobic biogas production from grass silage. *Bioresource Technology.*, 102: 4353–4359.
- White, C. a. (2000). Copper accumulation by sulfate-reducing bacterial biofilms. *FEMS Microbiology Letters*, 183: 313-318.
- Widdel, F. (1988). Microbiology and ecology of sulphate- and sulfur-reducing. *A.J.B. (Ed.)*, 489-495.
- Willey, J. M., Sherwood, L. M., & Woolverton, C. J. (2008). Prescott, Harley and Klein's Microbiologi. New York, NY 10020: McGraw-Hill.
- Yamaga, F., Washio, K., & Morikawa, M. 2010. Sustainable biodegradation of phenol by *Acinetobacter calcoaceticus* P23 isolated from the rhizosphere of duckweed *Lemna aoukikusa*. *Environ. Sci. Technol.*, 44, 6470–6474.