UNIVERSITAS
GADJAH MADA

**Teknik Baru Isolasi Protein dan Deteksi Rambut Babi Dengan Uji Cepat Xema**
NUR INDAH KUMALARATRI, Dr. drh. Yatri Drastini, M. Sc.
**Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/**

# DAFTAR PUSTAKA

Ackerman, L. 2008. *Atlas of Small Animal Dermatology.* Inter Medica Editorial, Buenos Aires.

Adolphe, C., dan Wainwright, B. 2005. Pathways to Improving Skin Regeneration. Artikel. *Cambridge Journal.* 7(20):1-14.

Anonim. 2017. "*Isolasi Protein dan Western Blot"*. Internet: https://www.slideshare.net/siiqueenarthalikegreen/isolasi-protein-dan-western-bloting (Diakses pada 18 Maret 2017, Pukul 19.31).

Anonim, 2017. "Hidroksiprolin: Pengertian - Manfaat - Efek Kekurangan dan Kelebihan - Sumber Makanan". Internet: http://halosehat.com/gizi-nutrisi/protein/hidroksiprolin (Diakses pada 31 Mei 2017, Pukul 09.56).

Aughe, E., dan Frye, F.L. 2001. *Comparative Veterinary Histology With Clinical Correlated.* Manson Publishing Ltd, London.

Azis, S., dan Muktiningsih, S.R. 1999. Studi Kegunaan Sediaan Rambut. *Puslitbang Farmasi Badan Litbangkes.* 9(1):6-13.

Banks, W.J. 1994. *Applied Veterinary Histology*, *3rd Ed.* Mousby-Year Book, Inc., Missouri.

Block, R.J. 1951. Chemical classification of keratins. *Ann. N. Y. Acad. Sci. PubMed.* 53:608–612.

Brown, C.H. 1950. Keratins in invertebrates. *Nature. PubMed*. 166:439.

Buwono, I.D. 2000. *Kebutuhan Asam Amino Esensial dalam Ransum Ikan.* Kanisius, Yogyakarta.

Coulombe P.A, Omary M.B. 2002. 'Hard' and 'soft' principles defining the structure, function and regulation of keratin intermediate filaments. *Curr. Opin. Cell Biol. PubMed.* 14:110–122.

Dellman, H.D dan E.M. Brown. 1992. *Buku Terjemahan Teks Histologi Veterinar 1 & 2.* Edisi Ketiga. Penerbit Universitas Indonesia, Jakarta.

Elmer, P. 2011. *Porcine Detection Kits.* Perkin Elmer. Inc, USA.

Erwanto, Y., Sugiyono, S., Rohman, A., Abidin, M.Z., Ariyani, D. 2012. Identifikasi Daging Babi Menggunakan Metode PCR-RFLP Gen Cythochrome b dan PCR Primer Spesifik Gen Amelogenin. *Agritech.* 32(4):370-377.

UNIVERSITAS
GADJAH MADA
**Teknik Baru Isolasi Protein dan Deteksi Rambut Babi Dengan Uji Cepat Xema**
NUR INDAH KUMALARATRI, Dr. drh. Yatri Drastini, M. Sc.
**Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/**


Gaffar, S. 2007. *Buku Ajar Bioteknologi Molekul Prinsip-Prinsip Manipulasi Gen. Suatu Pengantar Rekayasa Genetika.* Universitas Padjajaran, Bandung.

Hadzami, M. 2011. *Taudhihul Adillah 100 Masalah Agama Jilid I.* Quanta, Surabaya.

Johnson, K.E., 1991. *Histology and Cell Biology. 2nd Ed.* William & Wilkins, USA.

Kusumadewi. 2003. *Rambut Anda : Masalah, Perawatan dan Penataannya.* Gramedia Pustaka Utama, Jakarta.

Lau, O.W., Luk, S.F., Chan, W.M. 1988. Spectrophotometric Determination of Aspartame in Soft Drinks with Ninhydrin as Reagent. *Analyst. PubMed.* 113:765-768.

Khee, C. R. 2001. *Current Protocols in Food Analytical Chemistry.* John Wiley & Sons. Inc, USA.

Lee, Y.J., Rice, R.H., Lee, Y.M. 2006. Protome Analysis of Human Hair Shaft from Protein Identification to Posttranslational Modification. The American Society for Biochemistry and Molecular Biology, Inc. *Mol. Cell Proteomics.* 5(5):789-800.

Majekodunmi, S. 2015. A Review on Centrifugation in the Pharmaceutical Industry. *Am. J. Biomed. Eng.* 2:67-78.

Makar I.A., Havryliak V.V., Sedilo H.M. 2007. Genetic and biochemical aspects of keratin synthesis by hair follicles. *Tsitol Genet. PubMed.* 41:75–79.

Mitsui, T. 1997. *New Cosmetic Science*. Elsevier, Netherlands.

Moll R, Franke, W.W, Schiller, D.L., Geiger, B., dan Krepler, R. 1982. The catalog of human cytokeratins: patterns of expression in normal epithelia, tumors and cultured cells. *Cell. PubMed.* 31:11–24.

Muladno. 2010. *Teknologi Rekayasa Genetik Edisi Kedua.* IPB Press, Bogor.

Poedjiadji, A., Supriyanti, T., Soemodimejo, P. 2005. *Dasar-Dasar Biokimia.* UI-Press, Jakarta.

Pratami, D. 2011. *Analisa Cemaran Daging Babi pada Produk Burger Sapi yang Beredar di Wilayah Ciputat melalui Amplifikasi DNA menggunakan Real-Time PCR.* Skripsi. Program Studi Farmasi dan Ilmu Kesehatan, Universitas Islam Negeri Syarif Hidayatullah, Jakarta.

Putnam, F.,Easley, C., Lynn, L., Ritchie, A., dan Phelps A. 1959. The Heat Precipitation of Bence-Jones Proteins. I. Optimium Conditions. *Arch. Biochem. Biophys.* 83:115-130.

UNIVERSITAS
GADJAH MADA
**Teknik Baru Isolasi Protein dan Deteksi Rambut Babi Dengan Uji Cepat Xema**
NUR INDAH KUMALARATRI, Dr. drh. Yatri Drastini, M. Sc.
**Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/**


Rafi, M., Anggundari, W.C., dan Irawadi, T.T. 2016. Potensi Spektroskopi FT-IR-ATR dan Kemometrik untuk Membedakan Rambut Babi, Kambing dan Sapi. *Indones. J. Chem.* 3: 232-237.

Rohman, A. 2011. *Analisis Bahan Pangan.* Pustaka Pelajar, Yogyakarta.

Rohman, A. dan Sumantri. 2007. *Analisis Makanan.* UGM Press, Yogyakarta.

Roop, D.R, Cheng, C.K., Titterington, L. 1984. Synthetic peptides corresponding to keratin subunits elicit highly specific antibodies. *J. Biol. Chem. PubMed.* 259:8037–8040.

Samuelson, D.A. 2007. *Textbook of Veterinary Histology.* Saunders, Elsevier, Missouri. 289-294.

Schenck, P.A., 2010. *Home - Prepared Dog and Cats Diets. 2nd Ed.* Willey Blackwell, Iowa. 207.

Steinert, P.M., Wantz, M.L., Idler, W.W. 1982. O-phosphoserine content of intermediate filament subunits. *Biochemistry. PubMed.* 21:177–183.

Steinert, P.M., Parry, D.A., Racoosin, E.L. 1984. The complete cDNA and deduced amino acid sequence of a type II mouse epidermal keratin of 60 000 Da: analysis of sequence differences between type I and type II keratins. *Proc. Natl. Acad. Sci. U.S. A. PubMed.* 81:5709–5713.

Sudarmadji, Slamet; Bambang Haryono, dan Suhardi. 2010. *Analisa Bahan Makanan dan Pertanian.* Liberty, Yogyakarta.

Sumardjo, D. 2009. *Pengantar Kimia Buku Panduan Kuliah Mahasiswa Kedokteran dan Program Strata I Fakultas Bioeksakta.* Penerbit Buku Kedokteran EGC, Jakarta.

Sun, T.T., Green, H. 1978. Keratin filaments of cultured human epidermal cells. Formation of intermolecular disulfide bonds during terminal differentiation. *J. Biol. Chem. Pubmed.* 253:2053–2060.

Sun, T.T., Eichner, R., Nelson, W.G. 1983. Keratin classes: Molecular marker for different types of epithelial differentiation. *J. Invest. Dermatol. PubMed.* 81:109–115.

Tan, S. dan Yiap, B. 2009. DNA, RNA, and Protein Extraction : The Past and The Present. *J. Biomed. Biotechnol. Hindawi.* 9:1-10.

Tomlinson, D.J., Muelling, C.M., Fakler, T.M. 2004. Formation of keratins in the bovine claw: Roles of hormones, minerals, and vitamins in functional claw integrity. *J Dairy Sci.* 87:797–809.

Tranggono, R.I. dan Latifah, F. 2007. *Buku Pegangan Ilmu Pengetahuan Kosmetik.* Gramedia Pustaka Utama, Jakarta.

UNIVERSITAS
GADJAH MADA
**Teknik Baru Isolasi Protein dan Deteksi Rambut Babi Dengan Uji Cepat Xema**
NUR INDAH KUMALARATRI, Dr. drh. Yatri Drastini, M. Sc.
**Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/**


Triyono, A. 2010. Mempelajari Pengaruh Penambahan beberapa asam pada proses isolasi protein terhadap tepung protein isolat Kacang Hijau (Phaseolus radiatus L.). *Jurnal Teknik Kimia.* 1(10):1-9.

Waugh, A. dan Grant, A. 2001. *Anatomy and Phisiology in Health and Illness. 9th Ed*. Elsevier Limited, Spain.

Wu, K.C, Bryan, J.T., Morasso, M.I. 2000. Coiled-coil trigger motifs in the 1B and 2B rod domain segments are required for the stability of keratin intermediate filaments. *Mol. Biol. Cell. PubMed.* 11:3539–3558.