

DAFTAR PUSTAKA

- Akbar, S., 2011. *Andrographis paniculata*: a review of pharmacological activities and clinical effects. *Alternative Medicine Review*, **16**: 66–77.
- Anonim, 1995. *Farmakope Indonesia Edisi Keempat*. Departemen Kesehatan RI, Jakarta.
- Anwar, K., 2015. 'Aktivitas Hipoglikemik Kombinasi Ekstrak Etanolik Herba Sambiloto (*Andrographis paniculata* (Burm.f) Ness) Dan Buah Mengkudu (*Morinda citrifolia* L) Pada Tikus Neonatal Streptozotocin-Induced Type 2 Diabetes Mellitus', . *Tesis*, M.Sc, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Arulmozhi, D., Veeranjanyulu, A., dan Bodhankar, S., 2004. Neonatal streptozotocin-induced rat model of Type 2 diabetes mellitus: A glance. *Indian Journal of Pharmacology*, **36**: 217.
- Ayala, A., Muñiz, Oz, M.F., Argente, dan Elles, S., 2014. Lipid Peroxidation: Production, Metabolism, and Signaling Mechanisms of Malondialdehyde and 4-Hydroxy-2-Nonenal. *Oxidative Medicine and Cellular Longevity*, **2014**: e360438.
- Backer, C.A. dan Bakhuizen Van Den Brink, R.C., 1965. Flora of Java (Spermatophytes only). Vol. 2. Angiospermae, families 111-160. *Flora of Java (Spermatophytes only). Vol. 2. Angiospermae, families 111-160.*, .
- Badan POM RI, 2010. *Pegagan Centella asiatica* (L.) Urban, *Serial Data Ilmiah Terkini Tumbuhan Obat*. Direktorat Obat Asli Indonesia, Badan Pengawas Obat dan Makanan Republik Indonesia. Jakarta..
- Butler, A.E., Janson, J., Bonner-Weir, S., Ritzel, R., Rizza, R.A., dan Butler, P.C., 2003. β -cell deficit and increased β -cell apoptosis in humans with type 2 diabetes. *Diabetes*, **52**: 102–110.
- Cesarone, M.R., Incandela, L., De Sanctis, M.T., Belcaro, G., Bavera, P., Bucci, M., dkk., 2001. Evaluation of treatment of diabetic microangiopathy with total triterpenic fraction of *Centella asiatica*: a clinical prospective randomized trial with a microcirculatory model. *Angiology*, **52 Suppl 2**: S49-54.
- Chauhan, P.K., Pandey, I.P., dan Dhatwalia, V.K., 2010. Evaluation of the anti-diabetic effect of ethanolic and methanolic extracts of *Centella asiatica* leaves extract on alloxan induced diabetic rats. *Adv Biol Res*, **4**: 27–30.

- Dandu, A.M. dan Inamdar, N.M., 2009. Evaluation of beneficial effects of antioxidant properties of aqueous leaf extract of *Andrographis paniculata* in STZ-induced diabetes. *Pakistan journal of pharmaceutical sciences*, **22**: .
- Depkes RI, 2008. *Farmakope Herbal Indonesia*. Departmen Kesehatan RI, Jakarta.
- Dewi, R.T. dan Maryani, F., 2015. Antioxidant and α -Glucosidase Inhibitory Compounds of *Centella Asiatica*. *Procedia Chemistry*, **17**: 147–152.
- Dipiro, J.T., Fccp, D.J.T.D., Pharm D., Schwinghammer, T.L., Talbert, R.L., Yee, G.C., Matzke, G.R., dkk., 2005. *Pharmacotherapy: A Pathophysiologic Approach: With Pharmacotherapy Casebook, Value Pak*. McGraw-Hill.
- Dipiro, J.T., Wells, B.G., Scwinghammer, T.L., dan Dipiro, C.V., 2009. diabetes mellitus, dalam: *Pharmacoterapy Handbook*. McGraw-Hill, New York, hal. 210–226.
- Draper, H. dan Hadley, M., 1990. Malondialdehyde determination as index of lipid Peroxidation. *Elisevier*, **186**: 421–431.
- Gayathri, V., Lekshmi, P., Padmanabhan, R., dan others, 2011. Anti-diabetes activity of ethanol extract of *Centella asiatica* (L.) Urban (whole plant) in Streptozotocin-induced diabetic rats, isolation of an active fraction and toxicity evaluation of the extract. *International Journal of Medicinal and Aromatic Plants*, **1**: 278–286.
- Gohil, K.J., Patel, G.A., dan Gajjar, A.K., 2010. Pharmacological Review on *Centella asiatica*: A Potential Herbal Cure-all. *Indian Journal of Pharmaceutical Sciences*, **72**: 545–556.
- Guz, Y., Nasir, I., dan Teitelman, G., 2001. Regeneration of pancreatic β cells from intra-islet precursor cells in an experimental model of diabetes. *Endocrinology*, **142**: 4956–4968.
- Hossain, M.A., Roy, B.K., Ahmed, K., Chowdhury, A.S., dan Rashid, M.A., 2007. Antidiabetic activity of *Andrographis paniculata*. *Dhaka University Journal of Pharmaceutical Sciences*, **6**: 15–20.
- Ji, X., Li, C., Ou, Y., Li, N., Yuan, K., Yang, G., dkk., 2016. Andrographolide ameliorates diabetic nephropathy by attenuating hyperglycemia-mediated renal oxidative stress and inflammation via Akt/NF- κ B pathway. *Molecular and Cellular Endocrinology*, **437**: 268–279.
- Junqueira, L.C., 1980. *Histologi Dasar*, Edisi 3. Penerbit Buku Kedokteran EGC, Jakarta.

- Kementerian Kesehatan RI. 2014, *InfoDATIN, Pusat Data dan Informasi Kementerian Kesehatan RI, Situasi dan Analisis Diabetes*, Jakarta, Kementerian Kesehatan Republik Indonesia.
- Kierszenbaum, A. dan Tres, L.L., 2012. *Histology and Cell Biology*, Third. ed. Elsevier Saunders, New York.
- Kikui, Y., Seguchi, H., dan Mizoguti, H., 1977. A differential staining method for A-and B-cells in the pancreatic islets of Langerhans. *Acta Histochemica et Cytochemica*, **10**: 10–13.
- Kumawat, M., Sharma, T.K., Singh, I., Singh, N., Ghalaut, V.S., Vardey, S.K., dkk., 2013. Antioxidant Enzymes and Lipid Peroxidation in Type 2 Diabetes Mellitus Patients with and without Nephropathy. *North American Journal of Medical Sciences*, **5**: 213.
- Lenzen, S., 2008. The mechanisms of alloxan- and streptozotocin-induced diabetes. *Diabetologia*, **51**: 216–226.
- Lestari, A.B., Fudholi, A., Nugroho, A.K., dan Setyowati, E.P., 2015. Pengaruh Purifikasi n-Heksana pada Serbuk Simplisia terhadap Kadar Asiatikosida, Penangkapan Radikal Bebas dan Kadar Fenol Total Ekstrak Etanolik Herba Pegagan (*Centella asiatica* (L.) Urban). *Jurnal Ilmu Kefarmasian*, **Volume 13**: 10–16.
- Lindawati, N.Y., 2013. 'Pengaruh Kombinasi Ekstrak Etanolik Herba Sambiloto (*Andrographis paniculata* (Burm.f) Ness) Dan Herba Pegagan (*Centella asiatica* (L.) Urban) Terhadap Kadar Glukosa Darah dan Translokasi Protein GLUT-4 Pada Tikus Diabetes Mellitus Tipe 2 Resistensi Insulin', *Tesis*, M.Sc, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Maulidiani, Abas, F., Khatib, A., Perumal, V., Suppaiah, V., Ismail, A., dkk., 2016. Metabolic alteration in obese diabetes rats upon treatment with *Centella asiatica* extract. *Journal of Ethnopharmacology*, **180**: 60–69.
- Misra, H.P. dan Fridovich, I., 1972. The role of superoxide anion in the autoxidation of epinephrine and a simple assay for superoxide dismutase. *Journal of Biological chemistry*, **247**: 3170–3175.
- Nugroho, A.E., 2006. Animal Models of Diabetes Mellitus: Pathology and Mechanism of Some Diabetogenics. *Biodiversitas, Journal of Biological Diversity*, **7**: 378–382.
- Nugroho, A.E, 2014, *Farmakologi Obat-obat Penting dalam Pembelajaran Ilmu Farmasi dan Dunia Kesehatan*, Balai Pustaka, Yogyakarta.
- Nugroho, A.E., Rais, I.R., Setiawan, I., Pratiwi, P.Y., Hadibarata, T., Tegar, M., dkk., 2014a. Pancreatic effect of andrographolide isolated from

Andrographis paniculata (Burm. f.) Nees. *Pakistan Journal of Biological Sciences*, **17**: 22.

Nugroho, A.E., Sari, K.R.P., Sunarwidhi, A.L., dan others, 2014b. Blood Glucose Reduction by Combination of *Andrographis paniculata* (Burm. f.) Ness Herbs and *Azadirachta indica* A. Juss Leaves in Alloxan-Induced Diabetic Rats.

Nugroho, F.A., Ginting, R.M.S., dan Diana, N., 2015. Kadar NF-K β Pankreas Tikus Model Type 2 Diabetes Mellitus dengan Pemberian Tepung Susu Sapi. *Indonesian Journal of Human Nutrition*, **2**: 91–100.

Orhan, I.E., 2012. *Centella asiatica* (L.) Urban: From Traditional Medicine to Modern Medicine with Neuroprotective Potential. *Evidence-Based Complementary and Alternative Medicine*, **2012**: 1–8.

Pramono, S. dan Ajiastuti, D., 2004. Standardisasi ekstrak herba Pegagan (*Centella asiatica* (L.) Urban) berdasarkan kadar asiaticosida secara KLT-densitometri. *Majalah Farmasi Indonesia*, **15**: 119–123.

Rahimi, R., Nikfar, S., Larijani, B., dan Abdollahi, M., 2005. A review on the role of antioxidants in the management of diabetes and its complications. *Elsivier*, **59**: 365–373.

Rais, I.R., 2014. Ekstraksi Andrografolid dari *Andrographis paniculata* (Burm. f.) Nees Menggunakan Ekstraktor Soxhlet. *Pharmaciana*, **4**: .

Rajasekaran, S., Sivagnanam, K., dan Subramanian, S., 2005. Antioxidant effect of Aloe vera gel extract in streptozotocin-induced diabetes in rats. *Pharmacol Rep*, **57**: 90–6.

Ramachandran, V. dan Saravanan, R., 2013a. Asiatic acid prevents lipid peroxidation and improves antioxidant status in rats with streptozotocin-induced diabetes. *Journal of Functional Foods*, **5**: 1077–1087.

Ramachandran, V. dan Saravanan, R., 2013b. Efficacy of asiatic acid, a pentacyclic triterpene on attenuating the key enzymes activities of carbohydrate metabolism in streptozotocin-induced diabetic rats. *Phytomedicine*, **20**: 230–236.

Santoso, U., Kubo, K., dan Ota, T., 1996. Antioxidative Effect of Coconut (*Cocos nucifera* L) Water Extract on TBARS Value in Liver Rats Fed Fish Oil Diet. *Indonesian Food Nutrition Progress*, **3**: 42–49.

Setiawan, I., 2013. 'Efek Antidiabetes Kombinasi Ekstrak Terpurifikasi Herba Sambiloto (*Andrographis paniculata* Burm.f) Ness) Dan Glibenklamid Pada Tikus DM Tipe 2 Defisiensi Insulin', *Tesis*, M.Sc, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.

- Shaival, R.P. dan Shaival, R.K., 2012. Review on *Centella Asiatica*: A Wonder Drug. *International Journal of Pharmaceutical and Chemical Sciences*, **1**: 1369–1375.
- Skovsø, S., 2014. Modeling type 2 diabetes in rats using high fat diet and streptozotocin. *Journal of Diabetes Investigation*, **5**: 349–358.
- Srijanto, B., Bunga, O., Khojayanti, L., Risma, E., dan Sriningsih, 2012. Pemurnian Ekstrak Eyanol Sambiloto (*Andrographis paniculata* Ness) Dengan Teknik Ekstraksi Cair-cair.
- Subramanian, R., Asmawi, M.Z., dan Sadikun, A., 2008. In vitro alpha-glucosidase and alpha-amylase enzyme inhibitory effects of *Andrographis paniculata* extract and andrographolide. *Acta Biochim Pol*, **55**: 391–398.
- Sudoyono, A.W., Setiyohadi, B., Alwi, I., Simadibrata, M., dan Setiadi, S., 2009. *Buku Ajar Ilmu Penyakit Dalam*, Edisi 5. ed. Interna Publising, Jakarta.
- Sundaram, R.K., Bhaskar, A., Vijayalingam, S., Viswanathan, M., Mohan, R., dan Shanmugasundaram, K.R., 1996. Antioxidant status and lipid peroxidation in type II diabetes mellitus with and without complications. *Clinical Science*, **90**: 255–260.
- Szkudelski, T., 2001. The mechanism of alloxan and streptozotocin action in B cells of the rat pancreas. *Physiological research*, **50**: 537–546.
- Verma, V.K., Sarwa, K.K., dan Zaman, K.M., 2013. Antihyperglycemic activity of *Swertia Chirayita* and *Andrographis Paniculata* plant extracts in streptozotocin-induced diabetic rats. *International Journal of pharmacy and pharmaceutical sciences*, **5**: 305–311.
- Wang, R.N., Bouwens, L., dan Klöppel, G., 1994. Beta-cell proliferation in normal and streptozotocin-treated newborn rats: site, dynamics and capacity. *Diabetologia*, **37**: 1088–1096.
- Wardiatini, N.K., 2012. 'Uji Aktivitas Antihiperlipidemia Dan Antiaterosklerosis Isolat Andrographolid Dan EkstrakTerpurifikasi Herba Sambiloto (*Andrographis paniculata* (Burm.f) Ness) Pada Tikus Diabetes Mellitus Tipe 2 Resistensi Insulin', *Tesis*, M.Sc, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Wierup, N., Svensson, H., Mulder, H., dan Sundler, F., 2002. The ghrelin cell: a novel developmentally regulated islet cell in the human pancreas. *Regulatory peptides*, **107**: 63–69.
- World Health Organization, 2016. *World Health Day 2016 – How to get involved*, Singapore, WHO.



- Yin, D., Tao, J., Lee, D.D., Shen, J., Hara, M., Lopez, J., dkk., 2006. Recovery of Islet β -Cell Function in Streptozotocin- Induced Diabetic Mice. *Diabetes*, **55**: 3256–3263.
- Yin, Z., Yu, H., Chen, S., Ma, C., Ma, X., Xu, L., dkk., 2015. Asiaticoside attenuates diabetes-induced cognition deficits by regulating PI3K/Akt/NF- κ B pathway. *Behavioural Brain Research*, **292**: 288–299.
- Zhang, X.-F. dan Tan, B.K.-H., 2000. Antihyperglycaemic And Anti-Oxidant Properties Of *Andrographis Paniculata* In Normal And Diabetic Rats. *Clinical and Experimental Pharmacology and Physiology*, **27**: 358–363.
- Zhang, Z., Jiang, J., Yu, P., Zeng, X., Larrick, J.W., dan Wang, Y., 2009. Hypoglycemic and beta cell protective effects of andrographolide analogue for diabetes treatment. *Journal of Translational Medicine*, **7**: 62.