

REFERENCES

- Appiah, K.S., Li, Z., Zeng, R., Luo, S., Oikawa, Y., and Fujii, Y. 2015. Determination of allelopathic potentials in plant species in Sino - Japanese floristic region by sandwich method and dish pack method. *Int. J. Basic Appl. Sci.* 4: 381–394.
- Backer, C.A. and Van Den Brink Jr., R.C. 1965. *Flora of Java (Spermatophytes only)* Vol II., N.V.P. Noordhoff-Groningen, pp. 116-118.
- Bell, D.T. 1974. The influence of osmotic pressure in tests for allelopathy. *Transactions, Ill. State Acad. Sci.* 67 (3): 312–317.
- Berg, B., and McClaugherty, C. 2008. *Plant litter: Decomposition, Humus Formation, Carbon Sequestration*, Springer-Verlag, Berlin Heidelberg, pp. 1-18.
- Blum, U. 2011. *Plant - Plant Allelopathic Interaction*, Springer Science+Business Media B.V., New York, pp. 1-5.
- Blum, U. 2014. *Plant-Plant Allelopathic Interactions II*, Springer International Publishing, Switzerland, pp 31-43.
- Bradbeer, J.W., 1988. *Seed Dormancy and Germination*, New York: Chapman and Hall. p. 66.
- Cantliffe, D.J., Sung, Y., and Nascimento, W. 2000. *Lettuce seed germination*. pp. 229–275. In Janick, J. (Ed.) *Horticultural Reviews*. Vol. 24. John Wiley & Sons, New York.
- Corcoran, M.R., Geissman, T.A., and Phinney, B.O. 1972. Tannins as gibberellin antagonists. *Plant Physiol.* 49: 323-330.
- CITES. 2013. *Appendices I, II and III*. (<http://www.cites.org/eng/app/appendices.php>). Accessed on January 6th 2014.
- Chon, S.-U, and Nelson, C.J. 2010. Review article Allelopathy in Compositae plants . A review. *Agron. Sustain. Dev.* 30: 349–358.
- Chon, S.U., Kim, Y.M., and Lee, J.C. 2003. Herbicidal potential and quantification of causative allelochemicals from several Compositae weeds. *Weed Research.* 43 (6): 444–450.
- Coria-Cayupán, Y.S., De Pinto, M.I.S., and Nazareno, M.A., 2009. Variations in bioactive substance contents and crop yields of lettuce (*Lactuca sativa* L.) cultivated in soils with different fertilization treatments. *Journal of Agricultural and Food Chemistry.* 57 (21): 10122–10129.
- Crozier, A., Lean, M.E.J., McDonald, M.S., and Black, C. 1997. Quantitative analysis of the flavonoid content of commercial tomatoes, onions, lettuce, and celery. *Journal of Agricultural and Food Chemistry.* 45 (3): 590–595.
- Dewanjee, S., Maiti, A., Das, A.K., Mandal, S.C., and Dey, S.P. 2009. Swietenine: A potential oral hypoglycemic from *Swietenia macrophylla* seed. *Fitoterapia.* 80: 249–251.
- Eid, A.M.M., Elmarzughi, N.A., and El-Enshasy, H.A. 2013. A review on the phytopharmacological effect of *Swietenia macrophylla*. *Int. J. Pharm. Pharm. Sci.* 5: 47–53.

- Einhelling, F.A. 1995. *Allelopathy: Current Status and Future Goals*. pp. 1-18.
In Inderjit, Dakshini, K.M.M., and Einhelling, F.A. (Eds.) *Allelopathy: Organisms, Processes, and Applications*. American Chemical Society, Washington DC.
- El Zalabani, S.M., El-Askary, H.I., Mousa, O.M., Issa, M.Y., Zaitoun, A.A., and Abdel-Sattar, E. 2012. Acaricidal activity of *Swietenia mahogani* and *Swietenia macrophylla* ethanolic extracts against *Varroa destructor* in honeybee colonies. *Exp. Parasitol.* 130: 166–170.
- Fan, K.C., Hsi, H.C., Chen, C.W., Lee, H.L., and Hseu, Z.Y. 2011. Cadmium accumulation and tolerance of mahogany (*Swietenia macrophylla*) seedlings for phytoextraction applications. *J. Environ. Manage.* 92: 2818–2822.
- Farooq, M., Jabran, K., Cheema, Z.A., Wahid, A., and Siddique, K.H. 2011. The role of allelopathy in agricultural pest management. *Pest Manag. Sci.* 67: 493–506.
- Fessenden, R.J. and Fessenden, J.S. *Kimia Organik Edisi Ketiga* (translate edition), Erlangga, pp. 20-27.
- Fujii, Y., Shibuya, T., and Yasuda, T., 1990. Method for screening allelopathic activities by using the logistic function (RICHARDS' function) fitted to lettuce seed germination and growth curves. *Weed Res. Japan.* 35: 353–361.
- Fujii, Y., Furukawa, M., Hayakawa, Y., Sugahara, K. and Shibuya, T. 1991. Survey of Japanese Medicinal Plants for the Detection of Allelopathic Properties. *Weed Research Japan.* 36 (1): 36-42.
- Fujii, Y., Parvez, S.S., Parvez, M.M., Ohmae, Y., and Uda, O. 2003. Screening of 239 medicinal plant species for allelopathic activity using the sandwich method. *Weed Biol. Manag.* 3: 233–241.
- Fujii, Y., Shibuya, T., Nakatani, K., Itani, T., Hiradate, S., and Parvez, M.M. 2004. Assessment method for allelopathic effect from leaf litter leachates. *Weed Biol. Manag.* 4: 19–23.
- Fujii, Y., Matsuyama, M., Hiradate, S., and Shimozawa, H. 2005. *Dish pack method: a new bioassay for volatile allelopathy*. (http://www.regional.org.au/au/allelopathy/2005/2/3/2576_fujiy.htm). Accessed on February 8th, 2017.
- Fujii, Y., Pariasca, D., Shibuya, T., Yasuda, T., Kahn, B., and Waller, G.R. 2007. *Plant-box method: a specific bioassay to evaluate allelopathy through root exudates*. p 43. In Fujii, Y. and Hiradate, S. (Eds.) *Allelopathy new concepts and methodology*. Science Publishers, Enfield.
- Fujii, Y., 2008. Screening of Allelopathy by Bioassay and Isolation of Allelochemicals : New Bioactive Agrochemicals from Natural Products 213.
- Gniazdowska, A. and Bogatek, R. 2005. Allelopathic interactions between plants . Multi site action of allelochemicals. *Acta Physiol. Plant.* 27: 395–407.
- Goh, B.H., Chan, C.K., Kamarudin, M.N.A., and Abdul Kadir, H. 2014. *Swietenia macrophylla* King induces mitochondrial-mediated apoptosis through p53 upregulation in HCT116 colorectal carcinoma cells. *J. Ethnopharmacol.* 153: 375–385.

- Golisz, A., Lata, B., Gawronski, S.W., and Fujii, Y. 2007. Specific and total activities of the allelochemicals identified in buckwheat. *Weed Biol. Manag.* 7: 164–171.
- Golisz, A., Sugano, M., Hiradate, S., and Fujii, Y. 2011. Microarray analysis of *Arabidopsis* plants in response to allelochemical L-DOPA. *Planta* 233: 231–240.
- Han, Y.-F., Cao, G.-X., Gao, X.-J., and Xia, M., 2010. Isolation and characterisation of the sesquiterpene lactones from *Lactuca sativa* L var. *anagustata*. *Food Chemistry*. 120 (4): 1083–1088.
- Harsha, S.N., Anilakumar, K.R., and Mithila, M. V. 2013. Antioxidant properties of *Lactuca sativa* leaf extract involved in the protection of biomolecules. *Biomedicine and Preventive Nutrition*. 3 (4): 367–373.
- Heyne, K. 1987. *Tumbuhan Berguna Indonesia (II)* (Translation.), Yayasan Sarana Wana Jaya, Jakarta, pp. 1114-1115.
- Hiradate, S., 2006. Isolation strategies for finding bioactive compounds: specific activity vs. total activity. *ACS Symp. Ser.* 927: 113–126.
- Hiradate, S., Ohse, K., Furubayashi, A., and Fujii, Y. 2010. Quantitative Evaluation of Allelopathic Potentials in Soils: Total Activity Approach. *Weed Sci.* 58: 258–264.
- Ismail, H. and Mirza, B. 2015. Evaluation of analgesic, anti-inflammatory, anti-depressant and anti-coagulant properties of *Lactuca sativa* (CV. Grand Rapids) plant tissues and cell suspension in rats. *BMC Complementary and Alternative Medicine*. 15 (1): 199.
- Jabran, K., Mahajan, G., Sardana, V., and Chauhan, B.S. 2015. Allelopathy for weed control in agricultural systems. *Crop Prot.* 72: 57–65.
- Kato-naguchi, H., Kobayashi, A., Ohno, O. Kimura, F., Fujii, Y., and Suegana, K. 2014. Phytotoxic substances with allelopathic activity may be central to the strong invasive potential of *Brachiaria brizantha*. *Journal of Plant Physiology*. 171: 525-530.
- Kim, M.J., Moon, Y., Tou, J.C., Mou, B., and Waterland, N.L. 2016. Nutritional value, bioactive compounds and health benefits of lettuce (*Lactuca sativa* L.). *Journal of Food Composition and Analysis*. 49: 19–34.
- Krisnawati, H., Kallio, M., and Kanninen, M. 2011. *Swietenia macrophylla* King: Ecology, silviculture and productivity, CIFOR, Bogor, pp.1-14.
- Llorach, R., Tomás-barberán, F.A., and Toma, F.A. 2008. Characterisation of polyphenols and antioxidant properties of five lettuce varieties and escarole. *Food Chem.* 108: 1028–1038.
- Loranger, G., Ponge, J.F., Imbert, D., and Lavelle, P. 2002. Leaf decomposition in two semi-evergreen tropical forests: Influence of litter quality. *Biol. Fertil. Soils*. 35: 247–252.
- Macias, F.A. 1995. *Allelopathy in the Search for Natural Herbicide Models*. pp. 300-326. In Inderjit, Dakshini, K.M.M., and Einhelling, F.A. (Eds.) *Allelopathy: Organisms, Processes, and Applications*. American Chemical Society, Washington DC.

- Mai, F. and Glomb, M.A. 2016. Structural and Sensory Characterization of novel sesquiterpene lactones from iceberg lettuce. *Journal of Agricultural and Food Chemistry*. 64 (1): 295–301.
- Mardani, H., Kazantseva, E., Onipchenko, V., and Fujii, Y. 2016. Evaluation of allelopathic activity of 178 Caucasian plant species. *Int. J. Basic Appl. Sci.* 5: 75–81.
- McMurry, J. 2016. *Organic Chemistry* Ninth ed., Cengage Learning, Boston, pp. 29-32.
- Moghadamtousi, S.Z., Goh, B.H., Chan, C.K., Shabab, T., and Kadir, H.A. 2013. Biological activities and phytochemicals of *Swietenia macrophylla* King *Molecules*. 18: 10465–10483.
- Morikawa, C.I.O., Miyaura, R., de Lourdes Tapia y Figueroa, M., Rengifo Salgado, E.L., and Fujii, Y. 2012. Screening of 170 Peruvian plant species for allelopathic activity by using the Sandwich Method. *Weed Biol. Manag.* 12: 1–11.
- Muhartini, S. 1987. Allelopathy mahoni (*Swietenia mahogany* Jacq.) Terhadap Perkecambahan dan Pertumbuhan Tanaman Disekitarnya, Research manuscript, Faculty of Agriculture UGM, Yogyakarta.
- Mulabagal, V., Ngouajio, M., Nair, A., Zhang, Y., Gottumukkala, A.L., and Nair, M.G. 2010. In vitro evaluation of red and green lettuce (*Lactuca sativa*) for functional food properties. *Food Chemistry*. 118 (2): 300–306.
- Naylor, R.E.L., and Lutman, P.J. 2002. *What is a weed?*. pp. 1-15.
In Naylor, R.E.L. (Eds.) *Weed Management Handbook* 9th Ed. Blackwell, Oxford.
- Neumann, G., Bott, S., Ohler, M.A., Mock, H.P., Lippmann, R., Grosch, R., and Smalla, K. 2014. Root exudation and root development of lettuce (*Lactuca sativa* L. Cv. Tizian) as affected by different soils. *Frontiers in Microbiology*. 5 (2): 1–6.
- NIEAS. (2006) 高いアレロパシー活性を有する植物種のスクリーニング.
(http://www.niaes.affrc.go.jp/sinfo/result/result30/result30_44.pdf).
Accessed on November 8th, 2016
- Nugroho, S.A. 2014. Litterfall production and semi aerobic decomposition of leaf mahogany (*Swietenia macrophylla* King), Thesis manuscript, Sekolah Pascasarjana IPB, Bogor,
(<http://repository.ipb.ac.id/handle/123456789/69250>).
Accessed on November, 2nd 2016.
- Orwa, *et al.*, 2009. *Swietenia macrophylla*. Agroforestry Database 4.0.
- Paritala, V., Chiruvella, K.K., Thammineni, C., Ghanta, R.G., and Mohammed, A. 2015. Phytochemicals and antimicrobial potentials of mahogany family. *Revista Brasileira de Farmacognosia*. 25: 61-83.
- Pepe, G., Sommella, E., Manfra, M., De Nisco, M., Tenore, G.C., Scopa, A., Sofo, A., Marzocco, S., Adesso, S., Novellino, T., and Campiglia, P. 2015. Evaluation of anti-inflammatory activity and fast UHPLC-DAD-IT-TOF profiling of polyphenolic compounds extracted from green lettuce (*Lactuca sativa* L.; Var. Maravilla de Verano). *Food Chemistry*. 167: 153–161.

- Pinto, E. and Ferreira, I.M.P.L.V.O., 2015. Changes in the content of free and conjugated polyamines during Lettuce (*Lactuca sativa*) growth. *Journal of Agricultural and Food Chemistry*. 63 (2): 440–446.
- Putnam, A.R., Defrank, J., and Barnes, J.P. 1983. Exploitation of allelopathy for weed control in annual and perennial cropping systems. *J. Chem. Ecol.* 9: 1001-1011.
- Rice, E.L. 1984. Allelopathy, Florida, Academic Press Inc.
- Renata, H. 2011. Limonoid.
(https://www.scripps.edu/baran/images/grpmtgpdf/Renata_Apr_11.pdf).
Accessed on August 4th 2016.
- Roy, A., and Saraf, S. 2006. Limonoids: overview of significant bioactive triterpenes distributed in plants kingdom. *Biol. Pharm. Bull.* 29: 191–201.
- Sayyah, M., Hadidi, N., and Kamalinejad, M. 2004. Analgesic and anti-inflammatory activity of *Lactuca sativa* seed extract in rats. *Journal of Ethnopharmacology*. 92: 325–329.
- Sessa, R.A., Bennett, M.H., Lewis, M.J., Mansfield, J.W., and Beale, M.H., 2000. Metabolite profiling of sesquiterpene lactones from *Lactuca* species. 275 (35): 26877–26884.
- Shinomura, T. 1997. Phytochrome regulation of seed germination. *J. Plant Res.* 110: 151-161.
- Singh, H.P., Batish, D.R., and Kohli, R.K., 2003. Allelopathic Interactions and Allelochemicals: New Possibilities for Sustainable Weed Management. *CRC Crit. Rev. Plant Sci.* 22: 239–311.
- Snook, L.K., Cámara-Cabrales, L., and Kelty, M.J., 2005. Six years of fruit production by mahogany trees (*Swietenia macrophylla* King): Patterns of variation and implications for sustainability. *For. Ecol. Manage.* 206: 221–235.
- Soares, M.G., Batista-Pereira, L.G., Fernandes, J.B., Corrêa, A.G., Da Silva, M.F.G.F., Vieira, P.C., Rodrigues Filho, E., and Ohashi, O.S., 2003. Electrophysiological responses of female and male *Hypsipyla grandella* (zeller) to *Swietenia macrophylla* essential oils. *J. Chem. Ecol.* 29: 2143–2151.
- Taiz, L. and Zeiger, E., 2002. Plant Physiology Third ed, Sinauer Associates, Sunderland, pp. 339-402.
- Takaki, M., 2001. New proposal of classification of seeds based on forms of phytochrome instead of photoblastism. *R. Bras. Fisiol. Veg.* 13: 104–108.
- Takemura, T., Sakuno, E., Kamo, T., Hiradate, S., and Fujii, Y. 2013. Screening of the Growth-Inhibitory Effects of 168 Plant Species against Lettuce Seedlings. *Am. J. Plant Sci.* 4: 1095–1104.
- TAKII. 2017. *Lettuce variety Legacy*.
http://www.takiiseed.com/goods_list/goods_list_3.php?p=1&called=category&sort=code&disp=10&vctg_no=209&now_page=1&o_no=L48
Accessed on June 11th, 2017.
- Tan, S.K., Osman, H., Wong, K.C., Boey, P.L., 2009. New phragmalin-type limonoids from *Swietenia macrophylla* King *Food Chem.* 115: 1279–1285.

- Tambaru, E. 1998. Pengaruh Hasil Dekomposisi Seresah Mahoni (*Swietenia macrophylla* King) Terhadap Perkecambahan Biji, Infeksi Mikoriza Vesikular-Arbuskular dan Pertumbuhan Bibit Akasia (*Acacia mangium* Wild.), Thesis, Faculty of Biology UGM, Yogyakarta.
- USDA¹. 2015. *Swietenia macrophylla* King (<http://plants.usda.gov/core/profile?symbol=SWMA>). Accessed on August 9th, 2016.
- USDA². 2017. *Lactuca sativa* L. Classification. <https://plants.usda.gov/core/profile?symbol=LASA3>. Accessed on June 12th, 2017.
- Wade, L.G. 2013. *Organic Chemistry* Eighth ed, Pearson Education, Inc., USA, pp.72; 76.
- Weir, T.L., Park, S.W., and Vivanco, J.M., 2004. Biochemical and physiological mechanisms mediated by allelochemicals. *Curr. Opin. Plant Biol.* 7: 472–479.
- Whitmore, T.C. (2003). *Mahogany: tree of the future*. pp. 1-5. In Lugo, A.E., Colón, J.C.F., and Alayón, M. (Eds.) *Big-Leaf Mahogany Genetics, Ecology, and Management*. Springer-Verlag.
- World Conservation Monitoring Centre. 1998. *Swietenia macrophylla*. *The IUCN Red List of Threatened Species 1998*: e.T32293A9688025. (<http://dx.doi.org/10.2305/IUCN.UK.1998.RLTS.T32293A9688025.en>). Accessed on June 3rd, 2016.
- Wyse, S. V and Burns, B.R. 2017. Effects of *Agathis australis* (New Zealand kauri) leaf litter on germination and seedling growth differs among plant species. *New Zealand Journal of Ecology.* 37 (2): 178–183.
- Xu, F., Zou, G.A., Liu, Y.Q., and Aisa, H.A. 2012. Chemical constituents from seeds of *Lactuca sativa*. *Chemistry of Natural Compounds.* 48 (4): 574–576.
- Xuan, T.D., Shinkichi, T., Khanh, T.D., and Chung, I.M. 2005. Biological control of weeds and plant pathogens in paddy rice by exploiting plant allelopathy: An overview. *Crop Prot.* 24: 197–206.