

DAFTAR PUSTAKA

- Bennett, P. Epidemiology of Type 2 Diabetes Mellitus. In LeRoith et.al, Diabetes Mellitus a Fundamental and Clinical Text. Philadelphia : Lippincott William & Wilkins. 2008 ; 43(1): 544-7.
- Bouayed, J. dan Bohn, T. 2010. *Exogenous Antioxidants – Double-Edged Swords in Cellular Redox State. Oxid Med Cell Longev* 3 (4): 228-237.
- Brouns FI, Bjorck, Frayn KN, Gibbs AL, Lang V, Slama G, Wolever TMS. Glycemic index methodology. *Nutr.Res.* 2005. Rev. 18(1): 145-171.
- Buraerah, Hakim. *Analisis Faktor Risiko Diabetes Melitus tipe 2 di Puskesmas Tanrutedong, Sidenreg Rappan.*. Jurnal Ilmiah Nasional; 2010 [cited 2017 feb 7]. Available from <http://lib.atmajaya.ac.id/default.aspx?tabID=61&src=a&id=186192>
- Burkitt DP, Trowell HC. 1977. Dietary fiber and western diseases. *Irish Medical Journal* 70(9): 272–277.
- Chandalia, M., A. Garg, D. Lutjohann, K. Bergmann, S.M. Grundy, dan L.J. Brinkley. 2000. Beneficial Effects of High Dietary Fiber Intake in patients with Type 2 Diabetes Mellitus. <http://content.nejm.org/cgi/content/full/342/19/1392>.
- Clarkson, P. M., Thompson, H. S. 2000, Antioxidants: what role do they play in physical activity and health, *J. Clin Nutr. Biochem*, 72.:637S-46S.
- deMan, John M. (1997). *Kimia Makanan*. Bandung : Penerbit ITB.
- Droge, W. 2002, Free radicals in the physiological control of cell function, *Physiologi Review* 82.:47-95.
- EhJJ. 2009. File:Atherosclerosis diagram.png. <https://commons.wikimedia.org/wiki/File:Atherosclerosis_diagram.png> (diakses 2 February 2017).
- Fang, Y.Z., Yang, S., dan Wu, G. 2002. *Free Radicals, Antioxidants, and Nutrition. Nutrition* 18 (10): 872-879.
- Fithriyati, M.N.C. 2015. *Perbandingan Efek Anti Inflamasi Antara Ekstrak Antosianin Beras Hitam (Oryza sativa L.) dan Ubi Jalar Ungu (Ipomea batatas poiret) pada Tikus Diabetes Mellitus Tipe 2*. Tesis: Fakultas Teknologi Pertanian, Universitas Gadjah Mada.
- Foster, P.K.F., S.H.A. Holt, and J.C.B. Miller. 2002. International table of glycemic index and glycemic load values. *Am. J. Clin.Nutr.* 76(1): 45–56

- Ghosh, D., & Konishi, T. (2007). Anthocyanins and Anthocyanin-Rich extracts Role in Diabetes and Eye Function. *APJCN*, 200-207.
- Gordon N.P., Davis C.C., & Chen R.S., 2003. Patient Knowledge and Awareness of Hypertension Is Suboptimal: Results From a Large Health Maintenance Organization. *The Journal of Clinical Hypertension*. 5: 254-60.
- Guyton & Hall. 2008. Buku ajar fisiologi kedokteran Ed. 11. Jakarta: EGC.
- Haffner, S.M., 1999. Obesity, Body Fat Distribution and Insulin Resistance. In : Izzo Jr, J.L., and Black, H.R., 1999. *Hypertension Primer: The Essential of High Blood Pressure*. 2nd. USA : American Heart Association, 256-258.
- Hartati, S. 2012. *Potensi Beras Wulung sebagai Makanan Diet Penderita Diabetes Mellitus: Pengaruh Pengolahan terhadap Kandungan Antosianin*. Seminar Hasil Penelitian dan Pengabdian Kepada Masyarakat, Universitas Veteran Bangun Nusantara : 12-17.
- Hiemori, M., Koh, E., dan Mitchell, A.E. 2009. *Influence of Cooking on Anthocyanins in Black Rice (Oryza sativa L. Japonica var. SBR)*. *J Agric Food Chem* 57: 1908-1914.
- Hou, Z., Qin, P., Zhang, Y., Cui, S., dan Ren, G. 2013. *Identification of Anthocyanins Isolated from Black Rice (Oryza sativa L.) and Their Degradation Kinetics*. *Food Res Int* 50 (2): 691-697.
- Janke, J., Engeli, S., Boschmann, M., Adams, F., Böhnke, J., Luft, F.C., Sharma, A.M., dan Jordan, J. 2006. *Retinol-Binding Protein 4 in Human Obesity*. *Diabetes* 55 (10): 2805-2810.
- Jenkins, D.J.A., T.M.S. Wolever, R.H. Taylor, H. Barker, H. Fielden, J.M. Baldwin, A.C. Bowling, H.C. Newman, A.L. Jenkins, and D.V. Goff. 1981. Glycemic index of foods: a physiological basis for carbohydrate exchange. *Am. J. Clin. Nutr.* 34: 362–366
- Jenkins, D.J.A., C.W.C. Kendall, L.S.A. Augustin, S. Franceschi, M. Hamidi, A. Marchie, A.L. Jenkins, and M. Axelsen. 2002. Glycemic index: overview of implications in health and disease. *Am. J. Clin. Nutr.* 76(Suppl.): 266S–273S.
- Klein, S., Romijn, J.A. Obesity. Dalam Larsen PR et al. *Williams Textbook of Endocrinology*. 10th Ed, Philadelphia : Mosby Co. 2003. P 1619-1641.
- Konczak, I. dan Zhang, W. 2004. *Anthocyanins—More than Nature's Colours*. *J Biomed Biotechnol* 2004 (5): 239-240.

- Kristantini. 2014. *Kajian Genetik Warna Beras Padi*. Disertasi: Fakultas Pertanian, Universitas Gadjah Mada.
- Kusumawardhani, A. 2014. *Pengaruh Campuran Ekstrak Antosianin Beras Hitam (Oryza sativa L.) dan Ekstrak Protein Kedelai Hitam (Glycine max (L) Merr.) terhadap Profil Lipid dan Status Antioksidan Plasma Tikus Dislipidemia*. Tesis: Fakultas Teknologi Pertanian, Universitas Gadjah Mada.
- Ludwig D.S. 2000. Dietary Glycemic Index and Obesity. *J Nutr.*, Volt. 130:280S-283S
- Marsono, Y., 2001. Glycemic Index of Selected Indonesian Starchy Foods. *Indonesian Food and Nutrition Progress* 8: 15-20.
- Marsono, Y., 2002. Indek glisemik umbi-umbian. *Agritech* 22 : 13-16.
- Matsui, T., Ebuchi, S., Kobayashi, M., Fukui, K., Sugita, K., Terahara, N., dan Matsumoto, K. 2002. *Anti-hyperglycemic Effect of Diacylated Anthocyanin Derived from Ipomoea batatas Cultivar Ayamurasaki Can Be Achieved through the α -Glucosidase Inhibitory Action*. *J Agric Food Chem* 50 (25): 7244-7248.
- Mayes, P.A., Botham, KM. Lipid Transport and Storage. Dalam Murray, K.Robert, Granner, K. Daryl, Mayes, A. Peter, Rodwell, W. Victor. *Harper's illustrated biochemistry*. 26th ed. New York : Lange Medical Books/ Mc Graw- Hill. 2003. P 205-218.
- Meydani, M. 2001. *Vitamin E and Atherosclerosis: Beyond Prevention of LDL Oxidation*. *J Nutr* 131: 366S-368S.
- Miguel, M.G. 2011. *Anthocyanins: Antioxidant and/or Anti-inflammatory Activities*. *JAPS* 1 (6): 7-15.
- Miller, J.B., E. Pang, and L. Bramall. 1992. Rice: a high or low glicemic food. *Am. J. Clin. Nutr* 56: 1034–1036.
- Monro, J.A and M.Shaw. 2008. Glycemic impact, glycemic glucose equivalents, glycemic index, and glycemic load : definitions, distinctions, and implications. *Am J. Clin Nutr.*, Vol. 87: 237S-243S.
- Muchtadi, Deddy. 2009. *Pengantar Ilmu Gizi*. Bandung : Alfabeta.
- Nam HC. *IDF diabetes atlas*. 6th ed. Belgia: International Diabetes Federation; 2013.
- Pramitasari, R. 2014. *Potensi Antioksidan Minuman Fungsional Berbasis Beras Hitam (Oryza sativa L. Indica) dan Kedelai Hitam (Glycine max L. Merr)*

untuk Lansia Penyandang Diabetes Mellitus Tipe 2. Tesis: Fakultas Teknologi Pertanian, Universitas Gadjah Mada.

Riata, Rita. (2010). Pengaruh Beberapa Faktor pada Komposisi dan Stabilitas Antosianin dalam Black Currant.[Online]. Tersedia: <http://ritariata.blogspot.com/2010/03/antosianin.html>.

Rimbawan dan A. Siagian. 2004. Indeks Glikemik Pangan. Bogor: Panebar Swadaya

Rusilanti. 2008. Menu Sehat untuk Pengidap Diabetes Mellitus. Jakarta: Kawan Pustaka

Sasaki, R., Nishimura, N., Hoshino, H., Isa, Y., Kadowaki, M., Ichi, T., Tanaka, A., Nishiumi, S., Fukuda, I., Ashida, H., Horio, F., dan Tsuda, T. 2007. *Cyanidin 3-glucoside Ameliorates Hyperglycemia and Insulin Sensitivity Due to Downregulation of Retinol Binding Protein 4 Expression in Diabetic Mice.* *Biochem Pharmacol* 74 (11): 1619-1627.

Satyatama, D.I. 2008. Pengaruh Kopigmentasi terhadap Stabilitas Warna Antosianin Buah Duwet (*Syzygium cumini*). (Tesis). Fakultas Pertanian. Institut Pertanian Bogor. Bogor. 52 hlm.

Sies, H. 1997. *Oxidative stress: Oxidants and Antioxidants.* *Exp Physiol* 82: 291-295.

Similia, M. 2012. Glycemic Index in Epidemilogic Study of Tipe 2 Diabetes. Disertation. Finlandia : University of Helsinki.

Sinclair, C. 2005. *Dictionary of Food.* Edisi 2. Italia: A & C Black Publishers Ltd.

Suardi, D. dan Ridwan, I. 2009. *Beras Hitam, Pangan Berkhasiat yang Belum Populer.* *Warta Penelitian dan Pengembangan Pertanian* 31 (2): 9-10.

Sunarni, T., Suwidjiyo Pramono dan Ratna Asmah. 2007. Flavonoid Antioksidan Penangkap Radikal dari Daun Kepel (*Stelechocarpus burahol*(Bl.) Hook f. & Th.). *Majalah Farmasi Indonesia*. 18(3). 111-116.

Tandon, V.R., Verma, S., Singh, J.B., dan Mahajan, A. 2005. *Antioxidants and Cardiovascular Health.* *JK Science* 7 (2): 61-64.

Tandra, H., 2008. Segala Sesuatu yang Harus Anda Ketahui Tentang Diabetes. Penerbit PT. Gramedia Pustaka Utama, Jakarta

Wang et al. 2007. Whole-and refine-grain intakes and the risk of hypertension in women. *Am J Clin Nutr* 86(2):472-479.

- Waspadji, Sarwono, dkk. 2003. Indeks Glikemik Berbagai Makanan Indonesia. Jakarta : Fakultas Kedokteran Universitas Indonesia.
- Widowati, S. 2007. Pemanfaatan ekstrak teh hijau (*Camellia sinensis* O. Kuntze) dalam pengembangan beras fungsional untuk penderita diabetes melitus. Disertasi. Sekolah Pascasarjana Institut Pertanian Bogor
- Wilcox, J.K., Ash, S.L., dan Catignani, G.L. 2004. *Antioxidants and Prevention of Chronic Disease. Crit Rev Food Sci Nutr* 44 (4): 275-295.
- Winarsi, H. 2011. *Antioksidan Alami dan Radikal Bebas*, Cetakan V. Yogyakarta: Penerbit Kanisius. ISBN: 978-979-21-1612-0.
- Winarti, S. 2010. Makanan Fungsional. Graha Ilmu, Yogyakarta.
- Zhang, M.W., Guo, B.J., Zhang, R.F., Chi, J.W., Wei, Z.C., Xu, Z.H., Zhang, Y., dan Tang, X.J. 2006. *Separation, Purification and Identification of Antioxidant Compositions in Black Rice. Agric Sci in China* 5 (6): 431-440.