PENGARUH PATI AUTOCLAVING
ÃÆ'Â¢Ã¯Â¿Â½Ã¯Â¿Â½
COOLING KORO PEDANG PUTIH (Canavalia ensiformis (L.) DC.) TINGGI RS-4 TERHADAP PENURUNAN GLUKOSA
DAN KARAKTERISTIK DIGESTA TIKUS DIABETES MELLITUS TIPE-2 INDUKSI STZ-NA
AZKIA NASTITI, Prof. Dr. Ir. Agnes Murdiati, M.S ; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Agnes-Murdiati, S. Anggrahini, dan Supriyanto, (2013). *Peningkatan "Value Added" Koro Pedang (Canavalia ensiformis* L.*) Sumber Protein nabati Melalui Penyiapan Tepung Koro Pedang Siap Olah dan Hasil Olahannya Berdasarkan Kesesuaian Karakteristik Tepung Yang Diperoleh (Lanjutan)*. Laporan Penelitian PUPT-UGM 2013.

Agnes-Murdiati, S. Anggrahini, dan Supriyanto, (2014). *Peningkatan "Value Added" Koro Pedang (Canavalia ensiformis* L.*) Sumber Protein nabati Melalui Penyiapan Tepung Koro Pedang Siap Olah dan Hasil Olahannya Berdasarkan Kesesuaian Karakteristik Tepung Yang Diperoleh (Lanjutan)*. Laporan Penelitian PUPT-UGM 2015.

Anonim. (1996). *Official Methods of Analysis of AOAC International. 18th ed*. AOAC International suite 500. 481 North Frederick Avenue. Gairhersburg. Maryland. USA

Anonim. (1989). Absorbsi Nutrien. Kursus Singkat Gizi Experimental, PAU Pangan dan Gizi. UGM. Yogyakarta.

Anonim. (1999). *Report of the Informal Working Group On Prevention of Deafness and Hearing Impairment Programme Planning*. Geneva.

Anonim. (2016). Prospek Aneka Kacang Potensial: Koro Pedang sebagai Pengganti Kedelai. http://balitkabi.litbang.pertanian.go.id/?p=4576. [18 Mei 2017].

Arora S.K., Mc Farlane S.I. *The Case for Low Carbohydrate Diets in Diabetes Management*. (2005). Nutr & Metab. 15(2).

ASP NG. (1992). Resistant starch-Proceedings from the second plenary meeting of EURESTA: European FLAIR Concerted Action, 11 on physiological implications of the consumption of resistant starch in man. Preface. European Journal of Clinical Nutrition 46: S1. Quoted in : A. P. Nugent. 2005. Review. Health properties of resistant starch. Nutr Bull, 30, pp. 27-54.

Asp, N-G. dan I. Bjorck. (1992). *Resistant Starch. Review. In Trends in Food Science and Technology 3*. Elsevier, London

Astut, M. (1984). Absorbsi Iodium Dalam Gula Kelapa yang Difortifikasi dengan Iodium pada Usus Tikus Secara In Situ. *Tesis*. UGM. Yogyakarta.

PENGARUH PATI AUTOCLAVING ÃÆ'Â¢Ã¯Â¿Â½Ã¯Â¿Â½ COOLING KORO PEDANG PUTIH (Canavalia ensiformis (L.) DC.) TINGGI RS-4 TERHADAP PENURUNAN GLUKOSA DAN KARAKTERISTIK DIGESTA TIKUS DIABETES MELLITUS TIPE-2 INDUKSI STZ-NA
AZKIA NASTITI, Prof. Dr. Ir. Agnes Murdiati, M.S ; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Borquin, L. D. E.C. Tithetmeyer, K.A. Garleb dan G.C. Fahey, Jr. (1992). Short Chain Fatty Acid Production and Fiber Degradation by Human Colonic Bacteria : Effects of Substrate and Cell Wall Fractionation Procedures. J. Nutr. 122 : 1508-1520.

Budielfreda. (2014). *Profil Lipid dan Glukosa Serum Pda Tikus Sparague Dawley Yang Diberi Pakan Tepung Koro Pedang (Canavalia ensiformis* L.*) Putih*. *Skripsi*. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.

Chau, C. F., dan Y. L. Huang. (2003). *Comparison of the chemical composition and physicochemical properties of different fibres prepared from the peel of Citrussinensis L*. cv. Liucheng. Journal of Agricultural and Food Chemistry, 51, 2615–2618.

Chau, C. F., K. Cheung dan Y. S. Wong. (1997). *Functional properties of protein concentrates from threes chinese indigenous legume seeds.* Journal of Agricultural and Food Chemistry 45(7): 2500-2503.

Colton, T. (1974). *Statistics in Medicine*. Boston, Little: *Brown and Company*.

Cornfine, C., K. Hasenkopf, P. Eisner, dan U. Schweiggert. (2010). *Influence of chemical and physical modification on the bile acid binding capacity of dietary fibre from lupins (Lupinus angustifolius L.)*. Food Chemistry 122 : 638–644.

Cummings, John H. (1989). Metabolism of Dietary Fiber in The Large Intestin. In Cummings, J.H. (ed.). The Role of Dietary Fiber in Enteral Nutrition. Abbptt international LTD-USA.

Damat, Y. Marsono, Haryadi dan M.N. Cahyanto. (2008). *Efek Hipokolesterolemik Dan Hipoglikemik Pati-Garut Butirat Pada Tikus Sparague Dawley*. *Majalah Farmasi Indonesia (MFI)*. Fakultas Farmasi. UGM. Vol. 19 No. 3.

Daniel, M., E. Wisker, G. Rave dan Walter Feldhein. (1997). Fermentation in Human Subjects of Nonstarch Polysaccharides in Mixed Diets, but not in a Barley Fiber Concentrate, Could Be Predicted by in Vitro Fermentation Using Human Fecal Inocula. J. Nutr. 127 : 1981-1988.

Demique, C. dan C. Remesey. (1991). Hepatic Metabolism of Short Chain Fatty Acids Report of the Tenth Roos Conference on Medical Research, Short Chain Fatty Acids : Metabolism and Clinical Importance, Colombus, Ohio, Ross Laboratories.

PENGARUH PATI AUTOCLAVING ÃÆ'Â¢Ã¯Â¿Â½Ã¯Â¿Â½ COOLING KORO PEDANG PUTIH (Canavalia ensiformis (L.) DC.) TINGGI RS-4 TERHADAP PENURUNAN GLUKOSA DAN KARAKTERISTIK DIGESTA TIKUS DIABETES MELLITUS TIPE-2 INDUKSI STZ-NA
AZKIA NASTITI, Prof. Dr. Ir. Agnes Murdiati, M.S ; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Dianandha S.R. (2013). Pengaruh Pemberian Tepung Gembili (*Dioscorea esculenta*) Tterhadap Kadar Trigliserida Tikus Wistar Yang Diinduksi Nikotinamide-Streptozotosin. Skripsi. Fakultas Kedokteran. Universitas Gadjah Mada. Yogyakarta.

Englyst HN, Kingman SM, Cummings JH. (1992). *Classification and Measurement of Nutrionally Important Starch Fraction*. Eur J Clin Nutr 46:3-50.

Englyst, H.N. and Cummings, J.H. (1987). *Digestion Of Polysaccharides Of Potato In The Small Intestine Of Man*. *Am. J. Clin. Nutr*. 45: 423-431.

Fitri RI., Yekti Wirawanni. (2012). *Asupan Energi, Karbohidrat, Serat, Beban Glikemik, Latihan Jasmani dan Kadar glukosa Darah pada Pasien Diabetes Mellitus Tipe 2*. M Med Indonesia. 46:2.

Fortivielle, A.M., Rizkalla, S.w., Penfornis, A., Acosta, M., Bornet, F.R.J. and Slama, G., (1992). *The Use of Low Glycemic Index Foods Improves Metabolic Control of Diabetic Patients Over Five Weeks*. Diabetic Medicine 9:444-50.

Fuentes-Zaragoza, E., M. J. Riquelme-Navarrete, E. Sanchez-Zapata. Sanchez, and J. A. Perez-Alvarez. (2010). *Resistant starch as functional ingredient : A review.* Food Research International 43: 931-942.

Goñia , I., L. García-Diz, E. Mañasb, dan F. Saura-Calixto. (1996). *Analysis of resistant starch: a method for foods and food product*. Food Chem 56(4):445–449.

Gourgue, C. M. P., M. M. J. Champ, Y. Lozano dan J.D. Lavel. (1992). *Dietary Fiber from Mango Byproducts : Characteristicsxation and Hipoglycemic Effect Determination by In Vitro Methods*. J. Agric. Food. Chem. 40 : 1864-1868.

Haralampu, S.G. (2000). *Resistant Starch – a review of the physical properties and biological impact of RS3*. Carbohydrate Polymers 41: 285-292.

Hasjim, J., Y. Ai dan J. L. Jane. (2013). Novel Applications of Amylose-Lipid Complex as Resistant Starch Type 5. Dalam: Shi, Y. C. and C. C. Maningat (ed) : Resistant Starch: sources, applications and health benefits. John Wiley & Sons, Ltd., UK, p 79-94.

Hastin, D.K. (2016). *Profil Lipid Dan Karakteristik Digesta Tikus Sprague Dawley Hiperkolesterol Dengan Fungsi Tiroid Normal Setelah Intervensi Diet Tepung Pisang Uter (Musa paradisiaca Linn*). Fakultas Tekoloh=gi Pertanian. Universitas Gadjah Mada.

PENGARUH PATI AUTOCLAVING
ÃÆ'Â¢Ã¯Â¿Â½Ã¯Â¿Â½
COOLING KORO PEDANG PUTIH (Canavalia ensiformis (L.) DC.) TINGGI RS-4 TERHADAP PENURUNAN GLUKOSA
DAN KARAKTERISTIK DIGESTA TIKUS DIABETES MELLITUS TIPE-2 INDUKSI STZ-NA
AZKIA NASTITI, Prof. Dr. Ir. Agnes Murdiati, M.S ; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Herpadi, Astawan, M., Wresdiyati, T dan Palupi, NS. (2006). *Perubahan Profil Lipida, Kolesterol Digesta dan Asam Propionat pada Tikus dengan Diet Tepung Rumput Laut*. Jurnal Teknol dan Industri Pangan :3 : 227-232.

Hoover, R., F. Sosulsk dan Saskatchewan. (1985). *Studies on the Functional Characteristics and Digestibility of Starches from Phaseolus vulgaris Biotypes*. Starch/starke 37 Nr. 6, S. 181 -191.

Huang, D.P. dan L. W. Rooney. (2001). *Starches for Snacks Foods*. Dalam R.W. Lusas and L.W. Rooney (eds). Snack Foods Processing. CRC Press. New York.

Katoh. (1991). The Effect of O=Short Chain Fatty Acid on the Pancreas : Endocrine and Exocrine. Report of the Tenth Roos Conference on Medical Research ; Short Chain Fatty Acids : Metabolism and Chemical Importance, Columbus, Ohio, Ross Laboratories.

Kusnandar, F. (2010). Teknologi Modifikasi Pati dan Aplikasinya di Industri Pangan. Departemen Ilmu Teknologi Pangan. IPB.

Kusnandar. 2015. *Pati Resisten Sagu Hasil Proses Hidrolisis Asam dan Autoclaving-Cooling*. *Thesis*. Fakultas Teknologi Pertanian. Institut Pertanian Bogor.

Lecklere. C.J., M. Champ, J. Boillot, G. Guille, G. Lecannu, C. Molis, F. Bornet, M. Krempf, J.D. Laval dan J.P. Galmiche. (1994). *Role of Viscous Guar Gums in Lowering the Glycemic Response After a Solid Meal*. Am. J. Clin. Nutr. 59 : 914-921.

Lehman, U., G. Jacobasch dan D. Schmiedl. (2002). Characterization of Resistant Starch Type III from Banana (*Musa acuminate*). J. Agric. Food Chem, 50:5236-5240.

Lehninger, A.L. (1990). Dasar-dasar Biokimia Jilid I. Alih Bahasa Magy Thenawidjaya. Jakarta : Penerbit Erlangga.

Lii, CY dan Chang, YH. (1991). Study of Starch in Taiwan. Food Reviews International, Marcel Dekker, Inc., New York. 7(2):192-193.

Linder, MC. *Biokimia Nutrisi dan Metabolisme*. (1992). Jakarta: UI Press.

Lingga. 2013. *Bebas Diabetes Tipe-2 Tanpa Obat*. Agromedia. Jakarta.

Luo J., Yperselle M.V., Rizkalla S.W., Rossi F., Bornet FRJ. (2000). *Chronic Consumption of Short Chain Fructooligosaccharides Does Not Affect Basal Hepatic Glucose Production or Insulin Resistance in type 2 Diabetics*. J Nutr. 130:1572-7.

PENGARUH PATI AUTOCLAVING ÃÆ'Â¢Ã¯Â¿Â½Ã¯Â¿Â½ COOLING KORO PEDANG PUTIH (Canavalia ensiformis (L.) DC.) TINGGI RS-4 TERHADAP PENURUNAN GLUKOSA DAN KARAKTERISTIK DIGESTA TIKUS DIABETES MELLITUS TIPE-2 INDUKSI STZ-NA
AZKIA NASTITI, Prof. Dr. Ir. Agnes Murdiati, M.S ; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Malingan, JM., Estiasih, T., Sunarharum, WB dan Rianto, T. (2011). *Efek Hipokolesterolemik Tepung Umbi Gadung (Dioscorea hispida Dennst) pada Tikus Wistar Jantan Yang Diberi Diet Hiperkolesterol.* Jurnal Teknologi Pertanian. 12(2) : 57-63.

Maningat. C.C. dan P. A. Seib. (2013). RS4-Type Resistant Starch: Chemistry, Functionality and Health Benefits. Dalam: Shi, Y. C. and C. C. Maningat (ed) : Resistant starch: sources, applications and health benefits. John Wiley & Sons, Ltd., UK, p 43-77.

Marimuthu, M. dan P. Gurumoorthi. (2013). *Physicochemical and functional properties of starches from Indian Jack bean (Canavalia ensiformis* L*), an underutilized wild food legume*. Journal of Chemical and Pharmaceutical Research 5(1):221-225.

Marsman, K.E. dan M. I. McBurney. (1995). Dietary Fiber Increases Oxidative Metabolism in Colonocytes but Not in Distal Small Intestininal Enterocytes Isolated from Rates. J. Nutr. 125 : 273-282.

Marsman, K.E. dan M.J. Mc Burney. (1995). *Dietary Fiber Increases Oxidative Metabolsm in Colonicytes but not in Distal Small Intestinal Enterocytes Isolated from Rats.* Journal of Nutrition 125 : 273-382.

Marsono, Y. (1998). *Review : Resistant starch pembentukan, metabolism dan aspek gizinya*. Agritech 18(4) : 29 – 35.

Marsono, Y. (2004). Serat Pangan dalam Perspektif Ilmu Gizi. Pidato Pengukuhan Guru Besar pada Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.

Martinez-Florez, Yang, J., Walter, J., Keshavarzian, A dan Rose, DJ. (2004). *Effect of High Fiber Products on Blood Lipids and Lipoproteins in Hamster*. Nutrition Research 24 : 85-93.

Miller, T.L. and Wolin, M.J. (1979). *Fermentation By Saccharolitic Intestinal Bacteria*. *Am. J. Clin. Nutr*. 32:164-72.

Morand C., Christian R., Marie-Anne L., & Christian D. (1992). Replacement Of Digestible Wheat Starch By Resistant Starch Cornstarch Alters Splanchnic Metabolism In Rats. *J Nutr*. 122 (2), pp. 345-354.

Morita, T., S. Kasaoka, K. Hase dan S. Kiriyama. (1999). Psyllium Shifts the Fermentation Site of High Amylose Cornstarch Toward the Distal Colon and Increases Fecal Butyrate Concentration in Rats. J. Nutr. 129 : 2081-2087.

PENGARUH PATI AUTOCLAVING
ÃÆ'Â¢Ã¯Â¿Â½Ã¯Â¿Â½
COOLING KORO PEDANG PUTIH (Canavalia ensiformis (L.) DC.) TINGGI RS-4 TERHADAP PENURUNAN GLUKOSA
DAN KARAKTERISTIK DIGESTA TIKUS DIABETES MELLITUS TIPE-2 INDUKSI STZ-NA
AZKIA NASTITI, Prof. Dr. Ir. Agnes Murdiati, M.S ; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Muir, J.G. Young, G.P., O'Dea, K., Cameron-Smith, D., Brown, I.L. and Coller, G.R., (1993). *Resistant Starch The Neglected 'Dietary Fiber' Implication For Health*. International Newsletter on Carbohydrates, Fiber and Health. 1: 25-48.

Muir, J.G., G.P. Young., & K. O'dea. (1994). Reistant Starch-Implication For Health. Proc. Nutr. Soc. Aust, 18, pp. 23-32.

Nugent. (2005). *Review: Health Properties of Resistant Starch.* Nutrition Bulletin 30: 27-54.

Putri. (2016). *Peningkatan Kandungan Pati Resisten Koro Pedang Putih (Canavalia ensiformis* L.*) Dengan Perlakuan Autoclaving – Pendinginan Berulang*. *Skripsi*. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.

Raden Haryo Bimo Setiarto et al.,. (2015). Kajian Peningkatan Pati Resisten yang Terkandung dalam Bahan Pangan Sebagai Sumber Prebiotik. Jurnal Ilmu Pertanian Indonesia (JIPI). Vol. 20 (3): 191-200.

Reeves, P.G., F. H. Nilson, dan G. C. Fahey. (1993). *Purified Diet For Laboratory Rodents: Final Report Of The American Institute Of Nutrition Ad Hoc Writing Committee On The Reformulation Of AIN-76 A Rodent Diet*. Journal Nutrition volume 123 : 1939-1951

Remessy, C. Dan C. Demigne. (1989). Metabolism of Short Chain Fatty Acids and Consequences for the Effect of Fiber. In Cummings, J.H. (ed.). The Role of Dietary Fiber in Enternal Nutrition. Abbott International LTD-USA.

Robertson, J. A., F.D de Monredon, P. Dysseler, F. Guillon, R. Amado, dan J.F Thibault. (2000). *Hydration Properties of Dietary Fiber and Resistant Starch* : A European collaborative study. Lebensmittel-Wissenschaft and Technologie, 33, 72-77

Robertson, M. D., J. M. Currie, L. M. Morgan, D. P. Jewell, & K. N. Frayn. (2003). Prior Short-Term Consumption Of Resistant Starch Enhances Postprandial Insulin Sensitivity In Health Subjects. Diabetologia, 46, pp. 659-665.

Rosida. (2011). Evaluasi Nilai Gizi Tepung Pra Masak Pisang Tanduk Dan Pisang Raja Nangka. Jurnal Teknologi dan Industri Pangan. 22(2) : 57-63.

Sajilata, M.G., Singhai, R.S., Kulkarni, P.R., (2006), *Resistant Starch – A Review*. Food Engineering and Technology Department, Institute of Chemical Technology. Mumbai. India.

PENGARUH PATI AUTOCLAVING ÃÆ'Â¢Ã¯Â¿Â½Ã¯Â¿Â½ COOLING KORO PEDANG PUTIH (Canavalia ensiformis (L.) DC.) TINGGI RS-4 TERHADAP PENURUNAN GLUKOSA DAN KARAKTERISTIK DIGESTA TIKUS DIABETES MELLITUS TIPE-2 INDUKSI STZ-NA
AZKIA NASTITI, Prof. Dr. Ir. Agnes Murdiati, M.S ; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Scheppach, W., Fabian, C. Sachs, M. and Kasper, H. (1988). Effect of Starch Malabsorption on Fecal SCFA Excretion in Man. Scand J. Gastroenterology 23: 755-759.

Sridhar, K.R dan S. Seena. (2006). *Nutritional and antinutritional significance of four unconventional legumes of the genus canavalia – A comparative study.* Food chemistry 99 : 267-288.

Suharsi, T. K., M. Surahman, S. F. Rahmatani. (2013). *Pengaruh Jarak Tanam dan Pemangkasan Tanaman pada Produksi dan Mutu Benih Koro Pedang (Canavalia ensiformis).* Jurnal Ilmu Pertanian Indonesia (JIPI) 18(3): 172 – 177.

Szczodrak J, Pomeranz Y. (1991). *Starch and enzyme-resistant starch from high-amylose barley*. Cereal Chemistry 68: 589–96.

Szkudelski, T. (2012). *Streptozotocin-Nicotinamide-Induced Diabetes In The Rat Characteristics Of The Experimental Model*. Experimental Biology and Medicine ISSN : 1535 – 3702 : 481-490

Todesco T., Venketshwer R., Bosello O., Jenkins DJA. (1991). *Propionate Lowers Blood Glucose and Alters Lipid Metabolism*. Am J Clin Nutr. 54:560-5.

Topping, D. L. dan P. M. Clifton. (2001). Short-Chain Fatty Acids And Human Colonic Function: Roles Of Resistant Starch And Nonstarch Polysaccharides. *Physiological Reviews*, 81(3): 1031-1064.

Torsdottir, I., M. Alpsten, H. Anderson dan S. Einarsson. (1989). *Dietary Guar Gum Effects on Postprandial Blood Glucose, Insulin and Hydroxyproline in Humans*. J. Nutr. 119 : 1925-1931.

Tovar J, Melito C. (1996). *Steam-cooking and dry heating produce resistant starch in legumes*. J Agric Food Chem 44(9):2642–5.

Wahjuningsih, Sri Budi. (2000). Studi In Vivo dan In Vitro untuk Identifikasi Faktor Penentu Sifat Hipoglisemik Serat Kedele. *Tesis*. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.

Waspadji, S. (2006). *Diabetes Melitus :Apakah itu. Dalam Hidup Sehat dengan Diabetes*. Jakarta: Balai Penerbit FKUI.

Weaver, G.A., Krause, J.A, Miller, T.L. and Wolin M.J. (1992). *Cornstarch Fermentation by Colonic Microbial Community Yields More Butyrate than does Cabbage Fiber Fermentation: Cornstarch Fermentation rates Correlate Negatively with Methanogenesis*. Am. J. clin. Nutr. 55: 70-7.

PENGARUH PATI AUTOCLAVING
ÃÆ'Â¢Ã¯Â¿Â½Ã¯Â¿Â½
COOLING KORO PEDANG PUTIH (Canavalia ensiformis (L.) DC.) TINGGI RS-4 TERHADAP PENURUNAN GLUKOSA
DAN KARAKTERISTIK DIGESTA TIKUS DIABETES MELLITUS TIPE-2 INDUKSI STZ-NA
AZKIA NASTITI, Prof. Dr. Ir. Agnes Murdiati, M.S ; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Wild S, Roglic G, Green A. (2004). *Global Prevalence of Diabetes: Estimates For The Year 2000 And Projections For 2030*. Diabetes Care 27:1047–1053.

Wirahadikusumah. 1985. *Biokimia Metabolisme Karbohidrat dan Lipi*d. Bandung: ITB.

Wong, J. M. W dan D. J. A. Jenkins. (2007). Carbohydrate Digestibility and Metabolic Effect. *J. of Nutr*. 137 (11) : 2539s-2546s.

Wood, P. J., J. T. Braaten, F.W. Scott, D. Riedel dan L.M. Paste. (1990). *Comparisons of Viscous Properties of Oat and Guar Gum and the Effect of These and Oat Bran on Glysemic Index*. J. agric. Food. Chem. 38 : 753-757.

Zhao, X. H. dan Y. Lin. (2009). *The Impact of Coupled Acid or Pullulanase Debranching on The Formation of Resistant Starch from Maize Starch with Autoclaving Cooling Cycles*. Eur Food Res Technology, 230 : 179-184.

Zhongdong L, Peng L, Kennedy JF. (2005). *The Technology Of Molecular Manipulation And Modification. Asisted By Microwaves As Applied To Starch Granules*. Carbohydrates Polymer 61: 374−378.

Zhou, Z., F. Wang, X.C. Ren, Y. Wang dan C. Blanchard. (2015). *Resistant Starch Manipulated Hyperglycemia/Hyperlipidemia and Related Genes Expression in Diabetic Rats*. International Joural of Biological Marcromolecules, (75): 316-321.