

## DAFTAR PUSTAKA

- Ayalon O, et al. (2010). *A multimodal clinical pathway can reduce length of stay after total knee arthroplasty*. HSS J; 7(1); 9–15.
- Chaurasia A. (2014). *Clinical study : Outcomes of a Joint Replacement Surgical Home Model Clinical Pathway*.
- Chung SB et al. (2012). *Implementation and outcomes of a critical pathway for lumbar laminectomy or microdiscectomy*. J. Korean Neuroseurg Soc; 51(6): 338 – 342
- Clinton et all. (2015). *A Cost-Utility Analysis of Lumbar Decompression With and Without Fusion for Degenerative Spine Disease in the Elderly*. *Neurosurgery journals*. Vol. 77 : p S116–S124
- Davis N. (2005). *Integrated care pathways a guide to good practice*. Swansea:NHS
- Depkes RI. (2010). *Clinical Pathway*. Jakarta: Ditjen Bina Pelayanan Medik.
- Djasri, H. (2006). Modul 4 *Clinical pathways*. Devisi Manajemen Mutu, Pusat Management Pelayanan Kesehatan ( PMPK) FK-UGM.
- Dowsey M. (1999). *Clinical pathways in hip and knee arthroplasty : a prospective randomized controlled study*. Med J Aust; 170 (2); 59 – 62.
- Firmanda D. (2010). *Evaluasi penerapan clinical pathway*. RSUP Fatmawati. Jakarta.
- Fu Y et al. (2009) *Combination of intensified anti-tuberculosis with operation for treatment of thoracolumbar tuberculosis*. Zhongguo Xiu Fu Chong Jian Wai Ke Za Zhi ;23:1427–1430.
- Healy WL et al. (2002). *Impact of cost reduction programs on short-term patient outcome and hospital cost of total knee arthroplasty*. J Bone Joint Surg Am. 84-A(3):348-53.
- Herkowitz HN,et al. (2006) *Minimally invasive posterior surgical approaches the lumbar spine*. Dalam: Simeone R, penyunting. The spine. Edisi ke-5. Philadelphia: Saunders Elsevier; hal. 333–41.
- Hidalgo JA, et al. (2008). *Pott disease: tuberculous spondylitis*
- Irwanto. (2006). *Focus Group Discussion (FGD) Sebuah Pengantar Praktis*. Jakarta: Yayasan Obor Indonesia

- Jain AK.(2010). *Tuberculosis of the spine: a fresh look at an old disease*. J Bone Joint Surg Br ;92:905–913.
- Jauhari. (2012). Sistem INA-CBGs. (<http://klikharry.com/2012/11/12/sistem-ina-cbgs/>)
- Joint Commission International. (2011). *Joint Commission International Accreditation Standards For Hospitals.4<sup>Th</sup> edition*.USA: Joint Commission International.
- Jong. (2005). Spondilitis TBC. Buku ajar ilmu bedah. Jakarta: ECG
- Kagan et all. (2002). *Impact of age on clinical care pathway length of stay after complex head and neck resection*.Head Neck Journals : 26 (6):545-8.
- Kinsman, et al. (2009). *A cluster randomized trial to assess the impact of clinical pathways on AMI management in rural Australian emergency departments*. Bendigo, VIC 3552, Australia.
- Kinsman et al. (2010). *What is a clinical pathway? Development of a definition to inform the debate* , BMC Medicine
- Kiran S, et al. (2007). *Surgical results in patients with tuberculosis of the spine and severe lower-extremity motor deficits: a retrospective study of 48 patients*. Journals Neurosurgery Spine. ;6:320–326.
- Kul S, et al. (2012). *Effects of care pathways on the in-hospital treatment of heart failure: a systematic review*. BMC Cardiovascular Disorder Journals 12. Hal 81.
- Lapau B. (2013). Metode Penelitian Kesehatan : Metode ilmiah penulisan skripsi, tesis dan disertasi. Yayasan Pustaka Obor Indonesia.
- Lau T W, et al. (2013). *Effectiveness of a geriatric hip fracture clinical pathway in reducing hospital and rehabilitation length of stay ang improving short-term mortality rate*. Geriatric orthopedi surgical rehabilitation. 4 (1); 3 – 9.
- Lee JS, et al. (2007). *Posterior lumbar interbody fusion and posterior instrumentation in the surgical management of lumbar tuberculous spondylitis*. Bone Joint Surg [Br] ;89-B:210–4.
- Mehta JS, et al (2001). *Tuberculosis of the thoracic spine. A classification based on the selection of surgical strategies*. J Bone Joint Surg Br. 2001;83:859–863
- Martin CT. (2014). *Increasing hospital charges for adolescent idiopathic scoliosis in the United States*. Journal Spine. 39(20):1676-82.

- Middleton S. (2000). *Integrated care pathways: a practical approach to implementation*. Oxford: Butterworth Heinemann.
- Moonot P. (2013). *Impact of change of knee prosthesis on early clinical outcomes in a large volume arthroplasty*. *Ann R Coll Surg Engl*. 95 (8) : 573-6.
- Moorthy S, et al. (2002). *Spectrum of MR imaging findings in spinal tuberculosis*. *AJR Am J Roentgenol* ;179:979–983.
- Narlawar RS, et al. (1976). *M. Isolated tuberculosis of posterior elements of spine: magnetic resonance imaging findings in 33 patients*. *Spine Phila pa* ;27:275–281.
- Oguz E, et al. (2008). *A new classification and guide for surgical treatment of spinal tuberculosis*. *Int Orthop* ;32:127–133
- Permenkes RI (2010). Standar Pelayanan Kedokteran RI No. 438/ menkes/ per/ IX/2010.
- Permenkes RI (2014). Petunjuk teknis sistem *Indonesian Case Base Groups (INA-CBGs)*.
- Rahim AR, dkk. (2011). Keberhasilan Fusi Tulang Belakang pada Spondilitis Tuberkulosis. *MKB*. Volume 43 No. 3
- Rahmi, et al. (2012) Pengembangan Kesehatan Masyarakat sistem pembiayaan INA-DRG/INA-CBGs.
- Rasouli R. (2012). *Spinal Tuberculosis : Diagnosis and Management*. *Asian Spine Journal*; 6(4): 294–308.
- Ravindra, et al. (2011). *Spinal tuberculosis : a Review*. *J Spinal Cord Med*. Sep; 34(5): 440–454
- Rotter T, et al. (2009), *Clinical pathways: effects on professional practice, patient outcomes, length of stay and hospital costs*. *Cochrane Database of Systematic Reviews*
- Rottger J. (2012). *Patient-level hospital costs and length of stay after conventional versus minimally invasive total hip replacement: a propensity-matched analysis*. *Value Health*. 15(8) : 999-1004.
- RSUPN Dr. Cipto Mangunkusumo (2015). Kebijakan implementasi *clinical pathway* di Unit Kerja RSUPN Dr. Cipto Mangunkusumo. Jakarta.

- Storla, D.G. (2008). *A systematic review of delay in the diagnosis and treatment of tuberculosis. BMC Public Health*, 8:15
- Sudigdo. (2014). Dasar-dasar metodologi penelitian klinis. Edisi 5. Sagung seto.hal. 70, 112, 130-143
- Suharyo. (2013). Determinasi penyakit Tuberkulosis di daerah pedesaan. KEMAS 9 (1) 85-91. Jurnal Kesehatan Masyarakat.
- Tuli SM. (2007) *Tuberculosis of the spine: a historical review*. Clin Orthop Relat Res ;460:29–38
- Vanhaecht, et al. (2006). *Clinical pathway audit tools: a systematic review*. J Nurs Manag; 529-537
- Wei et al. (2013). *Patient care pathways under the model of integrating tuberculosis service with general hospitals in China*. Trop Med Int Health Journals. Hal. 1392-9.
- WHO. (2013). *WHO Report 2013-Global Tuberculosis Control*.