UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA ASUPAN MAKAN, AKTIVITAS FISIK, DAN OBESITAS SENTRAL TERHADAP KEJADIAN PREDIABETES DI KOTA YOGYAKARTA
AMANDA SAFIERA A, Dr. Susetyowati, DCN., M.Kes; Dr. dr. Emy Huriyati, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

ADA. 2011. Standards of Medical Care in Diabetes-2011. *Diabetes Care* Vol 34 Supplement 1 : S11 – S61.

ADA. 2016. Standards of Medical Care in Diabetes-2016. *Diabetes Care* Vol 39 Supplement 1 ISSN 0149-5992 American Diabetes Association.

Adhitya, Surya Dhimas. 2016. Tingkat Aktivitas Fisik Operator Layanan Internet Mahasiswa Universitas Negeri Yogyakarta. *SKRIPSI.* Universitas Negeri Yogyakarta : Yogyakarta.

Aliawati. A.A. 2011. Hubungan antara Pola Asupan Lemak dan Serat dengan Sindroma Metabolik pada Karyawan RSUP Dr. Sardjito. *SKRIPSI.* Universitas Gadjah Mada : Yogyakarta.

Amini, M., Horri, N., Zare, M., Haqhiqhi, S., Hosseini, S.M., Aminorrova, A., *et al*. 2010. People with Impaired Glucose Tolerance and Impaired Fasting Glucose are Similary Susceptible to Cardiovascular Disease: A Study in First Degree Relatives of Type 2 Diabetic Patients. *Ann Nutr Metab* 56 (4) : 267 – 272.

Andani, Risky Dwi. 2014. Hubungan Rasio Lingkar Pinggang-Panggul dengan Resistensi Insulin pada Penderita Diabetes Mellitus Tipe 2 Dengan Obesitas di RSUP DR. Sardjito. *SKRIPSI.* Universitas Gadjah Mada : Yogyakarta.

Andayani, Santika Budi. 2014. Obesitas sebagai Faktor Resiko Terjadinya Diabetes Melitus pada Karyawan Universitas Gadjah Mada Yogyakarta. *SKRIPSI.* Universitas Gadjah Mada : Yogyakarta.

Anjangsari, K.N., dan Muflihah Isnawati. 2015. Hubungan Konsumsi Softdrink, Lingkar Pinggang, dan Aktivitas Fisik dengan Kadar Gula Darah Puasa pada Wanita Dewasa. *Journal of Nutrition College* 4 (2) : 162 – 170.

Ansokowati, A.P. 2014. Asupan Energi, Persentase Energi dari Karbohidrat-Lemak dan Status Gizi Overweight/ Obesitas Remaja SMA Negeri Kota Yogyakarta. *THESIS.* Universitas Gadjah Mada : Yogyakarta.

Aoyama-Sasabe, S., Fukushima, M., Xin, X., Taniguchi, A., Nakai, Y., Mitsui, R., *et al.* 2016. Insulin Secretory Defect and Insulin Resistance in Isolated Impaired Fasting Glucose and Isolated Impaired Glucose Tolerance. *Journal of Diabetes* Research ID 1298601 8p.

Aradillas-Garcia, C. Malacara, J.M., Garay-Sevilla, M.E., Guizar, J.M., Camacho, N., Cruz-Mendoza, E.D., *et al.,* 2007. Prediabetes in Rural and Urban Children in 3 States in Mexico. *JCMS* 2 : 35-39.

Arisman. 2010. *Gizi dalam Daur Kehidupan*. Jakarta : EGC.

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA ASUPAN MAKAN, AKTIVITAS FISIK, DAN OBESITAS SENTRAL TERHADAP KEJADIAN PREDIABETES DI KOTA YOGYAKARTA
AMANDA SAFIERA A, Dr. Susetyowati, DCN., M.Kes; Dr. dr. Emy Huriyati, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Aryandono, Rastro. 2014. Hemoglobin A1c untuk Diagnosis Prediabetes pada Individu dengan Faktor Resiko. *THESIS.* Universitas Gadjah Mada : Yogyakarta.

Astuti, NB. 2015. Hubungan antara Lingkar Pinggang, Aktivitas Fisik, Kebiasaan Merokok, dan Pola Konsumsi dengan Tekanan Darah pada Remaja SMA di Distrik Abepura Kota Jayapura. *THESIS*. Universitas Gadjah Mada : Yogyakarta.

Astuti, Yuniarti Dwi. 2012. Pengaruh Pemberian Jus Tomat terhadap Kadar Glukosa Darah pada Prediabetes. *SKRIPSI.* Universitas Diponegoro : Semarang.

Bacha, F., Lee, S., Gungor, N., Arslanian, S.A., 2010. From Pre-Diabetes to Type 2 Diabetes in Obese Youth. *Diabetes Care* 33 : 2225-2231.

Bajaj, Mandeep. 2012. Nicotine and Insulin Resistance: When the Smoke Clears. *Diabetes Journals* 61 (12) : 3078-3080.

Basu, R., Barosa, C., Jones, J., Dube, S., Carter, R., Basu, A., *et al.* 2013. Pathogenesis of Prediabetes: Role of the Liver in Insulin Isolated Fasting Hyperglycemia and Combined Fasting and Postprandial Hyperglycemia. *J Clin Endocrinol Metab* 98 (3) : E409-E417.

Bhupathiraju S.N., Tobias D.K., Malik V.S., Pan A., Hruby A., Manson J.E., Willet W.C., Hu F.B.. 2014. Glycemic Index, glycemic load, and risk of type 2 diabetes : results from 3 large US cohorts and an updated meta-analysis. *Am J Clin Nutr* 100: 218-232.

Bloomgarden, Z.T. 2003. Fat Metabolism and Diabetes: 2003 American Diabetes Association Postgraduate Course. *Diabetes Care* 36 (7) : 2198-2203.

Bock, G., Man, C.D., Campioni, M., Chittilapilly, E., Basu, R., Toffolo, G., *et al.* 2006. Pathogenesis of Prediabetes: Mechanisms of Fasting and Postprandial Hyperglycemia in People With Impaired Fasting Glucose and/or Impaired Glucose Tolerance. *Diabetes* 56 (12) : 3536-3549.

Bock, G., Chittilapilly, E., Basu, R., Toffolo, G., Cobelli, C., Chandramoulli, V., *et al.* 2007. Contribution of Hepatic and Extrahepatic Insulin Resistance to the Pathogenesis of Impaired Fasting Glucose: Role of Increased Rates of Gluconeogenesis. *Diabetes* 56 (6) : 1703 – 1711.

Boden, G., and Markku Laakso. 2004. Lipids and Glucose in Type 2 Diabetes. *Diabetes Care* 27 (9) : 2253 – 2257.

Borodulin, K., Tuomilehto, J., Peltonen, M., Lakka, T.A., Sundvall, J., Jousilahti, P. 2006. Association of leisure time physical activity and abdominal obesity with fasting serum insulin and 2-h postchallenge plasma glucose levels. *Diabet Med* 23 (9) : 1025-1028.

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA ASUPAN MAKAN, AKTIVITAS FISIK, DAN OBESITAS SENTRAL TERHADAP KEJADIAN PREDIABETES DI KOTA YOGYAKARTA
AMANDA SAFIERA A, Dr. Susetyowati, DCN., M.Kes; Dr. dr. Emy Huriyati, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Brons, C., Jensen, C.B., Storgaard, H., Hiscock, N.J., White, A., Appel, J.S., *et al.* 2009. Impact of short term high-fat feeding on glucose and insulin metabolism in young healthy men. *J Physiol* 587 : 2387-2397.

Brufani, C., Fintini, D., Ciampalini, P., Nocerino, V., Crea, F., Giannone, G., *et al.* 2011. Pre-diabetes in Italian Obese Children and Youngsters. *J Endocrinol Invest* 34 (9) : e275-80.

Burns, S.F., Lee, S., Bacha, F., Tfayli, H., Hannon, T.S., Arslanian, S.A. 2014. Pre-diabetes in overweight youth and early atherogenic risk. *Metabolism Clinical and Experimental* 63 : 1528 – 1535.

CDC. 2014. Smoking and Diabetes. *www.cdc.gov/tobacco/data_statistics/sgr/50th-anniversary/pdfs/fs_smoking_diabetes_508* diakses pada 6 Januari 2017.

Colberg, S.R., Sigal, R.J., Yardley, J.E., Riddel, M.C., Dunstan, D.W., Dempsey, P.C., *et al.* 2016. Physical Activity/Exercise and Diabetes: A Position Statement of the American Diabetes Association. *Diabetes Care* 39 : 2065-2079.

Dagogo, S., Edeoga, C., Ebenibo, S., Nyenwe, E., Wan, Jim. 2014. Lack of Racial Disparity in Incident Prediabetes and Glycemic Progression Among Black and White Offspring of Parents With Type 2 Diabetes: The Pathobiology of Prediabetes in a Biracial Cohort (POP-ABC) Study. *J Clin Endocrinol Metab* 99 (6) : E1078–E108.

Dahl-Petersen, I.K., Bjerrgaard, P., Brage, S., Jorgensen, M.E. 2013. Physical activity energy expenditure is associated with 2-h insulin independently of obesity among Inuit in Greenland. *Diabetes Research and Clinical Practice* 102 : 242 – 249.

Danaei, G., Finucane, M.M., Lu, Y., Singh, G.M., Cowan, M.J., Paciorek, C.J., *et al.* 2011. National, regional, and global trends in fasting plasma glucose and diabetes prevalence since 1980: systematic analysis of health examination surveys and epidemiological studies with 370 country-years and 2·7 million participants. *Diabetes* Vol. 978, No. 9785, p.31-40.

Despres, J.P., Lemieux, I., Prud'homme, D. 2001. Treatment of obesity: need to focus on high risk abdominally obese patients. *BMJ* 322 (7288) : 716 - 720.

Diaz , M.E., Jimenez, S., Garcia, R.G., Bonet, M., Wong, I. 2009. Overweight, Obesity, Central Adiposity and Associated Chronic Diseases in Cuban Adults. *MEDICC Review* 11 (4) : 23 – 27.

Diaz-Redondo, A., Garcia, C.G., Carrillo, L., Garcia-Soidan, F.J., Artola, S., Franch, J., *et al.* 2015. Modifiable Risk Factors Associated with Prediabetes in Men and Women: A Cross-sectional Analysis of The Cohort Study in Primary Health Care on the Evolution of Patients with

UNIVERSITAS GADJAH MADA
HUBUNGAN ANTARA ASUPAN MAKAN, AKTIVITAS FISIK, DAN OBESITAS SENTRAL TERHADAP KEJADIAN PREDIABETES DI KOTA YOGYAKARTA
AMANDA SAFIERA A, Dr. Susetyowati, DCN., M.Kes; Dr. dr. Emy Huriyati, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Prediabetes (PREDAPS-Study). *BMC Family Practice* 16 : 5.

Dunstan, D.W., Salmon, J., Owen, N., Amstrong, T., Zimmet, P.Z., Welborn, T.A., *et al.* 2004. Physical Activity and Television Viewing in Relation to Risk of Undiagnosed Abnormal Glucose Metabolism in Adults. *Diabetes Care* 27 : 2603-2609.

Dunstan, D.W., Salmon, J., Healy, G.N., Shaw, J.E., Jolley, D., Zimmet, P.Z., *et al.* 2007. Association of television viewing with fasting and 2-h postchallenge plasma glucose levels in adults without diagnosed diabetes. *Diabetes Care* 30 : 516-522.

Edriani, Amelia. 2012. Hubungan Faktor Sosial Ekonomi dan Faktor yang Tidak Bisa Dimodifikasi terhadap Diabetes Mellitus pada Lansia dan Prelansia di Kelurahan Depok Jaya, Depok, Jawa Barat pada Tahun 2012. *SKRIPSI.* Universitas Indonesia : Jakarta.

Ek, A. E., Rossner, S.M., Hagman, E., Marcus, C. 2014. High Prevalence of Prediabetes in a Swedish Cohort of Severely Obese Children. *Pediatric Diabetes* 16 (2) : 117 – 128.

Eliana, F., Suwondo, P., Makmun, L.H. 2009. Faktor Resiko Disfungsi Endotel pada Prediabetes. *Jurnal Kedokteran Yarsi* 17 (3) : 160-168.

Evans, J.L., Goldfine, I.D., Maddux, B.A., Grodsky, G.M. 2002. Oxidative Stress and Stress-Activared Signaling Pathways: A Unifying Hypothesis of Tye 2 Diabetes. *Endocrine Reviews* 23 (5) : 599-622.

Faerch, K., Johnsen, K.B., Vaag, J.J.H.A. 2009. Pathophysiology and aetiology of impaired fasting glycaemia and impaired glucose tolerance: does it matter for prevention and treatment of type 2 diabetes?. *Diabetologia* 52 (9) : 1714 – 1723.

Farida, Sihna Siyahatan. 2016. Hubungan Sedentary Activity, Riwayat Diabetes Mellitus, Dislipidemia, dan Obesitas Keluarga serta Asupan Karbohidrat Sederhana dengan Peningkatan Level Trigliserida pada Remaja SMA di Kota Yogyakarta. *SKRIPSI.* Universitas Gadjah Mada : Yogyakarta.

Farni, K., Shoham, D.A., Cao, G., Luke, A.H., Layden, J., Cooper, R.S., *et al.* 2014. Physical activity and prediabetes – an unacknowledged mid-life crisis: findings from NHANES 2003 – 2006. *PeerJ* p.1-9.

Fatimah, Restyana Noor. 2015. Artikel Review Diabetes Mellitus Tipe 2. *J Majority* 5 (5) : 93-101.

Fawcett, J., Sang, H., Permana, P.A., Levy, J.L., Duckworth, W.C. 2010. Insulin metabolism in human adipocytes from subcutaneous and visceral depots. *Biochemical and Biophysical Research Communications* 402 : 762-766.

Ferrannini, E., Nannipieri, M., Williams, K., Gonzales, C., Haffner, S.M., Stern,

UNIVERSITAS GADJAH MADA
HUBUNGAN ANTARA ASUPAN MAKAN, AKTIVITAS FISIK, DAN OBESITAS SENTRAL TERHADAP KEJADIAN PREDIABETES DI KOTA YOGYAKARTA
AMANDA SAFIERA A, Dr. Susetyowati, DCN., M.Kes; Dr. dr. Emy Huriyati, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

M.P. 2004. Mode of Onset of Type 2 Diabetes from Normal or Impaired Glucose Tolerance. *Diabetes* 53 (1) : 160-165.

Fiorentino, T.V., Marini, M.A., Andreozzi, F., Arturi, F., Succurro, E., Perticone, M., *et al.* 2015. One-Hour Postload Hyperglycemia Is a Stronger Predictor of Type 2 Diabetes Than Impaired Fasting Glucose. *J Clin Endocrinol Metab* 100 (10) : 3744-3751.

Firda, K.C., Kapantow, N.H., Momongan, N.R. 2016. Hubungan antara Asupan Energi dengan Kadar Gula Darah pada Pegawai di UPTD Balai Pelatihan Kesehatan Dinas Kesehatan Provinsi Sulawesi Utara. *http://medkesfkm.unsrat.ac.id/wp-content/uploads/2016/11/Jurnal-19-1.pdf* diakses pada 25 Maret 2017.

Fitri, R.I. dan Yekti Wirawanni. 2012. Asupan Energi, Karbohidrat, Serat, Beban Glikemik, Latihan Jasmani dan Kadar Gula Darah pada Pasien Diabetes Mellitus Tipe 2. *M Med Indones* 46 (2) : 21-31.

Gandy, J.W., Madden, A., Holdsworth, M. 2014. *Gizi dan Dietetika*. Jakarta : EGC.

Gerstein, H.C., Santaquida, P., Raina, P., Morrison, K.M., Balion, C., Hunt, D., *et al.* 2007. Annual incidence and relative risk of diabetes in people with various categories of dysglycemia: a systematic overview and meta-analysis of prospective studies. *Diabetes Res Clin Pract* 78 (3) : 305-12.

Ghody, P., Shikha, D., Karam, J., Bahtiyar, G. 2015. Identifying prediabetes - Is it beneficial in the long run?. *Maturitas* 81 (2) : 282-6.

Gholi, Z., Heidari-Beni, M., Feizi, A., Iraj, B., Askari, G. 2016. The characteristics of pre-diabetic patients associations with body composition and cardiovascular disease risk factors in the Iranian Population. *J Res Med Sci* 21 : 20 PMC5122248.

Gibbs, B.B., Gabriel, K.P., Reis, J.P., Jakicic, J.M., Carnethon, M.R., Sternfeld, B. 2015. Cross-sectional and Longitudinal Associations Between Objectively Measured Sedentary Time and Metabolic Disease: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Diabetes Care* 38 (10) : 1835 - 1843.

Gower, B.A., Goree, L.L., Chandler-Laney, P.C., Ellis, A.C., Casazza, K., Granger, W.M. 2012. A higher-carbohydrate, lower-fat diet reduces fasting glucose concentration and improves β-cell function in individuals with impaired fasting glucose. *Metabolism Clinical and Experimental* 61 : 358 – 365.

Gower, B.A *and* Goss, A.M. 2014. A Lower-Carbohydrate, Higher-Fat Diet Reduces Abdominal and Intermuscular Fat and Increases Insulin Sensitivity in Adults at Risk of Type 2 Diabetes. *J Nutr* 145 : 177S-83S.

UNIVERSITAS GADJAH MADA
HUBUNGAN ANTARA ASUPAN MAKAN, AKTIVITAS FISIK, DAN OBESITAS SENTRAL TERHADAP KEJADIAN PREDIABETES DI KOTA YOGYAKARTA
AMANDA SAFIERA A, Dr. Susetyowati, DCN., M.Kes; Dr. dr. Emy Huriyati, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Heikkila, H.M., Schwab, U., Krachler, B., Mannikko, R., Rauramaa, R. 2012. Dietary associations with prediabetic states – The DR's Study. *Eur J Clin Nutr* 66 : 819-824.

Heikkila, H.M., Krachler, B., Savonen, K., Hessinen, M., Rauramaa, R., Schwab, U.S. 2013. Combined low-saturated fat intake and high fitness may counterbalance diabetogenic effects of obesity: the DR's EXTRA Study. *Eur J Clin Nutr* 67 (9) : 1000-2.

Heikkila, H.M., Krachler, B., Rauramaa, R., Schwab, U.S. 2014. Diet, Insulin Secretion, and Insulin Sensitivity – The Dose-Responses to Exercise Training (DR's EXTRA) Study (ISRCTN45977199). *British Journal of Nurtition* 112 : 1530-1541.

Heron N., Tully, A.M., McKinley, M.C., Cupples, M.E. 2014. Physical activity assessment in practice: a mixed methods study of GPPAQ use in primary care. *BMC Family Practice* 15:11.

Hordern M.D., Dunstan D.W., Prins J.B., Baker M.K., Singh M.A., Coombes J.S. 2012. Exercise prescription for patients with type 2 diabetes and pre-diabetes: A position statement from Exercise and Sport Science Australia. *Journal of Science and Medicine in Sport* 15 (1) : 25-31.

Horst, K.W., Gilijamse, P.W., Ackermans, M.T., Soeters, M.R., Nieuwdorp, M., Romijn, J.A., *et al.* 2016. Impaired insulin action in the liver, but not in adipose tissue or muscle, is a distinct metabolic feature of impaired fasting glucose in obese humans. *Metabolism Clinical and Experimental Journal* 65 (5) : 757 – 763.

Hu, F.B., Li, T.Y., Colditz, G.A., Willet, W.C., Manson, J.E. 2003. Television Watching and Other Sedentary Behaviours in Relation to Risk of Obesity and Type 2 Diabetes Mellitus In Women. *JAMA* 289 (24) : 1785 – 1791.

Hutabarat, YHN. 2012. Obesitas Sentral sebagai Faktor Resiko Terjadinya Prediabetes di Kota Cimahi. *TESIS*. Universitas Gadjah Mada : Yogyakarta.

IDF. 2014. IDF Diabetes Atlas Sixth Edition. *International Diabetes Federation* : Belgium.

IPAQ. 2004. Guidelines for Data Processing and Analysis of the International Physical Activity Questionnaire (IPAQ) - Short Form. *IPAQ.*

Irawan, Dedy. 2010. Prevalensi dan Faktor Resiko Kejadian Diabetes Mellitus di Daerah Urban Indonesia (Analisa Data Sekunder Riskesdas 2007). *THESIS.* Universitas Indonesia : Jakarta.

Jalal, F., Liputo, N.I., Susanti, N., Oenzil, F. 2006. Hubungan Lingkar Pinggang dengan Kadar Gula Darah, Trigliserida dan Tekanan Darah pada Etnis Minang di Kabupaten Padang Pariaman, Sumatera Barat. *Respository*

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA ASUPAN MAKAN, AKTIVITAS FISIK, DAN OBESITAS SENTRAL TERHADAP KEJADIAN PREDIABETES DI KOTA YOGYAKARTA
AMANDA SAFIERA A, Dr. Susetyowati, DCN., M.Kes; Dr. dr. Emy Huriyati, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Universitas Andalas : Sumatera Barat.

Jelantik, I.G.M.G., dan Erna Haryati. 2014. Hubungan Faktor Resiko Umur, Jenis Kelamin, Kegemukan, dan Hipertensi dengan Kejadian Diabetes Mellitus di Wilayah Kerja Puskesmas Mataram. *Media Bina Ilmiah* 8 (1) ISSN No.1978-3787.

Jeppesen, C., Bjerregaard, P., Jorgensen, M. 2013. Dietary Patterns in Greenland and Their Relationship with Type 2 Diabetes Mellitus and Glucose Intolerance. *Public Health Nutrition* 17 (2) : 462 – 470.

Jorge-Galarza, E., Medina-Urrutia, A., Posdas-Sanchez, R., Posdas-Romero, C., Cardodo-Saldana, G., Vargas-Alarcon, G., *et al.* 2016. Adipose tissue dysfunction increases fatty liver association with pre diabetes and newly diagnosed type 2 diabetes mellitus. *Diabetol Metab Syndr* 9 : 73.

Juleka. 2005. Hubungan Pola Makan dengan Pengendalian Kadar Glukosa Darah Pengidap Diabetes Melitus Tipe 2 Rawat Jalan di RSU Gunung Jati Cirebon. *THESIS.* Universitas Gadjah Mada : Yogyakarta.

Kanat, M., Norton, L., Winnier, D., Jenkinson, C., DeFronzo, R.A., Abdul-Ghani, M.A. 2011. Impaired early- but not late-phase insulin secretion in subjects with impaired fasting glucose. *Acta Diabetologia.* 48 : 209.

Karter, A.J., Mayer-Davis, E.J.,Selby, J.V., D'Angostino Jr, R.B., Haffner, S.M., Sholinsky, P., *et al.* 1996. Insulin Sensitivity and Abdominal Obesity in African-American, Hispanic, and Non-Hispanic White Men and Women: The Insulin Resistance and Atherosclerosis Study. *Diabetes* 45 (11) : 1547-1555.

Katzmarzyk, P.T., Heymsfield, S.B., Bouchard, C. 2013. Clinical utility of visceral adipose tissue for the identification on cardiometabolic in white and African American Adults. *Am J Clin Nutr* 97 : 480-6.

Kemenkes R.I. 2013. Batasi Gula, Garam, dan Lemak untuk Hidup Sehat Terhindar dari Penyakit Tidak Menular. *perpustakaan.depkes.go.id* diakses tanggal 17 Januari 2017.

Kim, D., MacConell, L., Zhuang, D., Kothare, P.A., Trautmann, M., Fineman, M., et al. Effects of Once Weekly Dosing of Long-Lasting Release Formulation of Extenatide on Glucose Control and Body Weight in Subjects With Type 2 Diabetes. *Diabetes Care* 30 (6) : 1487 – 1492.

Krishnan, S., Steffen, L.M., Paton, C.M., Cooper, J.A. 2017. Impact of Dietary Fat Composition on Prediabetes: A 12-year Follow-up Study. *Public Health Nutr* 31 (1) : 1-10.

Kristanti, C.M. 2002. Kondisi Fisik Kurang Gerak dan Instrumen Pengukuran. *Media Litbang Kesehatan* 12 (1) : 1-5.

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA ASUPAN MAKAN, AKTIVITAS FISIK, DAN OBESITAS SENTRAL TERHADAP KEJADIAN PREDIABETES DI KOTA YOGYAKARTA
AMANDA SAFIERA A, Dr. Susetyowati, DCN., M.Kes; Dr. dr. Emy Huriyati, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Kurniawan, Indra. 2010. Diabetes Mellitus Tipe 2 pada Usia Lanjut. *Maj.Kedokt Indon* 60 (12) : 576-584.

Kusumarini, Putu. 2007. Hubungan antara Parameter Obesitas Abdominal (Lingkar Pinggang) dengan Hipertrofi Ventrikel Kiri pada Populasi Diabetes Mellitus Tipe 2. *THESIS*. Universitas Gadjah Mada : Yogyakarta.

Li, S., Guo, S., He, F., Zhang, M., He, J., Yan, Y., *et al.* 2015. Prevalence of Diabetes Mellitus and Impaired Fasting Glucose Associated with Risk Factors in Rural Kazakh Adults in Xinjiang, China. *Int. J. Environ. Res. Public Health* 12 : 554-565.

Liu, X., Fine, J.P., Chen, Z., Liu, L., Li, X., Wang, A., *et al.* 2016. Prediction of The 20-year Incidence of Diabetes in Older Chinese. *Medicine* 95 : 40.

Lowell, B.B., *and* Shulman, G.I. 2005. Mitochondrial Dysfunction and Type 2 Diabetes. *Science* 307 : 384 -387.

Lukniadi, Ilham Agung. 2013. Hubungan Tingkat Asupan Makanan dengan Perubahan Kadar Gula Darah pada Pasien Rawat Inap Diabetes Melitus Tipe 2 di RSUP DR. Sardjito Yogyakarta. *SKRIPSI.* Universitas Gadjah Mada : Yogyakarta.

Marshall, J.A., Hamman, R.F., Baxter, J. 1991. High-Fat, Low-Carbohydrate Diet and The Etiology of Non-Insulin Dependent Diabetes Mellitus: The San Luis Valley Diabetes Study. *Am J Epidemiol* 134 (6) : 590-603.

Marshall, J.A., Bessen, D.H., Hamman, R.F. 1997. High saturated fat and low starch and fibre are associated with hyperinsulinemia in a non-diabetic population: The San Luis Valley Diabetes Study. *Diabetologia* 40: 430-438.

Martinez-Larrad, M.T., Corbaton-Anchuelo, A., Fernandez-Perez, C., Lazcano-Redondo, Y., Escobar-Jimenez, F., Serrano-Rios, M. 2016. Metabolic Syndrome, Glucose Tolerance Categories, and The Cardiovascular Risk in Spanish Population. *Diabetes Res Clin Pract* 114 : 23 – 31.

Mayer-Davis, E.J., Monaco, J.H., Hoen, H.M., Carmichael, S., Vitolins, M.Z., Rewers, M.J., *et al.* 1997. Dietary Fat and Insulin Sensitivity in Triethnic Population : The Role of Ovesity – The Insulin Resistance Atherosclerosis Study (IRAS). *Am J Clin Nutr* 65 (1) : 79 – 87.

McGarry, J.D., 2001. Dysregulation of Fatty Acid Metabolism in the Etiology of Type 2 Diabetes. *Banting Lecture University of Texas Southwestern Medical Center.*

Medawati, Ana. 2005. Hubungan Antara Asupan Energi, Asupan Lemak, dan Obesitas pada Remaja SLTP di Kota Yogyakarta dan Kabupaten Bantul. *SKRIPSI.* Universitas Gadjah Mada : Yogyakarta.

UNIVERSITAS GADJAH MADA
HUBUNGAN ANTARA ASUPAN MAKAN, AKTIVITAS FISIK, DAN OBESITAS SENTRAL TERHADAP KEJADIAN PREDIABETES DI KOTA YOGYAKARTA
AMANDA SAFIERA A, Dr. Susetyowati, DCN., M.Kes; Dr. dr. Emy Huriyati, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Melchalida, Farah. 2011. Hubungan Lingkar Pinggang, Frekuensi Konsumsi Makanan Gorengan, dan Aktivitas Fisik dengan Kadar Glukosa Darah pada Wanita Dewasa. *SKRIPSI*. Universitas Diponegoro : Semarang.

Meyer, C., Pimenta, W., Woerle, H.J., Haeften, T.V., Szoke, E., Mitrakou, A., *et al.* 2006. Different Mechanisms for Impaired Fasting Glucose and Impaired Postprandial Glucose Tolerance in Humans. *Diabetes Care* 29 : 1909-1914.

Mokdad, A.H., Ford, E.S., Bowman, B.A., Dietz, W.H., Vinicor, F., Bales, V.S., Marks, J.S. 2003. Prevalence of Obesity, Diabetes, and Obesity-Related Health Risk Factors, 2001. *JAMA* 289 (1) : 76-79.

Mori, Y., Hoshino, K., Yokota, K., Yokose, T., Tajima, N. 2005. Increased Visceral Fat and Impaired Glucose Tolerance Predict the Increased Risk of Metabolic Syndrome in Japanese Middle-Aged Men. *Exp Clin Endocrinol Diabetes* 113 (6) : 334 – 339.

Muraki, I., Imamura, F., Manson, J.E., Hu, F.B., Willet, W.C., van Dam, R.M., Sun, Qi. 2013. Fruit consumption and risk of type 2 diabetes: results from three prospective longitudinal cohort studies. *BMJ* 347.

Novitasary, M.D., Mayulu, N., Kawenginan, S.E.S. 2103. Hubungan antara Aktivitas Fisik dengan Obesitas pada Wanita Usia Subur Peserta Jamkesmas di Puskesmas Wowosana Kecamatan Singkil Manado. *Jurnal e-Biomedik* 1 (2) : 1040-1046.

Oviyanti, P.N. 2010. Hubungan antara Lingkar Pinggang dan Rasio Lingkar Pinggang – Panggul dengan Tekanan Darah pada Subjek Orang Dewasa. *SKRIPSI.* Univetsitas Sebelas Maret : Surakarta.

Owen, C.G., Kapentanakis, V.V., Rudnicka, A.R., Wathern, A.K., Lennon, L., Papacosta, O., *et al*. 2015. Body mass index in early and middle adult life: prospective associations with myocardial infarction, stroke and diabetes over a 30-year period: the British Regional Heart Study. *BMJ Open* 5 (9): e008105.

Parjiono, A.S. 2015. Asupan Zat Gizi, Aktivitas Fisik, Obesitas Abdominal sebagai Faktor Resiko Terjadinya Dislipidemia pada Pasien di Laboratorium Paramita Yogyakarta. *THESIS*. Universitas Gadjah Mada : Yogyakarta.

PERKENI. 2006. *Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia 2006*. Jakarta : Perkumpulan Endokrinologi Indonesia.

PERKENI. 2011. *Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia*. Jakarta : Perkumpulan Endokrinologi Indonesia.

Pertiwi, Shinta. 2014. Hubungan Obesitas, Hipertensi, Keturunan, dan Pola Makan dengan Kejadian Diabetes Mellitus. *SKRIPSI.* Universitas Gadjah

UNIVERSITAS GADJAH MADA
HUBUNGAN ANTARA ASUPAN MAKAN, AKTIVITAS FISIK, DAN OBESITAS SENTRAL TERHADAP KEJADIAN PREDIABETES DI KOTA YOGYAKARTA
AMANDA SAFIERA A, Dr. Susetyowati, DCN., M.Kes; Dr. dr. Emy Huriyati, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Mada : Yogyakarta.

Pham, N.M. *and* Karen Eggleston. 2016. Prevalence and determinants of diabetes and prediabetes among Vietnamese adults. *Diabetes Research and Clinical Practice* 113 : 116 – 124.

Piche, M.E., Despres, J.P., Pascot, A., Nadeau, A., Tremblay, A., Weisnagel, S.J., *et al.* 2004. Impaired Fasting Glucose vs. Glucose Intolerance in Pre-menopausal Women : Distinct Metabolic Entities and Cardiovascular Disease Risk?. *Diabetis Medicine* 21 (7) : 730 – 737.

Pratiwi, Dita Retno. 2012. Hubungan antara Obesitas, Aktivitas Fisik, dan Riwayat Merokok dengan Kejadian Prediabetes pada Laki-laki Usia ≥ 45 tahun di Kota Yogyakarta. *THESIS*. Universitas Gadjah Mada : Yogyakarta.

Rahadiyanti, Ayu. 2014. Hubungan Asupan Makan DASH-Like Diet dengan Resiko Hipertensi pada Wanita Prediabetes di Daerah Puskesmas Tlogosari Kulon Kota Semarang. *THESIS.* Universitas Gadjah Mada : Yogyakarta.

Rahim, M.A., Azad, K.A.K., Nahar, Q., Ali, S.M., Hussain, A. 2010. Impaired Fasting Glucose and Impaired Glucose Tolerance in Rural Population of Bangladesh. *Bangladesh Med Res Counc Bull* 36 (2) : 47 - 51.

Ranggadwipa, D.D. 2014. Hubungan Aktivitas Fisik dan Asupan Energi terhadap Massa Lemak Tubuh dan Lingkar Pinggang pada Mahasiswa Fakultas Kedokteran Universitas Diponegoro. *SKRIPSI.* Universitas Diponegoro : Semarang.

Rhee, S.Y., Woo, J., Chon, S., Hwang, Y.C., Oh, S., Ahn, K.J., *et al.* 2010. Characteristics of insulin resistance and insulin secretory capacity in Korean subjects with IFG and IGT. *Diabetes Research and Clinical Practice* 89 : 250 – 255.

Riccardi, G., Giacco, R., Rivellese, A.A. 2004. Dietary Fat, Insulin Sensitivity, and The Metabolic Syndrome. *Clinical Nutrition* 23 : 447 – 456.

Riskesdas. 2007. *Riset Kesehatan Dasar (RISKESDAS 2007).* Jakarta : Badan Litbangkes Kemenkes R.I.

Riskesdas. 2013. *Riset Kesehatan Dasar (RISKESDAS 2013).* Jakarta : Badan Litbangkes Kemenkes R.I.

Saito, T., Watanabe, M., Nishida, J., Izumi, T., Omura, M., Takagi, T., *et al*. 2011. Lifestyle Modification and Prevention of Type Diabetes in Overweight Japanese With Impaired Fasting Glucose Levels : A Randomized Controlled Trial. *Arch Intern Med* 171 (15) : 1353 – 1360.

Sargowo, D dan Sri A. 2011. The Relationship Between Food Intake and

UNIVERSITAS GADJAH MADA
HUBUNGAN ANTARA ASUPAN MAKAN, AKTIVITAS FISIK, DAN OBESITAS SENTRAL TERHADAP KEJADIAN PREDIABETES DI KOTA YOGYAKARTA
AMANDA SAFIERA A, Dr. Susetyowati, DCN., M.Kes; Dr. dr. Emy Huriyati, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Adolescent Metabolic Syndrome. *Jurnal Kardiologi Indonesia* 32: 14-23 ISSN 0126/3773.

Shah, M., *and* Abhimanyu G. 1996. High-Fat and High-Carbohydrate Diets and Energy Balance. *Diabetes Care* 19 (10) : 1996 – 1151.

Singh, K., Ansari, M., Galipeau, J., Garritty, C., Keely, E., Malcolm, J. 2012. An Evidence Map of Systematic Reviews to Inform Interventions in Prediabetes. *Canadian Journal of Diabetes* 36 (5) : 281-291.

Sinha, R., Fisch, G., Teague, B., Tamborlane, V., Banyas, B., Allen, K., et al. 2002. Prevalence of Impaired Glucose Tolerance Among Children and Adolescents with Marked Obesity. *The New England Journal of Medicine* 346 (11) : 802 – 810.

Sleddering, M.A., Bakker, L.E.H., Janssen, L.G.M., Meinders, A.E., Jazet, I.M. 2014. Higher insulin and glucagon-like peptide-1 (GLP-1) levels in healthy, young South Asians as compared to Caucasians during an oral glucose tolerance test. *Metabolism Clinical and Experimental* 63 : 226 - 232.

Sitoayu, Laras. 2010. Asupan Karbohidrat dan Kadar Glukosa Darah pada Pasien Diabetes Melitus Tipe 2 Anggota PERSADIA RSUD Kota Yogyakarta. *SKRIPSI*. Universitas Gadjah Mada : Yogyakarta.

Song, J., Zha, X., Li, H., Guo, R., Zhu, Y., Wen, Y. 2016. Analysis of Blood Glucose Distribution Characteristics and Its Risk Factors among a Health Examination Population in Wohu (China). *Int. J. Environ. Res. Public Health* 13 : 392.

Sudibjo, P., Arovah, N.I., Ambardini, R.L. 2013. Tingkat Pemahaman dan Survei Level Aktivitas Fisik, Status Kecukupan Energi, dan Status Antropometrik Mahasiswa Program Studi Pendidikan Kepelatihan Olahraga FIK UNY. *MEDIKORA* 11 (2) : 183-203.

Supariasa, I.D.N., Bakri, B., Fajar, I. 2014. *Penilaian Status Gizi*. Jakarta : EGC.

Suzuki, H., Fukushima, M., Usami, M., Ikeda, M., Taniguchi, A., Nakai, Y., *et al.* 2003. Factors Responsible for Development from Normal Glucose Tolerance to Isolated Postchallenge Hyperglycemia. *Diabetes Care* 26 : 1211-1215.

Tabak, A.G., Herder, C., Rathmann, W., Brunner, E.E., Kivimaki, M. 2012. Prediabetes : A high-risk state for developing diabetes. *Lancet* 379 (9833) : 2279 – 2290.

Targher G. 2005. How does smoking affect insulin sensitivity?. *Diabetes Voice* 50 : 23-25.

Taylor, R.W., Jones, E.J., Williams, S.M., Goulding, A., 2000. Evaluation of Waist

UNIVERSITAS GADJAH MADA
HUBUNGAN ANTARA ASUPAN MAKAN, AKTIVITAS FISIK, DAN OBESITAS SENTRAL TERHADAP KEJADIAN PREDIABETES DI KOTA YOGYAKARTA
AMANDA SAFIERA A, Dr. Susetyowati, DCN., M.Kes; Dr. dr. Emy Huriyati, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Circumference, Waist-to-Hip Ratio, and the Conicity Index as Screening Tools for High Trunk Fat Mass, as Measured by Dual Energy X-Ray Absorptiometry, in Children Aged 3-19 y. *Am J Clin Nutr*, 72 : 490-495.

Teshima, N., Shimo, M., Miyazawa, K., Konegawa, S., Matsumoto, A., Onishi, Y., *et al.* 2015. Effects of Sugar-Sweetened Beverage Intake on Development of Type 2 Diabetes Mellitus in Subjects with Impaired Glucose Tolerance: The Mihama Diabetes Prevention Study. *J Nutr Sci Vitamin* 61 (1): 14-19.

Thanopoulou, A.C., Karamanos, B.G., Angelico, F.V., Assaad-Khalil, S.H., Barbato, A.F., Ben, M.P.D., *et al.* 2003. Dietary Fat Intake as Risk Development of Diabetes. *Diabetes Care* 26 : 302-307.

Tjiptaningrum, P.R.A dan Basuki W. 2013. The Correlation Between Obesity and Prediabetes Among The Student of Lampung University 2013. *Jurnal Kedokteran Unila* hlm. 115-121 ISSN 2337-3776.

Trisnawati, S.K. dan Soedijono S. 2013. Faktor Risiko Kejadian Diabetes Melitus Tipe II Di Puskesmas Kecamatan Cengkareng Jakarta Barat Tahun 2012. *Jurnal Ilmiah Kesehatan* 5 (1) : 6-11.

Unwin, N., Shaw, J., Zimmet, P., Alberti, K.G.M.M. 2002. Impaired Glucose Tolerance and Impaired Fasting Glycaemia: The Current Status on Definition and Intervention. *Diabetic Medicine* 19 : 708-723.

Uhthi, C.N. 2014. Hubungan Aktivitas Fisik dan Suku dengan Kejadian Diabetes Mellitus pada Pegawai Universitas Gadjah Mada. *SKRIPSI*. Universitas Gadjah Mada : Yogyakarta.

Vaidya, A., Cui, L., Sun, L., Lu, B., Chen, S., Liu, X., *et al.* 2016. A Prospective Study of Impaired Fasting Glucose and Type 2 Diabetes in China: The Kailuan Study. *Medicine* 95 : 46.

Vertikal, Luh Anggi. 2012. Aktivitas Fisik, Asupan Energi, dan Asupan Lemak Hubungannya dengan Gizi Lebih pada Siswa SD Negeri Pondokcina 1 Depok tahun 2012. *SKRIPSI*. Universitas Indonesia : Jakarta.

Wahyuningsih, R. 2013. *Penatalaksanaan Diet pada Pasien*. Yogyakarta : Graha Ilmu.

Weir, G.C, *and* Bonner-Weir, S. 2004. Five Stages of Evolving β-cell Dysfunction During Progression of Diabetes. *Diabetes* 53 (3) : S16-21.

WHO. 2000. *The Asia-Pacific perspective: Redefining Obesity and Its Treatment*. Australia : Health Communications Australia.

WHO. 2008. *Waist Circumference and Waist-Hip Ratio.* Geneva : World Helath Organization.

WHO. 2010. *Global Recommendations on Physical Activity For Health*.

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA ASUPAN MAKAN, AKTIVITAS FISIK, DAN OBESITAS SENTRAL TERHADAP KEJADIAN PREDIABETES DI KOTA YOGYAKARTA
AMANDA SAFIERA A, Dr. Susetyowati, DCN., M.Kes; Dr. dr. Emy Huriyati, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Switzerland : World Health Organization.

WHO. 2012. *Global Physical Activity Questionnaire (GPAQ) Analysis Guide*. Switzerland : WHO.

Yin, Y., Han, W., Wang, Y., Zhang, Y., Wu, S., Zhang, H., *et al.* 2015. Identification of Risk Factors Affecting Impaired Fasting Glucose and Diabetes in Adult Patients from Northeast China. *Int. J. Environ. Res. Public Health* 12 : 12662-12678.

Zhang, M., Zhu, Y., Li, P., Chang, H., Wang, X., Liu, W., *et al.* 2015. Associations between Dietary Patterns and Impaired Fasting Glucose in Chinese Men: A Cross-Sectional Study. *Nutrients* 5: 8072-8089.

Zuhdy, Nabila. 2015. Hubungan Pola Aktivitas Fisik dan Pola Makan dengan Status Gizi pad Pelajar Putri SMA Kelas 1 di Denpasar Utara. *THESIS.* Universitas Udayana : Denpasar.